NATIONAL OBSERVATORY OF ATHENS
METEOROLOGICAL INSTITUTE

CLIMATOLOGICAL BULLETIN

1936 - 1940

Compiled under the direction of
Prof. ELIAS G. MARIOLOPOULOS
Director
of the Meteorological Institute

ATHENS, GREECE
1962

M06.1/495
A867c
1936-1950

YEAR 1936

Year : 1936 Month : Janua

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average	Maximum	Minimum	Wet-bulb	Degree days (base 18°)	Total (mm)	Duration (hrs)	Relative humid. (%)	Vapor pressure (mm)		Prevailing direction	Avg. speed (met.p.s.)	
	(1)	(4)	(4)	(3)	(1)	(4)	(4)	(1)	(3)	(1)			(4)(7)
1	13.1	18.1	9.8	12.0	.5	0.6	1.68	76	8.7	752.3	ENE	5.7	1.8
2	12.4	15.8	10.0	11.8	6	24.3	13.17	86	9.4	51.0	NE	4.7	0.8
3	13.0	16.8	10.4	11.5	5	0.0	2.00	82	9.0	51.3	NE	3.8	1.1
4	12.9	17.8	10.4	12.0	5	0.0	0.75	86	9.5	48.5	SSE	2.2	1.1
5	12.5	14.9	11.7	11.7	5	13.6	13.45	89	9.7	45.4	NE	2.2	0.6
6	12.3	15.8	10.4	11.4	6	1.5	3.87	87	9.3	49.0	NE	4.1	0.7
7	11.9	16.7	8.6	10.6	6			83	8.5	56.0	SSW	1.9	1.4
8	12.8	15.9	10.4	12.4	5	1.0	0.42	88	10.0	57.0	SSE	1.9	0.8
9	13.1	17.3	11.4	12.2	5	0.9	1.83	89	9.9	57.2	SE	2.3	0.9
10	12.0	17.3	8.3	10.6	6			84	8.7	58.4	SSE	1.8	1.3
11	12.5	15.8	9.3	10.7	5	0.1	-	79	8.3	55.4	WSW	3.9	2.0
12	13.2	18.6	9.3	11.2	5			75	8.7	55.4	S	3.2	2.1
13	13.2	19.1	9.0	11.2	5			77	8.5	54.0	S	2.2	2.2
14	12.3	16.4	7.4	10.5	6			83	8.7	55.1	SSW	2.5	1.5
15	13.2	18.3	10.1	11.5	5			81	9.1	55.1	SSW	1.6	1.7
16	11.8	15.5	9.0	10.1	6			80	8.0	54.6	S	2.4	1.4
17	11.8	16.1	8.7	10.6	6	17.0	3.67	85	8.7	49.9	SSW	2.5	1.2
18	12.1	16.1	9.1	10.5	6			81	8.3	50.0	S	1.6	1.4
19	13.2	17.0	8.8	10.6	5			70	7.8	52.5	W	3.3	2.7
20	13.2	16.7	10.2	11.1	5			74	8.5	54.8	SSW	2.1	2.1
21	14.0	18.6	10.3	12.0	4			-	9.0	53.6	S	2.8	2.1
22	14.2	18.8	10.4	12.2	4			80	9.4	55.3	S	2.4	2.1
23	13.3	16.4	10.0	11.3	5			77	9.1	52.5	S	2.4	1.6
24	13.4	17.7	10.4	10.1	5			67	7.4	55.1	ENE	3.6	3.0
25	12.2	17.0	9.0	10.6	6			79	8.4	56.3	SW	1.1	1.9
26	13.6	18.3	9.3	12.4	4			84	9.5	54.4	SSE	3.7	1.4
27	16.0	19.7	11.8	11.9	2			62	7.5	51.8	S	5.8	4.5
28	14.5	16.9	13.7	12.1	3	0.1	0.18	72	9.4	44.4	SE	6.5	3.8
29	12.3	17.9	7.7	9.7	6	0.0	0.17	68	7.1	43.6	W	2.1	2.0
30	12.3	17.1	8.3	9.9	6			69	7.5	47.8	S	2.2	2.1
31	12.8	14.5	11.8	11.3	5	11.4	4.50	83	9.1	45.9	SSE	5.9	2.4
Sum					158	70.5	45.69				S		55.7
Avg.	12.9	17.1	9.8	11.2				79	8.7	752.4	(6)	3.0	1.8

: 1936 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
0,5	7,7	8	9	11,5	12,4	12,8	13,0	13,8	14,7	●1 ≺°	1
0,1	8,7	7	8	11,5	12,4	13,0	13,1	13,8	14,8	●2 ≺° ≺°	2
1,3	8,3	6	9	12,4	12,0	12,9	13,1	13,8	14,7	●0-1	3
0.2	8.0	6	5	11,4	13,1	13,1	13,3	13,8	14,8	●0 ▱2	4
0,0	10,0	7	6	11,8	12,0	13,4	13,4	13,9	14,8	●1-2	5
0,2	9,7	7	9	12,4	12,3	13,4	13,5	14,0	14,8	●0-1	6
2,9	3,0	6	8	9,2	12,1	13,1	13,1	13,9	14.8	▱2	7
0,0	7,7	8	7	11,8	13,0	13,2	13.2	13.9	14.8	●0-1 ▱1	8
0,0	6,3	5	6	12,2	12,4	13,5	13.5	14.0	14.8	●0-1 ▱1	9
7,1	4,0	4	6	12,2	11.9	13.0	13,1	13.9	14.7	▱2	10
6,9	5.3	5	8	10.6	11.1	12,7	13.0	13.9	14.8	●0 ▱2	11
8,6	4.0	5	7	10.5	12.2	12.5	12.7	13.6	14.6	▱1-2	12
8.7	0.0	4	7	9.9	13.1	12.6	12.8	13.5	14.5	▱1-2	13
6.5	5.7	7	6	10.2	10.9	12.4	12,7	13.4	14.5	▱1	14
8.6	0.3	4	7	10.1	12.5	12.7	12.8	13.6	14.5	▱2	15
0.6	7.3	7	7	10.3	11.2	12.6	12.7	13.4	14.5	≺° ▱1-2	16
7.0	3.0	8	7	10.1	11.1	12.5	12.6	13.4	14.5	●2 ≺² ▲1 ▱1	17
2.1	5.3	4	6	10.0	11.2	12.4	12.5	13.3	14.4	▱1-2	18
8.2	1.7	8	9	10.0	11.5	12.2	12.5	13.1	14.4	▱1-2	19
7.6	5.0	7	7	10.3	11.5	12.3	12.4	13.2	14.3	▱°	20
5.3	5.3	5	6	11.7	12.1	12.6	12.6	13.3	14.3	▱°	21
4.9	6.0	6	7	12.2	13.2	12.8	12.8	13.3	14.3	▱1	22
0.7	6.0	6	5	9.6	10.0	12.7	12.7	13.3	14.2	▱1	23
4.9	8.0	6	8	10.9	12.5	12.7	12.8	13.3	14.2	▱°	24
5.3	4.3	7	6	9.7	11.4	12.5	12.6	13.2	14.2	▱°	25
3.3	6.0	7	7	11.3	13.8	12.6	12.7	13.3	14.2	▱2	26
5.3	6.3	7	9	12.7	14.8	13.3	13.1	13.5	14.3		27
5.2	5.3	7	7	12.7	13.1	13.9	13.5	13.7	14.3	●°	28
7.3	5.7	6	8	12.6	15.0	13.2	13.2	13.6	14.3	●° ▱1	29
6.1	7.7	6	8	11.3	13.4	13.1	13.1	13.5	14.3	Φ0-1 ▱1	30
0.0	10.0	8	6	10.6	11.1	13.2	13.2	13.5	14.2	●1-2 ≺°	31
125.4										●13, ≺3, ▲1, ≺2,	
	5.9	6.3	7.1	11.0	12.3	12.9	13.0	13.6	14.5	Φ1, Ω23.	

Year : 1936 Month : Februa

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12,2	16.3	9.5	11.0	6	2,8	4.92	83	8.9	745.7	NE	4.9	1.4
2	12.5	16.1	8.3	10.3	5			80	8.1	45.7	S	2.3	1.6
3	14.5	16.0	11.2	13.8	3	0.3	2.00	86	10.8	41.9	S	8.9	2.0
4	13.6	16.4	12.2	10.5	4	11.8	6.33	75	7.9	33.3	S	11.8	4.3
5	10.9	13.8	8.4	8.8	7	0.0	0.25	75	7.2	38.6	SSW	3.8	2.8
6	10.5	15.7	6.8	8.0	7	0.3	0.20	73	6.5	42.0	ENE	2.5	1.7
7	8.4	13.3	4.8	6,1	10	12.5	4.83	76	5.7	41.1	SSW	4.3	2.0
8	6.4	10.5	2.8	5.0	12	0.6	1.75	76	5.3	46.1	NW	4.6	1.5
9	8.3	13.7	3.4	6.7	10	0.3	1.50	74	6.1	49.6	NNW	2.2	1.8
10	9.6	13.6	6.5	7.5	8	0.2	0.25	69	6.1	47.3	W	4.2	2.9
11	8.2	13.1	7.6	7.5	10	15.7	9.83	82	7.6	37.6	NNW	8.4	1.8
12	2.5	8.4	-1.2	0.9	15	0.3	0.75	55	3.0	49.3	NW	5.1	1.4
13	4.9	9.3	1.3	2.2	13			56	3.5	53.9	N	3.9	2.1
14	8.0	13.6	2.0	6.4	10			60	5.4	53.9	ESE	1.3	2.4
15	11.0	16.2	6.4	9.1	7	0.0	1.00	71	7.3	51.8	SE	1.0	1.9
16	11.5	12.5	10.0	10.5	6	5.1	10.67	87	8.9	49.5	WNW	2.6	0.6
17	13.4	17.5	9.8	12.9	5	5.0	5.67	90	10.4	48.7	S	1.4	0.7
18	14.3	19.3	11.6	12.1	4			76	8.9	47.9	WSW	2.9	2.0
19	12.8	18.1	9.8	10.7	5			75	7.9	50.6	N	2.3	2.1
20	13.3	17.2	9.8	11.9	5	0.0	0.05	82	9.6	48.6	S	1.8	1.3
21	13.6	17.8	10.8	10.7	4			69	7.6	50.8	NNE	4.6	2.8
22	11.8	16.6	6.8	9.9	6			79	8.1	55.1	SSW	2.1	1.9
23	11.7	15.2	9.9	10.4	6	0.2	0.30	80	8.2	52.9	NNW	2.3	1.0
24	12.3	16.6	9.9	11.2	6	0.6	0.68	81	9.0	46,1	WNW	1.7	1.5
25	12.7	18.3	9.4	9.9	5	0.6	0.17	68	7.4	45.2	WSW	2.1	2.7
26	12.7	17.4	8.6	10.4	5			70	7.8	49.9	SW	2.6	2.8
27	13.7	17.8	9.8	11.5	4			70	8.2	54.7	SW	2.1	2.6
28	15.9	20.7	11.9	14.1	2			72	10.2	49.1	SSE	5.5	3.4
29	15.8	20.5	12.8	13.2	2	2.6	1.45	74	9.5	46.9	SSW	4.3	3.8
Sum					192	58.9	52.60				S		60.8
Avg.	11.3	15.6	8.0	9.4				75	7.6	747.4	(6)	3.7	2.1

: 1936 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
3.8	6.3	5	6	12.6	13.2	12.8	13.0	13.5	13.9	◍$^{0-1}$ ≺$^{1-2}$ Ω^{1}	1
5.8	7.0	8	8	11.3	11.7	12.5	12.6	13.4	14.3	Ω$^{1-2}$	2
0.0	10.0	8	7	13.3	13.2	12.8	12.9	13.6	14.3	◍$^{0-1}$	3
2.5	7.0	8	8	11.2	11.6	13.1	13.0	13.6	14.3	◍^{2}	4
2.0	7.3	8	7	8.3	9.1	12.3	12.5	13.3	14.2	◍^{0} Ω^{0}	5
5.3	8.3	7	9	10.8	11.4	11.9	12.1	13.1	14.0	◍$^{0-1}$ Ω Ω$^{1-2}$	6
3.4	7.3	8	8	7.4	9.0	11.7	11.9	12.9	14.1	◍^{2} ✳^{0} ⋉^{1} ≺^{1} Ω^{0}	7
3.6	7.7	5	9	7.1	7.9	10.8	11.2	12.4	13.9	✳^{0} ⌊^{0}	8
5.0	5.3	7	9	7.6	10.5	10.5	11.0	12.2	13.8	✳^{0} Ω Ω^{1}	9
8.7	3.0	6	9	9.1	10.8	10.7	11.2	12.3	13.9	✳^{0} ≺^{1} Ω^{0}	10
1.7	8.0	5	7	9.6	10.0	11.0	11.2	12.2	13.7	◍^{2} ◬^{0} ✳^{0}	11
5.1	5.0	6	8	6.1	4.5	9.3	9.9	11.5	13.3	✳^{0} ✳^{0} ⌊ ⌊^{1}	12
9.6	1.0	5	9	6.1	6.7	8.8	9.4	11.2	13.0	⌊ ⌊^{1}	13
9.3	1.0	5	7	9.0	9.5	8.6	9.3	10.9	12.8	Ω^{0} ⌊^{0}	14
2.3	7.3	6	6	9.6	11.0	9.4	9.8	11.1	12.8	◍^{0}	15
0.0	9.7	6	6	10.8	10.5	10.6	10.7	11.5	12.8	◍$^{0-1}$	16
3.8	9.3	6	7	13.8	13.8	11.4	11.3	11.8	12.9	◍^{2} ≡^{1} Ω^{2}	17
6.5	5.3	6	7	13.3	13.8	12.1	11.9	12.0	13.0	Ω$^{1-2}$	18
7.0	6.3	8	8	11.5	11.8	12.1	12.0	12.2	13.0	Ω^{1}	19
3.5	6.7	7	6	12.0	12.4	12.3	12.2	12.4	13.1	◍^{0} Ω Ω^{1}	20
9.3	2.3	6	9	14.2	16.9	12.5	12.4	12.6	13.2	Ω Ω$^{1-2}$	21
4.9	9.3	7	6	10.3	12.2	12.2	12.2	12.5	13.2	Ω$^{1-2}$	22
0.0	10.0	6	6	12.4	13.1	12.5	12.5	12.7	13.3	◍^{0}	23
3.9	9.3	5	7	14.0	14.5	12.6	12.5	12.7	13.4	◍$^{1-2}$ ≺^{0}	24
8.9	4.7	8	8	10.3	11.8	12.5	12.4	12.7	13.4	◍^{0} Ω^{0}	25
10.2	3.3	8	9	12.6	14.1	12.5	12.4	12.8	13.1	≺^{0} Φ^{0} Ω^{0}	26
8.7	7.3	8	7	12.7	14.9	12.7	12.5	12.8	13.4	Ω^{1}	27
4.5	8.0	5	7	15.1	13.1	13.3	13.0	13.0	13.5		28
7.4	3.3	5	7	16.2	17.6	14.3	13.6	13.3	13.7	◍$^{1-2}$ Ω^{0}	29
146.7										◍15, ✳2, ✳5, ◬1, ⋉1, ≺4, Φ1, Ω18, ⌊4, ≡1.	
	6.4	6.5	7.4	11.0	12.0	11.7	11.8	12.5	13.5		

Year : 1936 Month : Ma

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at.0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	13.3	17.5	9.3	11.4	5			72	8.6	748.0	SSW	2.3	2.8
2	14.2	19.5	9.6	11.9	4			69	8.4	48.9	SSW	2.5	2.9
3	13.6	18.8	8.4	10.9	4			64	7.7	55.4	SSW	1.4	3.2
4	14.5	21.9	8.6	11.1	3			63	7.6	58.1	ENE	3.7	3.2
5	13.8	20.5	8.8	11.9	4			71	9.0	54.1	NE	1.9	3.1
6	14.5	18.6	13.3	11.9	3	1.8	0.30	71	8.7	46.1	SW	3.2	3.0
7	12.6	16.3	9.6	10.2	5			70	7.8	47.0	SSW	3.4	3.7
8	12.3	17.4	8.4	10.4	6	4.0	0.52	78	8.0	50.8	SSW	1.7	2.5
9	11.7	16.6	7.7	10.6	6	0.8	0.22	83	8.7	55.7	NNE	1.4	1.7
10	12.4	17.4	8.2	11.2	6			78	8.5	55.5	SSW	1.9	2.3
11	12.6	17.2	8.1	11.0	5			73	8.4	54.8	SSW	2.3	2.1
12	13.9	17.3	10.4	12.1	4			80	9.2	53.8	SSE	4.8	3.0
13	16.1	19.6	13.0	14.1	2			75	10.3	50.1	SSE	7.2	5.5
14	14.8	19.2	11.6	13.1	3	0.2	0.70	81	10.4	48.2	S	3.8	2.8
15	14.4	19.1	10.0	12.0	4			75	8.7	50.1	SSW	2.2	3.1
16	13.2	18.4	10.4	11.0	5	8.8	1.60	80	8.7	50.4	SSW	2.1	2.2
17	13.3	17.8	9.4	11.8	5	3.2	0.45	81	8.8	49.6	S	3.8	2.2
18	13.1	16.7	9.0	9.8	5			65	7.0	50.6	WSW	2.7	3.6
19	10.8	15.7	8.0	8.9	7	0.0	0.05	75	6.2	54.6	NE	2.9	2.1
20	10.6	16.1	7.1	8.3	7			66	6.5	57.4	NNE	4.5	2.6
21	11.2	17.4	5.8	8.7	7			62	6.2	58.9	N	5.8	3.0
22	11.4	16.3	8.8	8.9	7			66	6.6	58.2	NNE	7,5	3.6
23	11.3	16.3	5.6	9.4	7			71	7.2	57.4	S	2.6	3.0
24	13.8	18.2	9.6	12.2	4			78	9.1	55.7	S	2.2	2.8
25	13.8	17.5	9.5	12.2	4			81	9.5	52.5	SW	0.7	1.6
26	13.6	18.0	9.7	12.6	4			82	9.7	49.8	SSW	1.2	1.6
27	14.4	19.1	9.9	12.6	4	0.4	0.30	77	9.3	47.5	SSW	2.4	2.6
28	15.9	22.0	11.4	12.2	2			63	8.0	48.1	WSW	3.0	4.4
29	11.7	15.3	11.4	10.3	6	12.3	4.30	82	8.4	51.9	NNE	4.2	1.6
30	10.4	14.2	8.0	7.9	8			67	6.3	53.4	NNE	5.2	2.8
31	10.5	15.1	5.4	8.5	7			71	6.8	53.7	S	1.9	2.2
Sum					153	31.5	8.44				S		86.8
Avg.	13.0	17.8	9.2	10.9				73	8.2	752.5	(6)	3.1	2.8

r : 1936 Month : March

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature(°0) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	10.1	0.0	6	7	11.2	14.8	13.8	13.4	13.4	13.7	Ω^{0-1}	1
	9.4	0.7	5	7	14.7	16.5	13.8	13.4	13.5	13.9	Ω^{1-2}	2
	10.1	0.0	7	7	12.5	16.1	13.6	13.3	13.5	13.9	Ω^{0}	3
	10.1	0.0	5	8	14.5	19.2	13.7	13.4	13.6	14.0		4
	7.9	5.7	6	6	15.0	16.8	13.8	13.5	13.6	14.1		5
	4.7	6.7	5	7	14.1	15.5	14.3	13.9	13.8	14.2	◍$^{0-1}$ ▲^{0}	6
	4.5	7.3	9	8	10.6	11.7	13.7	13.6	13.8	14.2	Ω^{0}	7
	8.3	3.7	7	7	13.2	15.9	13.4	13.4	13.7	14.3	◍$^{1-2}$ ▲^{2} ≷$^{0-1}$ ≺^{0} Ω^{1}	8
	2.3	3.7	5	7	12.8	14.5	13.2	13.2	13.6	14.2	◍$^{0-1}$ ≷^{0} Ω^{0}	9
	9.6	3.7	6	7	12.1	14.5	13.0	13.1	13.6	14.2	Ω^{1-2}	10
	9.9	4.3	6	7	14.5	15.9	13.2	13.1	13.5	14.2	Ω^{2}	11
	9.6	2.0	6	7	15.4	17.3	13.7	13.5	13.7	14.3	Ω^{1}	12
	8.6	5.7	6	7	14.8	16.8	14.3	13.8	13.9	14.4	Ω^{0}	13
	4.8	4.7	4	5	14.2	15.4	14.7	14.1	14.0	14.4	◍$^{0-1}$ ≷$^{0-1}$ Ω^{1-2}	14
	8.4	5.0	8	7	16.0	18.6	14.6	14.3	14.2	14.5	Ω^{1-2}	15
	4.6	9.0	7	7	13.1	16.3	14.9	14.5	14.3	14.6	◍^{2} ▲^{1} ≷^{1}	16
	5.6	6.7	7	7	13.2	14.1	14.6	14.2	14.3	14.6	◍^{1} ≷^{1} ≺^{1}	17
	8.5	5.3	8	8	12.9	16.2	14.4	14.1	14.3	14.7	≺^{1} Ω^{0}	18
	1.6	8.0	7	9	12.2	12.1	14.1	13.8	14.1	14.7	◍^{0}	19
	6.7	5.3	7	7	11.4	13.5	13.5	13.5	14.2	14.6	Ω^{0}	20
	10.3	2.7	5	6	13.9	17.1	13.2	13.2	13.8	14.5		21
	10.6	2.0	6	8	14.1	18.0	13.2	13.1	13.7	14.5	Ω^{0}	22
	10.7	0.3	6	7	12.2	17.8	13.4	13.4	13.7	14.5		23
	9.3	3.0	6	7	15.3	19.2	14.0	13.7	13.9	14.6	Ω^{2}	24
	1.9	7.7	7	6	13.9	15.2	14.5	14.2	14.2	14.7	Ω^{1-2}	25
	0.8	9.0	6	6	14.4	16.8	14.6	14.2	14.3	14.7	Ω^{2}	26
	8.5	5.3	7	8	15.5	20.1	14.8	14.3	14.3	14.7	◍^{0} Ω^{1}	27
	10.0	5.0	6	8	16.4	20.5	15.4	14.8	14.5	14.8		28
	0.0	9.3	7	6	12.2	11.7	15.3	14.7	14.6	14.8	◍$^{0-1}$ ≷$^{0-1}$ ≺^{1}	29
	7.4	4.3	6	6	10.3	9.8	13.8	13.9	14.3	14.8		30
	7.3	7.0	6	6	13.5	13.1	13.1	13.3	14.0	14.8	⊖$^{0-1}$ Ω^{1}	31
m	222.1										◍9, ▲3, ≷6, ≺1, ⊖1, Ω 20.	
g.		4.6	6,3	7,0	13.6	15.8	14.0	13.7	13.9	14.4		

Year : 1936 Month : Ap

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.1	17.2	7.9	9.6	6			73	7.5	754.3	NNE	2.4	1.9
2	13.2	18.3	8.3	10.8	5			68	7.9	56.3	SSW	2.2	2.8
3	15.1	20.2	8.2	13.0	3			75	9.5	55.4	SSW	3.1	2.6
4	16.5	20.8	11.8	13.7	1			71	9.8	54.4	S	2.7	3.0
5	17.1	20.5	13.2	13.7	1			67	9.5	51.1	SW	4.6	4.1
6	17.3	23.7	14.0	13.6	1			65	9.3	50.3	S	4.5	4.6
7	14.7	19.2	10.8	11.5	3			61	7.4	54.1	NNE	4.9	4.5
8	16.7	20.4	11.0	14.5	1			74	10.6	50.6	SSE	3.1	4.1
9	20.3	26.6	15.9	16.9	0			70	12.4	52.6	WSW	0.9	3.6
10	19.8	24.6	16.4	16.4	0			68	11.4	49.6	SSW	1.4	3.4
11	18.7	24.7	14.7	16.4	0	0.4	0.33	76	12.8	41.4	W	3.0	3.2
12	17.9	23.3	14.6	15.1	0	0.6	1.17	68	10.6	39.9	WSW	4.8	5.5
13	19.1	24.9	14.2	14.1	0			51	8.2	46.8	WSW	5.5	7.0
14	18.0	23.1	13.5	13.5	0			56	8.6	47.9	SSE	6.8	6.3
15	18.9	24.2	13.7	13.9	0			54	8.3	47.7	W	6.6	7.7
16	18.6	24.0	13.2	13.9	0			56	8.4	51.1	SSW	3.1	5.3
17	19.6	25.4	14.5	14.8	0			54	9.1	47.1	SW	3.8	6.4
18	17.7	22.1	15.4	12.1	0			49	7.0	46.5	W	6.6	8.6
19	14.0	18.4	10.5	10.0	4			58	6.4	50.3	W	5.2	6.5
20	14.7	20.0	9.9	11.0	3			59	7.1	53.4	SSW	4.6	4.6
21	14.8	18.0	10.6	12.4	3	0.0	0.20	68	8.6	51.8	SSW	3.0	3.1
22	16.2	20.0	12.5	14.8	2	1.7	5.17	79	11.3	42.3	SSW	6.4	3.1
23	16.5	20.7	12.4	14.1	1	0.0	0.18	72	10.1	45.7	SSW	6.0	4.8
24	14.8	18.1	12.4	12.8	3	2.6	3.15	81	9.8	46.1	WNW	5.1	3.8
25	16.5	20.5	12.3	14.8	1			78	10.9	51.7	SW	2.2	3.1
26	15.6	20.4	13.9	13.3	2	0.8	0.77	77	9.9	49.5	E	2.0	2.4
27	14.4	19.4	10.8	12.6	4	0.2	1.18	75	9.3	49.6	N	4.8	2.1
28	18.7	25.2	12.2	14.5	0			58	9.2	52.0	NNE	4.5	4.4
29	19.1	25.0	13.6	14.8	0			56	9.3	53.3	NE	4.6	4.5
30	19.7	25.4	14.7	14.0	0			48	7.8	52.0	NE	5.0	6.1
Sum					44	6.3	12.15				SSW		103.1
Avg.	16.9	21.8	12.6	13.5				66	9.3	749.8	(6)	4.0	4.4

: 1936 Month : April

Total sunshine (hrs) (8)	Avg. Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil temperature (°0) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
4.6	6.7	6	6	12.[illegible]	12.3	13.5	13.4	14.0	14.7		1
11.0	1.7	6	6	16.5	18.3	13.8	13.6	14.0	14.7		2
11.1	2.[illegible]	6	6	17.9	21.5	14.6	14.1	14.2	14.7		3
10.0	5.3	6	6	19.1	22.6	15.5	14.9	14.5	14.8		4
6.4	9.3	6	6	17.7	21.0	16.1	15.3	14.8	14.9		5
8.5	5.3	7	6	17.6	21.7	16.5	15.8	15.1	15.1		6
9.1	5.7	7	7	16.3	21.2	16.5	15.9	15.2	15.2		7
4.0	7.3	7	6	17.1	18.9	16.7	16.1	15.5	15.3		8
0.0	10.0	5	5	18.6	21.8	17.3	16.4	15.6	15.4		9
0.9	8.7	7	6	18.6	21.7	17.9	16.9	15.9	15.6		10
2.4	8.0	6	6	18.1	19.8	17.9	17.2	16.1	15.8	◍⁰	11
9.5	3.3	8	9	18.9	25.3	17.8	17.1	16.3	15.8	◍⁰ ≺¹	12
11.6	1.7	6	9	19.3	25.2	18.2	17.3	16.4	15.9	≺¹	13
10.7	3.0	5	6	18.5	23.8	18.7	17.7	16.6	16.1		14
11.0	2.3	6	8	18.8	26.6	18.9	18.0	16.8	16.2		15
8.5	7.0	7	7	22.0	24.3	19.1	18.3	17.0	16.4		16
6.2	7.3	7	6	25.3	24.4	19.3	18.4	17.3	16.6		17
11.4	2.7	7	8	20.1	23.7	19.4	18.5	17.4	16.7		18
9.2	3.0	9	9	19.1	21.4	18.7	18.2	17.4	16.8		19
11.2	3.3	7	7	19.2	22.4	18.1	17.7	17.3	16.9		20
3.6	9.0	6	6	16.2	19.2	17.9	17.6	17.3	16.9	◍⁰	21
0.0	9.7	6	6	15.9	16.5	17.5	17.3	17.2	17.0	◍¹	22
7.2	7.0	6	8	18.0	23.8	17.3	17.2	17.1	17.0	◍⁰	23
3.9	8.3	8	8	15.2	15.6	17.4	17.1	17.0	17.0	◍¹ ≺¹	24
10.3	7.0	7	7	18.6	23.8	17.1	17.0	16.9	16.9	⌓⁰⁻¹	25
2.2	7.0	6	7	14.7	17.9	17.6	17.2	16.9	16.9	◍⁰⁻¹	26
0.4	8.7	7	7	16.4	17.3	16.9	16.8	16.8	16.9	◍⁰⁻¹ ≺¹	27
11.6	3.7	5	8	20.3	27.1	17.2	16.9	16.8	16.9	⌓⁰	28
11.9	2.3	5	8	23.3	28.5	18.7	17.9	17.1	17.0		29
10.5	4.0	5	8	24.8	28.8	19.3	18.6	17.5	17.1		30
n 218.9										◍8, ≺4, ⌓1, ⌓6.	
g.	5.7	6.4	6.9	18.5	21.9	17.4	16.8	16.3	16.1		

Year : 1936 Month: M

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	18.4	22.5	14.2	14.5	0			60	9.6	751.0	WSW	1.9	4.6	
2	17.7	22.6	14.0	15.5	0			72	11.4	50.8	W	1.1	3.1	
3	15.6	19.5	15.1	14.8	2	25.7	9.52	87	11.8	49.2	WNW	1.0	1.1	
4	15.3	19.9	12.8	13.1	3	0.0	1.57	75	9.4	46.0	WNW	1.8	2.6	
5	15.4	18.8	12.6	14.1	3	1.0	6.05	83	10.7	46.7	SW	1.7	1.9	
6	15.6	20.3	13.0	13.5	2	4.5	4.58	83	10.4	47.8	SSW	3.1	2.3	
7	16.9	20.9	11.6	16.1	1	5.3	0.58	84	12.9	46.6	S	4.3	2.3	
8	17.8	21.9	14.2	15.7	0			74	11.6	49.3	SSW	2.8	3.4	
9	18.3	23.1	13.6	16.1	0	0.0	0.05	76	11.7	51.1	NE	3.1	2.4	
10	17.2	21.8	13.3	13.4	1			61	8.9	49.5	NE	5.8	4.0	
11	17.6	22.7	13.9	13.9	0	0 0	0.03	61	9.2	45.1	N	3.8	4.2	
12	14.8	17.0	13.3	12.7	3	7.7	3.67	84	9.8	43.6	N	3.1	1.7	
13	19.1	24.4	13.8	14.7	0	0.5	4.30	58	9.0	45.0	NNE	5.0	4.6	
14	20.4	26.3	14.0	14.7	0			52	8.3	48.1	NE	4.5	5.6	
15	21.3	26.7	16.0	15.4	0	0.0	0.05	48	8.6	49.7	NNE	1.9	6.1	
16	20.7	26.2	16.2	16.4	0			54	10.6	49.8	SSW	2.2	6.1	
17	20.3	24.4	16.3	16.2	0			59	10.7	50.4	SW	2.8	5.7	
18	18.0	21.6	16.0	15.0	0			73	10.9	52.3	ENE	9.2	4.3	
19	17.4	22.7	12.9	11.9	1			52	6.5	53.8	ENE	7.5	6.1	
20	18.1	26.3	11.7	14.4	0			55	8.9	52.9	NE	3.9	5.3	
21	18.0	23.0	12.7	14.7	0			59	9.8	51.8	WSW	1.7	5.0	
22	18.8	22.4	14.0	15.8	0	0.1	0.37	70	13.3	48.8	SW	2.0	3.6	
23	20.3	24.9	17.4	17.4	0	1.5	0.33	74	12.9	45.1	SSW	3.6	5.3	
24	19.2	23.4	15.5	15.0	0	0.0	0.13	63	9.9	45.8	NW	3.3	4.6	
25	18.9	25.2	14.0	15.5	0	0.7	0.39	60	10.3	47.6	WNW	2.9	6.3	
26	20.0	26.2	16.2	17.2	0			74	12.9	49.4	WSW	1.7	3.7	
27	19.5	23.1	15.6	16.6	0			71	11.8	48.6	SW	2.5	3.6	
28	19.2	25.7	15.7	16.2	0	0.0	0.39	68	11.4	44.2	WSW	3.4	4.3	
29	21.5	28.1	14.8	16.6	0			56	10.4	45.3	S	3.0	6.0	
30	21.1	26.5	17.2	17.7	0	0.7	1.13	69	12.7	48.4	SW	1.8	4.1	
31	21.3	25.8	17.3	17.6	0			69	12.1	50.2	SW	1.9	3.7	
Sum					1.6	47.7	33.14				NE		127.6	S
Avg.	18.5	23.3	14.5	15.2				67	10.6	748.5	(6)	3.9	4.1	A

ear : 1936 Month : May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Bisibility at 14h (0)9) Toward sea	Bisibility at 14h (0)9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	7.0	7.0	6	6	19.2	24.3	20.0	19.1	17.8	17.2		1
2	6.8	9.0	5	6	18.7	25.8	19.9	19.3	18.0	17.3	Θ^{1-2}	2
3	0.0	9.7	5	5	16.4	17.3	19.6	18.9	18.1	17.4	$\circ^{0-1}$	3
4	4.7	8.0	8	8	15.8	17.6	18.2	18.2	18.0	17.5	$\circ^{0}$ κ^{0-1}	4
5	0.1	9.3	8	7	16.3	16.9	17.7	17.7	17.6	17.5	$\circ^{0-1}$	5
6	5.4	9.0	7	7	15.3	18.2	17.5	17.4	17.4	17.5	$\circ^{0-1}$ Ω^{0}	6
7	4.5	7.0	6	6	16.7	17.4	17.5	17.4	17.4	17.4	$\circ^{1-2}$ κ^{0-1}	7
8	11.3	1.7	7	7	18.1	20.3	17.7	17.3	17.3	17.4		8
9	5.4	4.0	7	8	19.2	21.1	18.1	17.6	17.4	17.4	$\circ^{0}$ $\leftarrow^{0-1}$ Ω^{0-1}	9
10	3.8	8.7	7	7	18.2	19.6	18.4	17.7	17.4	17.4		10
11	1.5	9.3	7	7	17.2	21.7	18.3	17.8	17.5	17.4	$\circ^{0}$	11
12	0.0	10.0	7	7	14.6	13.7	17.8	17.3	17.3	17.4	$\circ^{1}$	12
13	3.8	8.3	7	8	21.3	22.9	17.4	17.2	17.2	17.4	$\circ^{0-1}$	13
14	11.9	3.7	6	9	23.1	27.6	18.2	17.7	17.4	17.4		14
15	10.0	4.7	6	8	21.3	25.8	19.4	18.3	17.6	17.5	$\circ^{0}$	15
16	10.8	3.7	7	8	21.5	30.9	19.9	18.9	17.9	17.5		16
17	10.2	6.7	7	8	21.2	28.5	20.6	19.3	18.1	17.6		17
18	6.8	7.3	6	7	21.2	23.4	20.6	19.7	18.4	17.8		18
19	12.4	0.7	5	8	22.4	27.2	20.5	19.6	18.6	18.0		19
20	12.3	2.0	6	8	24.8	30.8	20.6	19.7	18.8	18.1		20
21	11.1	6.3	7	7	23.3	29.6	21.0	20.2	19.0	18.3		21
22	2.7	8.7	8	6	18 6	23.0	21.0	20.3	19.1	18.4	$\circ^{0}$	22
23	8.8	4.7	7	7	21.1	27.8	21.0	20.4	19.2	18.5	$\circ^{1}$	23
24	10.6	7.0	7	8	19.1	24.9	21.2	20.4	19.3	18.6	$\circ^{0}$	24
25	6.9	5.3	7	8	20.1	26.1	21.2	20.5	19.4	18.6	$\circ^{0-1}$ $\leftarrow^{1}$	25
26	6.3	5.0	7	7	19.8	24.3	21.3	20.6	19.5	18.7		26
27	10.5	6.3	7	7	23.0	29.3	21.5	20.6	19.6	18.8	$\oplus^{1-2}$	27
28	7.1	4.7	7	7	19.5	24.3	21.7	20.8	19.6	18.9	$\circ^{0}$	28
29	10.4	3.0	6	8	24.0	32.9	21.6	20.7	19.7	19.1	$\leftarrow^{1}$	29
30	6.7	6.3	6	6	21.3	25.1	22.2	21.1	19.8	19.1	$\circ^{0-1}$ Δ^{0-1} κ^{1} T^{0}	30
31	9.0	3.3	7	7	22.4	31.2	22.1	21.2	20.0	19.2		31
Sum	218.8										$\circ$ 16, Δ 1, κ 3, $\leftarrow$ 3, $\oplus_1$, Θ_1, Ω_2,	
Avg.		6.1	6.3	7.2	19.8	24.2	19.8	19.1	18.4	18.0		

Year : 1936 Month : J

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (3)	Wind (1) (5) Prevailing direction (1)	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	Date
1	21.3	25.6	17.0	18.9	0			73	14.4	749.2	SSW	2.6	3.9	
2	22.2	27.0	18.0	18.4	0			68	13.0	49.6	SW	2.1	5.5	
3	22.9	28.5	17.3	18.2	0	0.2	0.25	62	11.6	52.3	NNE	2.1	4.4	
4	21.3	25.0	17.6	16.7	0			60	10.7	51.8	SSW	2.5	5.0	
5	21.9	26.8	16.5	18.0	0			65	12.6	49.2	SW	2.7	5.4	
6	23.6	29.0	18.9	17.9	0			52	11.4	48.9	W	3.5	8.4	
7	21.1	26.1	16.5	15.0	0			47	8.6	50.2	WNW	4.7	10.4	
8	22.0	28.2	15.8	16.2	0			51	9.5	51.4	WNW	3.7	8.1	
9	20.9	24.9	16.2	17.2	0			64	11.9	49.3	SW	3.1	5.6	
10	21.8	26.1	18.2	17.9	0	0.3	1.08	68	12.3	46.2	SW	2.6	4.5	1
11	21.7	26.0	17.9	18.1	0			68	12.5	48.6	SW	3.4	4.7	1
12	21.4	25.6	16.8	18.0	0			67	12.7	53.2	SW	2.9	5.7	1
13	22.6	28.4	17.5	18.1	0			61	12.0	52.4	SW	3.3	6.9	1
14	23.3	28.5	18.3	18.8	0			64	12.9	50.6	SSW	3.4	6.8	1
15	21.5	26.6	16.4	19.2	0	6.4	1.00	78	14.8	51.6	W	2.4	3.8	1
16	22.2	27.1	16.7	18.9	0			66	13.5	52.8	SW	2.1	5.3	1
17	24.6	30.4	19.5	18.0	0			48	10.7	54.0	ENE	3.1	6.4	1
18	25.6	33.0	19.6	19.5	0			47	11.8	54.1	NE	3.9	7.2	1
19	25.1	30.8	18.9	19.3	0			54	12.2	51.7	SW	2.0	6.5	1
20	23.3	26.7	20.1	18.9	0			62	13.1	51.2	WSW	1.2	4.3	2
21	24.3	29.4	19.4	19.6	0			59	13.5	53.1	SW	1.9	5.8	2
22	25.8	31.3	20.4	20.7	0			57	14.4	52.3	SW	1.8	6.0	2
23	27.0	32.9	22.0	21.2	0			55	14.8	49.1	SSW	2.9	7.5	2
24	25.8	30.3	23.2	21.2	0	0.1	0.20	59	15.5	48.8	WSW	2.2	6.5	2
25	25.4	30.9	20.7	19.9	0	0.1	0.58	56	13.0	48.5	SSW	1.9	5.3	2
26	23.9	32.2	21.0	20.1	0	27.7	2.25	64	13.9	47.8	N	1.3	4.4	
27	22.6	31.1	19.6	19.4	0	35.5	2.50	73	14.5	46.8	NNE	1.8	3.2	
28	21.7	26.3	17.8	19.4	0	0.0	0.39	78	14.8	46.5	WSW	2.3	2.6	
29	21.4	25.7	18.7	19.3	0	2.9	3.92	82	15.3	48.7	WNW	1.3	1.9	
30	23.9	29.9	19.0	19.9	0	0.0	0.23	68	14.5	50.1	NNE	1.9	2.2	
Sum					0	73.2	12.40				SW		164.2	S
Avg.	23.1	28.3	18.5	18.7				62	12.9	750.3	(6)	2.5	5.5	A

r : 1936 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Bisibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in fups)					
				Green	Bare	30	60	90	120		
10.2	7.7	7	7	22.6	29.7	22.6	21.6	20.2	19.3	$\oplus^{1}$	1
11.5	4.3	7	6	23.9	32.4	23.1	21.9	20.4	19.4		2
8.9	2.3	7	8	24.0	31.3	23.2	22.1	20.6	19.5	$\circ^{0}$	3
6.7	8.7	7	7	23.0	29.9	22.9	22.0	20.7	19.7		4
10.4	4.0	6	6	23.1	30.4	22.9	22.0	20.8	19.8		5
12.1	0.7	6	8	24.7	33.0	23.1	22.4	21.0	19.9		6
12.3	0.7	4	8	27.0	33.1	23.6	22.6	21.1	20.0		7
12.3	0.7	5	8	25.2	30.4	24.5	22.8	21.3	20.1		8
10.1	7.3	6	8	21.8	30.6	23.8	22.9	21.5	20.2		9
9.6	4.3	7	7	24.2	28.6	23.8	22.9	21.6	20.4	$\circ^{0}$	10
11.9	3.3	8	8	24.4	30.2	23.8	22.9	21.7	20.5		11
12.0	3.7	6	7	23.0	30.4	23.7	22.9	21.7	20.5		12
12.3	1.7	6	6	24.2	31.5	23.9	23.1	21.7	20.6		13
12.1	5.0	7	7	23.0	30.8	24.2	23.4	21.9	20.7		14
7.6	4.0	7	8	21.7	24.7	24.0	23.2	21.9	20.8	$\circ^{1-2}$ R^{1}	15
10.9	8.0	7	7	20.9	27.8	23.3	22.6	21.9	20.8		16
11.4	4.0	6	8	21.8	28.4	23.6	22.8	21.7	20.9		17
12.4	2.0	6	8	25.5	36.1	24.3	23.2	21.9	21.0	Ω^{0}	18
6.4	5.7	7	7	23.6	32.5	25.1	23.8	22.1	21.0	R^{0} Ω^{0}	19
1.5	6.3	5	6	21.1	24.5	25.0	24.0	22.3	21.1	R^{0} $\Omega\Omega^{0}$	20
12.3	3.7	8	7	23.9	33.4	24.5	23.7	22.4	21.2	Ω^{0}	21
12.5	1.3	6	7	25.4	33.6	25.2	24.0	22.5	21.3		22
12.1	1.0	6	7	27.2	35.1	25.9	24.6	22.7	21.4		23
6.9	6.7	6	7	23.6	32.7	26.2	24.9	23.0	21.5	$\circ^{0}$ R^{1}	24
8.5	5.0	6	7	26.3	35.2	25.9	24.9	23.1	21.7	$\circ^{0}$ R^{0-1}	25
4.3	7.3	7	6	24.6	33.8	--	--	--	21.9	$\circ^{2}$ $\triangle^{2}$ R^{2}	26
6.8	5.3	7	7	20.6	25.6	--	--	--	22.0	$\circ^{1}$ R^{0-1}	27
6.3	8.0	8	7	22.1	23.2	23.0	22.9	22.4	22.0	$\circ^{0}$ R^{1} T° $\curvearrowleft^{\circ}$ $\oplus^{\circ}$	28
3.8	6.7	7	6	21.6	23.6	23.0	22.8	22.5	22.1	$\circ^{1}$ R^{1} $\curvearrowleft^{\circ}$ $\cap^{\circ}$	29
7.0	5.7	7	8	25.6	26.9	23.1	22.8	22.5	22.0	$\circ^{0}$ R° T°	30
283.1										$\circ_{10}$, $\triangle_{1}$, R_{10}, $\cap_{1}$,	
	4.5	6.5	7.2	23.7	30.3	23.9	23.1	21.7	20.8	$\oplus_{2}$, Ω_{4},	

Year : 1936 Month : Jul

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	25.2	31.1	20.2	20.3	0			60	14.2	750.7	NNE	4.3	5.1
2	26.7	32.0	22.0	19.5	0			48	11.9	51.8	NE	4.7	6.7
3	26.8	34.9	20.9	20.3	0			48	13.3	51.2	N	2.0	7.7
4	26.6	32.9	22.6	19.9	0	0.6	0.75	55	12.4	46.2	W	2.8	4.9
5	24.3	30.3	21.3	18.3	0	0.1	0.58	54	11.6	46.6	NE	2.9	5.2
6	23.9	29.1	20.0	19.2	0	0.4	2.92	62	13.7	49.0	SSW	2.2	5.1
7	25.8	31.4	21.1	21.2	0			63	15.5	50.9	SW	2.0	5.4
8	26.7	31.3	21.2	21.5	0			61	15.3	51.9	SW	1.6	5.8
9	27.9	33.4	23.2	22.3	0			—	16.2	50.7	WSW	1.4	6.3
10	27.8	33.2	23.3	22.0	0			57	15.4	49.4	SW	2.4	6.6
11	28.3	33.2	23.7	22.5	0			59	13.0	50.2	SW	2.4	6.6
12	30.4	38.0	22.9	22.6	0			52	15.4	50.4	SW	2.7	7.9
13	30.7	38.0	25.0	22.2	0			45	14.0	48.4	W	2.2	9.5
14	28.7	34.5	24.9	22.0	0			54	15.0	49.3	NE	5.4	6.8
15	27.8	34.3	23.9	19.6	0			43	11.5	51.4	ENE	5.5	7.7
16	23.4	33.6	21.4	19.3	0			41	12.6	52.7	NE	6.3	8.4
17	28.5	33.5	22.9	19.7	0			42	11.3	52.3	ENE	7.2	9.6
18	29.9	35.9	24.5	20.1	0			36	11.0	51.1	NE	7.8	10.8
19	30.1	36.4	25.0	21.9	0			43	15.5	49.7	NE	6.0	9.7
20	29.1	34.4	25.0	21.1	0			45	13.2	48.7	NNE	6.7	9.0
21	29.6	37.4	23.5	21.4	0			44	13.6	47.4	E	3.7	8.6
22	26.9	31.6	22.6	21.9	0			57	16.3	45.8	SW	2.8	7.6
23	26.8	31.9	23.0	22.2	0			64	16.6	44.9	W	2.1	5.8
24	26.2	31.8	23.2	21.0	0	0.0	0.40	62	14.9	45.7	NE	3.0	5.8
25	24.9	29.8	20.5	20.0	0			60	14.1	47.0	NNE	5.5	5.5
26	28.2	34.7	22.4	21.5	0			50	16.7	49.6	NNE	3.4	6.6
27	30.0	35.8	24.3	21.3	0			41	12.8	52.0	NNE	5.0	9.0
28	30.7	35.2	26.4	22.1	0			43	14.1	51.9	NE	9.2	9.8
29	31.5	36.2	26.6	21.0	0			38	12.3	49.8	NE	8.8	11.3
30	32.2	38.2	26.8	21.6	0			35	12.1	48.0	NE	6.4	10.9
31	31.2	36.3	26.5	20.2	0			32	10.5	46.7	NE	7.1	11.6
Sum					0	1.1	4.65				NE		237.3
Avg	28.1	33.9	23.3	21.0				50	13.6	749.4	(6)	4.3	7.7

r : 1936 Month : July

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.8	4.0	7	8	25.9	29.3	23.7	23.1	22.5	22.0		1
2	12.7	0.7	6	8	25.1	33.1	24.7	23.6	22.6	22.0		2
3	12.8	0.0	7	8	27.2	35.4	25.6	24.2	22.9	22.1		3
4	8.8	5.0	6	7	28.8	35.6	25.5	24.8	23.2	22.2	◍0-1 ≍° ○0-1	4
5	6.9	6.7	8	9	25.8	30.8	25.9	24.8	23.3	22.3	◍° ≺0-1	5
6	7.8	6.0	8	7	23.2	28.1	25.8	24.8	23.5	22.4	◍°	6
7	11.7	4.0	7	8	27.3	34.0	25.5	24.6	23.5	22.8		7
8	12.1	2.0	7	4	28.9	34.2	26.1	24.9	23.6	22.6		8
9	11.7	2.0	7	7	29.4	36.1	26.8	25.3	23.8	22.6		9
0	12.0	0.3	6	6	32.0	37.1	27.3	25.8	24.0	22.7		10
1	12.5	0.0	6	7	29.7	37.9	27.7	26.1	24.2	22.9		11
2	12.6	0.0	6	8	30.2	39.9	28.2	26.4	24.5	23.1		12
3	11.6	1.3	6	8	32.0	39.7	28.9	27.0	24.8	23.3		13
4	12.1	3.0	6	8	29.7	38.4	29.3	27.0	25.2	23.5		14
5	12.0	3.0	7	8	28.6	35.8	29.4	27.6	25.4	23.7		15
6	12.7	0.3	6	8	28.2	37.6	28.9	27.5	25.6	24.0		16
7	12.6	0.0	7	8	27.2	37.4	28.8	27.5	25.7	24.2		17
8	12.7	0.0	8	8	28.7	39.7	29.1	27.6	25.8	24.3		18
9	12.8	0.0	7	8	31.7	40.0	29.6	28.0	26.1	24.4		19
20	12.6	0.3	6	8	29.2	39.0	29.9	28.2	26.3	24.6		20
21	12.4	0.0	8	9	28.7	39.8	29.9	28.4	26.5	24.7		21
22	11.8	0.0	6	7	26.9	33.6	29.7	28.5	26.6	24.7		22
23	10.1	4.3	6	7	26.6	38.2	29.4	28.3	26.7	24.8		23
24	7.2	6.7	6	7	27.4	35.9	29.1	28.1	26.7	24.9	◍°	24
25	10.1	5.0	7	8	24.7	34.3	28.6	27.7	26.6	25.0	≺1	25
26	11.9	1.7	7	8	28.2	39.1	28.8	27.8	26.6	25.1		26
27	12.3	0.7	6	8	28.9	39.9	29.5	28.1	26.7	25.2		27
28	12.5	0.7	6	8	29.8	39.6	29.9	28.5	26.8	25.3		28
29	12.5	0.0	6	8	29.2	39.9	30.1	28.6	26.9	25.3		29
30	11.8	0.0	6	7	29.1	40.8	30.4	28.8	27.1	25.5		30
31	12.3	0.0	7	8	29.7	39.9	30.5	28.9	27.2	25.6		31
um	357.4										◍4, ≍1, ≺2, ○1,	
vg.		1.9	6.6	7.6	28.3	36.8	28.2	26.8	25.2	23.8		

Year : 1936 Month : Augu

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mb)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	29.8	34.4	25.8	20.7	0			39	12.1	744.4	SSW	3.1	10.2
2	27.3	31.9	23.2	20.2	0			50	13.1	45.3	SW	2.6	8.0
3	26.6	32.7	22.0	21.7	0			59	15.6	48.8	WSW	2.2	5.9
4	28.2	34.2	22.5	21.5	0			53	14.7	49.5	N	4.1	6.4
5	30.3	36.7	24.8	22.5	0			47	14.8	49.2	NE	4.5	8.1
6	32.5	38.8	27.5	22.6	0			39	13.9	49.6	NE	5.3	9.6
7	28.8	33.4	25.4	21.4	0			51	14.4	51.3	NE	10.4	9.2
8	27.9	34.8	23.2	20.0	0			47	12.1	49.3	ENE	7.0	8.1
9	26.2	32.2	22.2	20.7	0	0.0	0.03	57	14.1	47.6	ENE	4.1	7.0
10	24.9	31.8	20.4	19.2	0	11.4	0.67	54	12.4	49.7	NW	4.6	6.2
11	25.6	31.0	20.5	19.6	0			57	12.8	51.8	SSW	2.6	5.9
12	26.8	32.5	21.4	21.9	0			60	12.7	50.7	SSW	1.4	6.5
13	27.6	32.9	22.4	21.0	0			55	14.0	48.9	SSW	2.4	6.6
14	28.8	35.2	23.8	19.9	0			40	11.6	50.3	NW	2.9	8.7
15	28.3	34.5	23.2	20.6	0			44	12.9	51.9	ENE	4.3	7.4
16	28.0	33.8	22.6	20.3	0			46	12.5	51.5	NNE	5.7	8.5
17	28.0	33.6	23.5	20.4	0			45	12.5	51.1	NE	5.5	10.1
18	28.1	34.2	23.0	20.7	0			47	13.3	51.0	NNW	5.5	8.0
19	28.1	34.1	22.9	19.9	0			44	11.9	51.1	NE	5.8	8.2
20	28.4	36.1	22.8	21.7	0			48	14.7	51.3	NE	3.0	7.6
21	28.3	35.5	22.8	20.4	0			45	12.7	51.7	NE	1.4	6.8
22	27.8	33.7	23.6	21.3	0			48	15.0	50.9	NE	4.2	7.0
23	28.0	34.4	23.4	20.8	0			48	13.3	49.0	NE	4.4	6.6
24	28.1	33.9	23.1	21.3	0			51	14.4	50.2	NNE	4.4	7.5
25	25.5	30.8	22.5	18.8	0			51	12.0	53.1	NE	5.2	6.5
26	23.4	32.2	20.3	20.1	0			54	13.8	52.6	E	2.1	6.0
27	25.9	32,7	20.9	19.3	0			49	11.9	51.8	E	3.0	7.0
28	23.8	29.0	21.2	17.0	0	0.0	0.17	49	10.3	53.5	NE	5.4	6.3
29	21.4	26.2	17.4	15.9	0	0.0	0.50	49	9.6	55.2	NNE	5.8	7.2
30	22.3	27.8	17.4	15.7	0	0.0	0.03	46	8.6	54.1	NNE	6.1	5.7
31	23.5	28.6	18.8	17.3	0			49	10.5	53.3	NNE	2.5	6.3
Sum					0	11.4	1.40				NE		229.1
Avg.	27.1	33.0	22.4	20.1				49	12.8	750.6	(6)	4.2	7.4

Year : 1936 Month : August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Bisibility at 14h (0-9) Toward sea	Bisibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.8	0.3	6	8	28.7	38.4	30.3	29.3	27.6	25.6		1
2	12.0	1.0	8	7	26.4	37.2	29.9	29.1	27.6	25.7		2
3	8.4	3.3	7	7	27.5	37.4	29.3	28.7	27.5	25.7		3
4	11.4	5.0	7	8	27.6	35.8	29.2	28.5	27.4	25.8		4
5	12.0	0.7	8	8	29.0	39.6	29.9	28.8	27.4	25.8		5
6	12.2	0.0	7	8	30.1	41.0	30.6	29.2	27.6	25.9		6
7	11.7	0.7	6	8	28.0	39.2	30.6	29.1	27.6	26.1		7
8	11.8	1.0	7	8	27.1	37.3	30.1	29.2	27.8	26.1		8
9	11.5	3.7	7	7	27.1	33.6	29.9	29.3	28.1	26.1	●°	9
10	12.1	1.0	7	9	26.2	28.9	28.5	28.2	27.9	26.1	●² R¹	10
11	11.9	0.7	6	7	26,3	32.9	27.9	27.6	27.3	26.1		11
12	11.6	0.3	7	7	26.2	33.8	28.0	27.5	26.9	25.9		12
13	11.7	0.0	7	7	25.9	35.2	28.1	27.5	26.8	25.8		13
14	12.0	0.0	7	8	26,0	36.1	28.4	27.6	26.7	25.7		14
15	12.1	1.3	7	8	31.2	36.1	28.7	27.6	26.7	25.8		15
16	11.7	0.0	6	8	27.4	35.9	28.8	27.8	26.7	25.8		16
17	11.7	1.3	5	8	26.5	35.9	28.9	28.0	26.9	25.8		17
18	11.5	0.3	6	8	26.7	36.1	28.9	28.1	26.9	25.8		18
19	10.9	0.0	5	8	27.7	35.6	28.9	28.2	27.0	25.9		19
20	11.1	0.7	6	8	30.0	36.7	29.1	28.2	27.1	25.9		20
21	11.3	2.0	6	8	26.7	35.3	29.3	28.4	27.2	25.9		21
22	11.5	2.0	7	8	26.9	36.2	29.4	28.3	27.2	26.0		22
23	11.3	0.7	8	7	27.0	36.1	28.8	28.2	27.2	26.1		23
24	11.1	1.0	7	8	26.9	35.8	29.0	28.3	27.2	26.1		24
25	10.3	2.0	6	8	26.0	33.1	28.7	28.2	27.2	26.1		25
26	9.6	2.7	6	7	24.8	31.9	28.1	27.8	27.2	26.1		26
27	10.7	2.3	6	7	26.0	33.1	27.9	27.5	27.0	26.0		27
28	8 8	5.0	6	8	23.4	29.1	27.8	27.3	26.9	26.0	●°	28
29	5.0	5.0	7	7	19.6	29.8	26.7	26.5	26.6	26.0	●°	29
30	10.5	2.3	6	7	21.4	28.4	25.9	26.0	26.3	25.9	●° R°	30
31	8.1	2.3	7	8	21.6	27.2	25.8	25.9	26.1	25.7		31
Sum	339.3										●5, R2.	
Avg.		1.6	6.6	7.7	26.6	34.6	28.8	28.1	27.1	25.9		

Year : 1936 Month : Septemb

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at.0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	24.7	31.0	19.5	18.3	0			50	11.1	751.6	SSW	2.1	8.1
2	26.0	32.0	20.4	19.3	0			48	12.1	53.2	SSW	2.0	6.6
3	26.4	31.3	22.0	19.6	0			50	12.6	53.3	SW	1.9	7.1
4	26.3	32.0	21.4	21.1	0			60	15.0	51.0	SW	1.1	5.7
5	26.9	32.4	22.6	20.5	0			51	13.9	49.4	SW	1.9	7.1
6	26.8	31.9	22.5	21.3	0			54	14.7	47.4	SSW	1.8	6.3
7	24.1	29.6	21.8	18.5	0	1.6	1.23	61	13.3	44.2	WNW	3.1	5.8
8	24.5	31.1	19.7	18.2	0			53	11.3	45.4	NW	3.1	6.6
9	24.4	28.4	19.6	19.2	0			59	13.9	46.3	SSW	2.4	6.1
10	24.6	30.8	21.0	19.6	0	0.0	0.25	61	13.7	47.0	E	3.4	4.9
11	22.2	27.1	19.2	17.1	0			56	11.2	51.9	NE	5.2	5.1
12	20.9	26.0	16.3	16.3	0			58	10.5	53.9	NE	5.3	4.8
13	19.7	23.7	17.0	14.9	0			57	9.5	54.2	NE	6.7	4.7
14	19.4	24.9	15.5	14.2	0			52	8.4	55.9	NE	5.8	6.3
15	18.7	23.6	16.1	13.3	0			50	7.9	58.2	NE	5.4	5.2
16	18.8	24.8	14.0	12.9	0			44	6.9	60.5	NE	5.5	5.5
17	20.0	25.3	15.0	14.5	0			47	8.3	60.4	NE	6.2	5.9
18	20.7	26.2	16.5	14.3	0			43	7.9	59.6	NNE	7.8	6.3
19	20.5	25.2	17.0	15.5	0			48	9.7	59.6	NE	7.9	7.0
20	19.7	25.2	15.9	14.1	0			48	8.2	61.8	NE	7.1	6.2
21	21.0	27.8	15.0	15.6	0			49	9.2	62.4	NE	4.5	5.2
22	22.9	29.2	17.8	16.4	0			43	9.1	59.3	NE	5.6	7.0
23	23.5	30.0	17.6	16.4	0			44	9.0	56.0	NE	4.2	6.8
24	23.7	30.1	18.3	16.7	0			42	9.1	53.9	ENE	4.2	6.9
25	22.6	28.2	17.6	17.4	0			54	9.7	52.3	SW	1.7	5.6
26	22.0	26.5	17.7	18.4	0			69	13.3	50.3	SSW	1.7	3.6
27	22.3	27.3	18.3	20.6	0			80	16.6	45.6	S	3.2	3.2
28	23.5	28.6	19.9	18.6	0			60	12.6	45.1	W	3.1	5.5
29	23.4	28.5	19.0	18.7	0			62	12.9	49.3	S	3.5	6.3
30	23.0	27.2	18.3	20.0	0			73	15.2	49.6	S	3.8	4.7
Sum					0	1.6	1.48				NE		176.1
Avg.	22.8	28.2	18.4	17.4				54	11.2	752.9	(6)	4.0	5.9

r : 1936 Month : September

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	10.8	2.0	6	8	25.8	32.1	25.8	25.8	26.0	25.5		1
2	10.8	0.3	7	7	26.1	33.4	26.1	26.0	25.9	25.4		2
3	10.8	0.0	6	7	25.4	32.8	26.4	26.2	25.9	25.3		3
4	10.6	0.3	6	7	26.8	34.0	26.6	26.3	25.9	25.3		4
5	10.6	0.0	7	7	27.9	33.9	26.8	26.4	25.9	25.3		5
6	10.7	0.0	7	7	25.6	34.9	26.5	26.5	25.9	25.2		6
7	7.1	5.3	6	7	20.8	23.4	26.6	26.3	25.9	25.2		7
8	10.7	2.7	8	9	24.8	31.6	25.7	25.7	25.7	25.2		8
9	10.5	0.3	7	8	25.7	32.6	25.8	25.7	25.5	25.1		9
0	6.5	8.0	7	7	25.6	31.9	26.0	25.7	25.4	25.0		10
1	7.6	3.3	7	8	22.9	28.1	25.6	25.4	25.2	24.9		11
2	9.1	3.0	6	8	22.7	29.1	24.8	25.0	25.1	24.9		12
3	4.4	6.0	7	8	19.3	22.2	24.2	24.6	24.8	24.7		13
4	9.9	5.3	7	9	25.1	28.7	23.6	24.1	24.6	24.5		14
5	6.4	5.0	8	8	18.6	23.1	23.3	23.8	24.4	24.4		15
6	10.0	1.7	6	8	22.0	28.1	22.9	23.3	24.1	24.2		16
7	10.1	1.0	7	9	21.6	28.2	22.7	23.1	23.9	24.0		17
8	10.1	1.0	6	8	22.0	28.0	22.9	23.1	23.7	23.9		18
9	9.9	1.0	6	7	22.4	27.1	22.7	23.0	23.6	23.8		19
0	10.3	0.7	7	8	22.6	27.2	22.5	22.8	23.5	23.7		20
1	10.3	0.3	8	9	21.7	28.6	22.3	22.8	23.4	23.5		21
2	9.9	0.3	7	9	23.4	30.1	22.6	22.9	23.3	23.5		22
3	10.4	0.0	7	9	23.7	30.6	22.9	23.0	23.6	23.3		23
4	9.8	0.0	6	8	25.1	30.9	23.2	23.2	23.3	23.4		24
5	8.3	1.7	6	6	23.7	28.3	23.3	23.5	23.4	23.4		25
6	8.8	1.0	6	7	22.6	27.8	23.3	23.5	23.5	23.3		26
7	6.2	4.0	4	6	23.3	27.7	23.3	23.4	23.5	23.3		27
8	8.4	5.7	4	7	23.4	29.3	23.5	23.5	23.4	23.3		28
9	8.2	2.7	6	8	24.3	27.4	23.5	23.5	23.4	23.3		29
0	5.2	4.3	5	6	24.9	26.2	23.6	23.5	23.3	23.2		30
m	272.4										◍2, ☈2, ◟3, Ψ1, Ω6.	
g.		2.2	6.4	7.7	23.7	29.2	24.3	24.4	24.5	24.3		

Year : 1936 Month : October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	21.1	26.6	18.1	16.7	0	0.1	2.33	60	10.2	751.1	W	2.7	5.1	
2	19.6	24.9	16.0	13.3	0	-	-	45	7.2	52.2	W	2.9	5.9	
3	18.5	22.6	15.0	14.1	0	0.6	0.83	54	9.4	48.3	SSW	2.5	4.5	
4	15.4	19.0	14.3	12.5	3	22.5	3.47	76	9.5	43.8	WNW	4.7	2.7	
5	17.9	23.3	10.9	14.0	0	1.5	4.00	60	8.9	49.1	NNW	3.9	4.1	
6	19.4	23.2	15.0	15.8	0	0.1	1.18	68	11.0	52.5	S	2.7	3.7	
7	21.8	24.4	18.7	18.8	0	0.4	2.35	73	14.1	50.0	S	7.4	4.5	
8	22.9	26.2	19.4	18.8	0	1.8	1.13	66	13.6	47.6	S	5.7	6.6	
9	20.0	24.0	16.8	14.8	0			53	9.1	51.2	WNW	3.7	5.9	
10	18.9	24.5	13.3	13.5	0			49	7.8	55.4	SW	1.0	5.1	1
11	20.6	26.7	16.6	16.9	0			64	11.7	54.9	SW	1.3	4.3	1
12	20.9	24.4	16.7	17.5	0			70	12.3	50.6	S	2.9	4.2	1
13	21.0	26.3	17.6	17.5	0			72	12.9	49.4	NE	3.2	2.9	1
14	20.2	24.1	16.9	18.4	0			78	14.3	49.7	SW	0.8	2.0	1
15	20.4	25.0	16.8	17.0	0			70	12.4	53.7	NNE	0.8	2.9	1
16	19.8	24.6	16.3	16.8	0			72	12.3	56.3	SW	1.2	2.7	1
17	20.4	25.8	17.1	18.1	0	0.0	0.10	76	13.8	53.4	SW	0.9	2.3	1
18	19.9	26.2	15.9	15.6	0			64	10.5	54.2	ENE	2.4	3.0	1
19	19.6	24.2	15.9	17.1	0			71	12.5	52.0	SSW	1.9	3.3	1
20	20.1	23.4	16.7	17.4	0			74	13.1	50.3	SW	2.2	2.7	2
21	21.0	24.6	18.4	16.9	0	0.0	0.05	65	11.9	52.5	SSW	1.0	3.9	2
22	20.1	24.2	16.6	16.4	0			68	11.6	55.4	NNE	1.5	3.3	2
23	18.3	22.5	15.8	16.3	0	1.2	0.68	79	12.5	55.1	NNE	1.2	2.1	2
24	16.6	19.1	15.3	13.5	1	2.8	4.50	74	9.6	54.5	NE	2.6	1.9	2
25	15.2	16.4	13.3	12.5	3	0.7	8.15	72	9.3	56.0	NE	3.3	2.3	2
26	16.0	19.3	13.0	14.0	2			78	10.3	54.4	SSW	0.9	1.9	2
27	17.0	21.8	12.6	15.3	1	9.0	3.00	80	11.5	52.8	WSW	0.5	2.0	2
28	17.3	21.6	13.0	15.5	1	1.8	0.75	79	11.6	50.9	SW	0.6	1.8	2
29	18.9	23.4	14.7	16.0	0			69	11.5	49.3	WSW	3.4	3.5	2
30	17.6	19.2	15.7	15.7	0	15.6	5.07	81	12.5	51.3	SW	5.8	3.0	3
31	14.5	19.1	14.1	12.7	3	31.3	14.22	86	10.2	49.8	SSW	4.3	1.6	3
Sum					14	89.4	51.81				SSW		105.7	Su
Avg.	19.1	23.3	15.7	15.8				69	11.3	751.9	(6)	2.6	3.4	Av

ear : 1936 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg.Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					
					Green	Bare	30	60	90	120		
1	6.0	7.0	7	7	22.1	25.9	23.4	23.4	23.3	23.2	◍⁰	1
2	8.6	5.3	8	9	21.2	26.1	22.8	23.0	23.1	23.1		2
3	6.8	7.0	7	8	18.4	22.0	22.2	22.3	22.7	22.9	◍⁰⁻¹ ∧¹	3
4	0.7	9.3	7	8	13.6	13.6	21.0	21.0	-	22.0	◍² ⊼¹ ∧¹⁻²	4
5	9.1	5.7	9	9	13.9	17.1	19.9	20.3	20.9	21.9	◍⁰⁻¹ ∧⁰	5
6	8.4	4.3	7	8	19.8	20.8	20.1	20.0	21.2	21.8	◍⁰⁻¹ D²	6
7	2.1	4.7	5	7	21.7	20.0	20.6	20.5	21.3	21.8	◍⁰⁻¹	7
8	7.7	2.3	5	7	22.1	23.5	21.1	20.9	21.3	21.8	◍⁰⁻¹ ∧⁰	8
9	9.1	4.3	7	8	22.6	24.8	21.0	20.8	21.2	21.8		9
10	9.6	1.0	7	7	19.8	21.5	20.6	20.6	20.8	21.6		10
11	9.4	3.7	7	8	21.2	24.1	20.7	20.6	21.0	21.5	D¹	11
12	0.6	6.3	8	7	20.8	20.9	20.9	20.8	21.0	21.5	D²	12
13	3.4	6.7	6	7	21.4	22.7	21.3	20.9	21.1	21.4		13
14	0.7	8.7	5	6	20.8	22.0	21.4	21.1	21.1	21.4	⊕⁰	14
15	1.9	6.7	6	5	18.8	21,1	21,3	21.1	21.1	21.4	⊕⁰⁻¹ D¹	15
16	4,4	7,7	6	5	20,6	22,6	21,2	21.0	21,1	21.4	⊕⁰ D¹⁻²	16
17	7.3	3,3	6	6	21.0	22,9	21,2	21,0	21,1	21.4	◍⁰ D¹⁻²	17
18	9.5	1.7	6	9	18,9	21,4	21,1	20,9	21,0	21.3	D⁰	18
19	9.1	2.3	6	5	19.5	22.5	20,9	20.8	20.9	21.3	D¹	19
20	4.8	6.7	6	6	18.9	20.3	21.0	20,9	20,9	21,3		20
21	0.8	6.7	5	5	18.4	19.4	21.0	20.9	20.9	21,3	◍⁰	21
22	6.5	7.7	7	7	18.5	21.4	20.8	20.7	20.9	21.2		22
23	2.1	9.0	6	6	18.9	20.5	20.8	20,7	20.9	21,1	◍⁰⁻¹	23
24	0.4	9.7	8	7	16.8	15.5	20.2	20.1	20.5	21.0	◍¹	24
25	0.0	10.0	6	7	14.9	14.0	18.9	19.3	20.2	21.0	◍⁰⁻¹	25
26	0.0	9.7	7	6	15.8	17.7	18.3	28.9	20.0	20.6	⊼¹	26
27	9.4	6.3	6	6	16.3	16.4	18.2	18.6	19.5	20.5	◍² ⊼²T°∠° Ψ² D¹⁻²	27
28	7.9	6.7	6	7	15.6	16.4	18.2	18.5	19.4	20.3	◍¹⁻² ⊼¹ ∠¹ D⁰	28
29	9.2	4.3	6	8	17.0	17.6	18.3	18.6	19.5	20.3	D⁰	29
30	0.0	9.0	7	5	16,4	15.5	18.3	18.6	19.3	20,1	◍⁰ ⊼°T°∠°	30
31	0.1	7.7	7	6	13.5	13.2	17.8	18.1	18.9	19.9	◍¹⁻² ⊼⁰⁻¹ ∠° ∩²	31
um	155.6										◍16, ⊼ 6, ∠ 3, ⊕ 3,	
vg.		6.2	6.5	6.9	18.7	20,1	20.5	20.5	20.9	21.4	Ψ1, ∩1, D 11,	

Year : 1936 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1) (5)		Total evaporation (mm) (4)(7)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	14.4	19.2	10.1	11.9	4			69	8.4	752.0	WNW	0.8	2.6	1
2	15.5	21.2	10.5	13.1	2			70	9.1	54.8	WSW	0.8	2.5	2
3	16.7	22.6	12.7	14.2	1			74	10.4	55.6	WSW	0.7	2.3	3
4	17.3	23.6	13.4	14.6	1			73	10.5	56.0	NE	1.5	2.0	4
5	15.9	18.4	14.5	14.9	2	5.2	7.67	85	12.0	52.5	NE	1.4	1.4	5
6	15.7	18.4	14.6	15.2	2	57.4	9.12	94	12.7	49.8	NE	1.4	0.4	6
7	17.2	21.1	11.6	14.3	1			72	10.2	51.7	WSW	1.5	2.5	7
8	16.4	20.2	14.0	14.5	2			79	10.9	53.4	SW	0.4	2.0	8
9	18.4	23.6	14.5	15.4	0			71	10.9	55.5	SE	-	3.4	9
10	18.0	22.6	14.7	14.8	0			71	10.4	57.6	W	1.1	2.7	10
11	17.7	21.4	14.4	15.4	0			76	11.2	56.8	SW	-	2.6	11
12	17.2	22.2	14.6	12.4	1			60	7.6	57.2	WNW	-	4.4	12
13	14.6	21.0	10.6	11.4	3			62	7.7	58.3	E	2.1	2.7	13
14	13.8	20.0	9.5	11.8	4			74	8.7	56.3	ENE	0.8	2.1	14
15	14.0	20.8	9.8	11.7	4			77	8.8	56.2	NE	1.3	1.8	15
16	16.0	20.8	11.7	14.3	2	5.7	7.83	85	11.1	54.8	SSW	1.8	1.2	16
17	17.7	21.1	15.9	15.0	0	0.1	0.05	77	11.3	52.5	WNW	2.0	2.2	17
18	15.9	20.3	11.6	13.6	2			74	10.0	53.2	NE	0.7	2.3	18
19	15.2	16.9	13.6	13.9	3	14.4	8.50	86	11.1	50.6	E	3.1	1.0	19
20	15.6	19.6	13.8	14.1	2	0.7	4.53	83	11.2	49.3	NE	2.6	1.0	20
21	13.7	16.0	13.2	11.3	4	0.4	1.17	74	8.5	56.2	ENE	8.0	2.3	21
22	12.1	16.9	10.7	9.4	6	0.0	2.00	70	7.0	55.4	ENE	3.2	2.2	22
23	10.8	15.8	7.9	9.0	7	0.0	0.25	73	6.9	52.1	ENE	4.0	1.7	23
24	7.2	9.6	6.7	4.8	11	0.2	1.50	70	5.1	53.9	ENE	6.5	1.8	24
25	5.8	10.1	3.6	3.9	12	0.8	0.72	73	4.7	55.0	ENE	4.0	1.5	25
26	7.0	12.8	2.6	4.0	11			60	4.0	53.4	NW	0.5	2.0	26
27	9.5	16.0	4.2	5.7	8			52	4.0	53.4	ENE	0.2	2.3	27
28	11.5	16.2	6.5	9.3	6			67	7.0	53.8	SSW	1.2	2.6	28
29	12.6	13.8	10.1	10.6	5	10.2	6.78	76	8.5	51.9	SE	4.6	2.0	29
30	12.7	15.1	11.3	12.3	5	18.9	11.17	93	10.3	49.2	NE	0.6	0.4	30
Sum					111	114.0	61.29				ENE		61.9	Su
Avg.	14.2	18.6	11.1	11.9				74	9.0	753.9	(6)	2.2	2.1	Av

ear : 1936 Month : November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena	Date
1	7.8	2.3	9	9	12.1	12.1	16.5	17.3	18.5	19.6		1
2	7.1	2.3	6	7	12.1	15.0	16.2	16.9	18.3	19.3		2
3	6.4	5.7	6	6	14.6	15.3	16.5	16.9	18.1	19.2		3
4	5.2	9.0	6	9	15.0	15.9	17.0	17.2	18.0	19.1		4
5	0.0	10.0	5	6	15.2	14.7	17.1	17.2	18.0	19.0		5
6	0.0	8.0	6	7	15.3	14.8	—	—	—	—		6
7	8.5	2.0	6	8	14.1	15.0	16.3	16.2	17.2	18.4		7
8	1.0	8.7	7	6	15.4	14.2	16.3	16.4	17.4	18.3		8
9	8.7	1.0	6	8	14.6	15.8	16.5	16.7	17.5	18.3		9
10	6.2	3.7	7	9	16.0	15.7	16.7	16.9	17.5	18.3		10
11	8.9	1.0	7	7	14.7	15.6	16.7	16.9	17.5	18.3		11
12	8.9	2.3	6	9	13.0	15.3	16.9	17.0	17.5	18.3		12
13	4.7	4.0	7	9	11.8	13.6	16.1	16.5	17.4	18.0		13
14	6.6	3.7	7	8	11.8	14.0	15.6	16.1	17.2	17.9		14
15	6.9	6.3	7	8	13.1	14.8	15.7	15.9	17.0	17.9		15
16	1.8	7.7	6	6	14.4	14.0	15.9	16.1	17.0	17.8		16
17	4.1	6.0	7	7	15.4	15.3	16.5	16.6	17.1	17.9		17
18	5.7	7.7	6	7	13.6	14.8	16.2	16.4	17.1	17.7		18
19	0.0	10.0	3	5	14.1	13.4	16.2	16.4	17.0	17.7		19
20	2.6	9.3	7	7	15.7	16.0	16.2	16.4	17.0	17.7		20
21	4.0	7.3	5	6	12.2	12.2	16.1	16.3	16.9	17.5		21
22	4.4	5.0	7	8	10.5	11.8	15.2	15.9	16.7	17.4		22
23	6.8	5.7	5	8	10.2	11.5	14.3	15.2	16.4	17.3		23
24	0.0	9.0	8	8	6.3	5.8	13.6	14.4	16.0	16.9		24
25	3.8	5.0	8	8	4.4	7.7	12.5	13.6	15.6	16.7		25
26	7.6	0.7	8	9	3.0	7.5	11.6	13.0	15.2	16.4		26
27	8.6	0.7	7	8	7.1	8.0	11.5	12.7	14.8	16.3		27
28	5.0	8.0	8	9	9.6	10.0	11.8	12.7	14.7	15.9		28
29	0.0	10.0	5	4	10.8	10.1	12.4	13.0	14.6	15.7		29
30	0.0	9.7	3	3	12.3	12.0	12.9	13.4	14.6	15.7		30
um	141.3										●13, ☼1, ◭1, ☇3, ∩1, Ψ1, ⊕6, Ω20, ⌙2, ≡2.	
vg.		5.7	6.4	7.3	12.3	13.1	15.3	15.7	16.8	17.7		

Year : 1936 Month : December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	13.3	16.7	11.0	12.1	5	1.8	2.90	85	9.6	744.0	NE	0.6	0.6	1
2	12.8	17.9	9.1	11.9	5			83	9.3	39.2	SW	2.1	1.4	2
3	8.5	16.1	4.4	5.2	9	13.1	3.52	58	6.7	41.7	NW	3.4	2.6	3
4	4.7	10.8	2.6	2.9	13	4.7	8.58	84	5.2	42.1	WNW	4.8	1.0	4
5	5.3	9.1	2.0	2.7	13	0.3	1.00	58	3.7	51.4	WNW	5.1	2.3	5
6	8.0	13.4	2.9	5.4	10			59	4.9	56.4	NE	0.7	2.1	6
7	10.8	15.6	6.4	8.6	7			72	6.9	57.5	E	1.0	1.9	7
8	12.1	16.6	9.8	9.9	6			73	7.6	59.1	ENE	2.3	1.8	8
9	11.0	15.1	8.0	8.8	7			72	7.1	62.4	NNE	5.0	1.9	9
10	10.7	13.9	9.6	8.1	7			69	6.5	63.1	NNE	6.2	2.6	10
11	10.0	13.4	7.4	7.6	8			68	6.2	61.4	NNE	4.9	2.4	11
12	9.1	12.5	5.5	7.8	9	2.4	5.25	80	6.9	59.4	NNE	2.3	1.3	12
13	11.9	13.5	8.6	11.9	6	19.2	18.00	95	10.2	57.6	S	1.9	0.4	13
14	13.0	17.3	8.8	11.6	5	2.3	1.50	85	9.3	59.1	NNE	0.5	1.0	14
15	12.3	14.4	10.0	11.4	6	4.0	5.95	86	9.3	58.3	NNE	2.3	0.7	15
16	11.7	15.1	9.8	9.7	6			75	7.6	57.3	NE	3.3	1.4	16
17	10.9	15.0	8.3	8.9	7			75	7.3	58.9	NE	1.9	1.7	17
18	9.9	15.0	7.9	8.3	8	0.0	0.45	77	6.9	59.5	NNE	1.1	1.0	18
19	8.5	12.3	7.5	6.3	9	0.6	3.88	70	5.7	58.7	NNE	6.0	1.9	19
20	8.9	12.1	6.4	6.1	9	0.6	2.33	64	5.2	58.3	NNE	8.1	1.7	20
21	7.4	10.0	6.5	5.5	11	0.2	5.08	71	5.6	58.6	NNE	9.4	2.0	21
22	6.7	9.5	4.9	5.0	11	0.4	6.17	74	5.6	59.4	N	6.7	1.7	22
23	7.0	10.8	4.6	5.1	11	0.0	0.28	75	5.5	59.4	N	2.2	1.3	23
24	8.0	12.9	5.3	5.8	10	0.1	0.83	70	5.4	58.9	N	0.9	1.4	24
25	9.1	14.0	6.6	6.5	9	0.0	0.83	66	5.4	56.1	W	0.8	2.0	25
26	6.5	10.6	6.3	4.3	11	2.2	3.92	73	5.2	51.0	NNE	4.1	1.7	26
27	2.9	5.8	1.5	2.2	15	15.1	13.50	83	4.9	56.7	N	6.1	1.1	27
28	3.8	7.7	1.8	2.0	14	1.8	1.83	69	4.0	61.7	N	2.9	1.3	28
29	7.2	12.3	1.1	5.4	11			66	5.3	60.8	WNW	0.8	1.9	29
30	9.4	15.2	5.2	6.1	9	0.0	0.17	58	4.9	62.4	NE	2.4	2.4	30
31	6.8	11.2	4.7	4.6	11			67	5.0	67.1	NE	4.2	2.3	31
Sum					27.8	68.8	86.97				NNE		50.8	Su
Avg.	9.0	13.1	6.3	7.0				73	6.4	756.7	(6)	3.4	1.6	Av

ar : 1936 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena. (4)	Date
1	0.0	7.0	6	8	12.5	12.2	13.4	13.7	14.7	--	◍0-1	1
2	5.1	6.7	7	6	11.9	12.3	13.5	13.8	14.7	15.7	⊕0 Ω2	2
3	5.2	4.7	8	9	6.8	8.4	12.9	13.5	14.6	15.6	◍2 R1 T1 <1-2	3
4	0.0	10.0	7	7	5.1	4.9	11.9	12.8	14.4	15.6	✳0 ✳1 ∩0	4
5	7.5	3.0	6	8	3.1	5.6	10.8	12.0	14.0	15.2	✳0 ✳0 Ω1	5
6	8.6	0.0	5	7	4.9	6.3	10.3	11.5	13.6	14.9	Ω1	6
7	2.1	9.0	7	7	8.5	8.7	10.7	11.6	13.4	14.7	⊕1 Ω1-2	7
8	0.6	7.7	6	8	9.4	9.7	11.4	12.0	13.4	14.6		8
9	3.4	5.7	6	8	9.0	9.1	11.5	12.1	13.3	14.5	⊕0 Ω1	9
10	8.4	2.0	6	8	7.7	9.1	11.6	12.1	13.3	14.3	Ω0	10
11	5.1	4.3	6	8	7.6	8.3	11.4	11.9	13.2	14.3	Ω0	11
12	0.1	9.7	7	7	8.1	8.1	11.1	11.7	13.1	14.2	◍0 Ω0	12
13	0.0	10.0	7	6	11.7	11.1	11.5	12.0	13.1	14.2	◍2	13
14	7.5	5.7	5	5	10.8	11.3	12.0	12.3	12.8	14.2	◍1 Ω2	14
15	0.0	9.3	6	6	11.8	11.3	12.4	12.6	13.2	14.1	◍1-2	15
16	1.4	6.0	7	7	10.0	9.7	12.3	12.6	13.3	14.1	⊕0 Ω1	16
17	5.2	3.3	5	7	8.5	9.0	11.8	12.4	13.2	14.1	Ω1-2	17
18	1.5	5.7	6	6	7.3	8.0	11.6	12.2	13.2	14.0	◍0 Ω0-1	18
19	3.3	9.0	6	7	7.6	8.4	11.1	11.9	13.0	13.9	◍0-1 <0 ∩1-2	19
20	3.7	7.7	8	8	6.4	6.9	10.7	11.5	12.8	13.8	✳ <1 ∩1	20
21	4.8	7.7	6	6	5.6	6.1	10.4	11.2	12.6	13.6	✳0 ∩0-1	21
22	3.0	7.3	6	5	5.6	5.2	10.0	10.9	12.4	13.5	✳0-1 ∩0-1	22
23	4.3	6.0	6	7	4.6	5.8	9.6	10.6	12.2	13.4	✳0-1 ∩0-1 Ω1-2	23
24	4.3	8.3	7	8	6.8	8.8	9.8	10.6	12.1	13.3	✳0 Ω0	24
25	6.1	3.3	6	7	6.9	8.9	10.2	10.8	12.1	13.3	✳0 Ω0-1	25
26	0.4	9.7	8	7	5.6	4.9	9.8	10.5	11.9	13.1	◍0 ✳0-1	26
27	0.0	9.3	7	7	2.2	3.0	8.6	10.0	11.6	12.9	◍0 ✳1 ✳0	27
28	2.0	7.7	6	8	3.0	2.4	8.0	9.1	11.2	12.6	◍0 ✳0-1 L0	28
29	7.3	0.0	5	8	2.5	4.9	7.7	8.8	11.0	12.4	Ω0 L1	29
30	8.4	1.7	5	8	4.8	6.7	8.1	8.9	10.8	12.2	◍0 Ω1 L0	30
31	8.1	1.7	6	8	4.0	5.9	8.6	9.0	10.8	12.1	Ω0	31
Sum	117.4										◍12, ✳3, ✳11, R1, <2, ⊕4, ∩6, Ω18, L3.	
Avg		6.1	6.6	7.2	7.1	7.8	10.8	11.5	12.9	13.9		

YEAR : 1936

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18° C) (1)	Average of Wet bulb temper. (3)	Average of Relative humid.(%) (1)	Average of Vapor (mm) pressure (3)	Sunshine h (8) Total	Sunshine h (8) Pos-
JAN.	12.9	17.1	9.8	19.7	27	7.4	14	158	11.2	79	8.7	125.4	30
FEB.	11.3	15.6	8.0	20.7	28	-1.2	12	192	9.4	75	7.6	146.7	31
MAR.	13.0	17.8	9.2	22.0	28	5.4	31	153	10.9	73	8.2	222.1	368
APR.	16.9	21.8	12.6	26.6	9	7.9	1	44	13.5	66	9.3	218.9	391
MAY	18.5	23.3	14.5	28.1	29	11.6	7	16	15.2	67	10.6	218.8	438
JUNE	23.1	28.3	18.5	33.0	18	15.8	8	0	18.7	62	12.9	283.1	439
JULY	28.1	33.9	23.3	38.2	30	20.0	6	0	21.0	50	13.6	357.4	446
AUG.	27.1	33.0	22.4	38.8	6	17.4	29,30	0	20.1	49	12.8	339.3	418
SEP.	22.8	28.2	18.4	32.4	5	14.0	16	0	17.4	54	11.2	272.4	370
OCT.	19.1	23.3	15.7	26.7	11	10.9	5	14	15.8	69	11.3	155.6	344
NOV.	14.2	18.6	11.1	23.6	4,9	2.6	26	111	11.9	74	9.0	141.3	301
DEC.	9.0	13.1	6.3	17.9	2	1.1	29	278	7.0	73	6.4	117.4	294
YEAR	18.0	22.8	14.2	38.8	Aug. 6	-1.2	Feb. 12	966	14.3	66	10.2	2598.4	4432

Month	Avg.cloudiness (tenths) (3)	Avg.Visibility (11) Toward sea	Avg.Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm.depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice daus)	Maximum ≧25.0°C (summer days)	Maximum ≧30.0°C (Tropical days)	Minimum≧20.0°C
JAN.	5.9	6.3	7.1	11.0	12.3	12.9	13.0	13.6	14.5	0	0	0	0	0
FEB.	6.4	6.5	7.4	11.0	12.0	11.7	11.8	12.5	13.5	1	0	0	0	0
MAR.	4.6	6.3	7.0	13.6	15.8	14.0	13.7	13.9	14.4	0	0	0	0	0
APR.	5.7	6.4	6.9	18.5	21.9	17.4	16.8	16.3	16.1	0	0	5	0	0
MAY	6.1	6.3	7.2	19.8	24.2	19.8	19.1	18.4	18.0	0	0	10	0	0
JUNE	4.5	6.5	7.2	23.7	30.3	23.9	23.1	21.7	20.8	0	0	29	9	6
JULY	1.9	6.6	7.6	28.3	36.8	28.2	26.8	25.2	23.8	0	0	31	29	31
AUG.	1.6	6.6	7.7	26.6	34.6	28.8	28.1	27.1	25.9	0	0	31	27	28
SEP.	2.2	6.4	7.7	23.7	29.2	24.3	24.4	24.5	24.3	0	0	26	10	7
OCT.	6.2	6.5	6.9	18.7	20.1	20.5	20.5	20.9	21.4	0	0	7	0	0
NOV.	5.7	6.4	7.3	12.3	13.1	15.3	15.7	16.8	17.7	0	0	0	0	0
DEC.	6.1	6.6	7.2	7.1	7.8	10.8	11.5	12.9	13.9	0	0	0	0	0
YEAR	4.7	6.5	7.3	17.9	21.5	19.0	18.7	18.7	18.7	1	0	139	75	72

YEAR : 1936

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5) Avg. Speed (m.p.s.)	Wind (1) (5) Prevailling direction	Precipitation (Total (mm)) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
AN.	752.4	3.0	S	70.5	24.3	2	55.7	13	0	0	0	1	13	23	0
EB.	47.4	3.7	S	58.9	15.7	11	60.8	15	0	2	5	1	19	18	4
AR.	52.5	3.1	S	31.5	12.3	29	86.8	9	0	0	0	3	9	20	0
PR.	49.8	4.0	SSW	6.3	2.6	24	133.1	8	0	0	0	0	8	6	0
AY.	48.5	3.9	NE	47.7	25.7	3	127.6	16	0	0	0	1	16	2	0
UNE	50.3	2.5	SW	73.2	35.5	27	164.2	10	0	0	0	1	10	4	0
ULY	49.4	4.3	NE	1.1	0.6	4	237.3	4	0	0	0	0	4	0	0
UG.	50.6	4.2	NE	11.4	11.4	10	229.1	5	0	0	0	0	5	0	0
EP.	52.9	4.0	NE	1.6	1.6	7	176.1	2	0	0	0	0	2	6	0
CT.	51.9	2.6	SSW	89.4	31.3	31	105.7	16	0	0	0	0	16	11	0
OV.	53.9	2.2	ENE	114.0	57.4	6	61.9	13	0	0	1	1	13	20	2
EC.	56.7	3.4	NNE	68.8	19.2	13	50.8	12	0	3	11	0	20	18	3
EAR	751.4	3.4	NE	574.4	57.4	Nov. 6	1489.1	123	0	5	17	8	135	128	9

Month	Number of days: Snow cover	Clear (0.0–1.9 tenths) (3)	Partly cloudy (2.0–8.0 tenths) (3)	Cloudy (8.1–10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
AN.	0	3	23	5	2	4	3	2	0	0	0	1	0	0	
EB.	0	2	20	7	3	3	1	4	0	0	0	1	0	1	
AR.	0	5	23	3	8	1	6	1	0	0	0	1	0	0	
PR.	0	2	21	7	7	1	0	1	0	0	0	1	0	0	
AY	0	2	20	9	2	2	3	3	0	1	0	1	0	0	
UNE	0	6	23	1	9	0	10	0	0	2	0	0	1	0	
ULY	0	19	12	0	21	0	1	2	0	0	0	0	1	0	
UG.	0	19	12	0	21	0	2	0	0	0	0	0	0	0	
EP.	0	17	13	0	16	0	2	3	0	0	1	0	0	0	
CT.	0	2	22	7	4	2	6	3	0	3	1	0	1	0	
OV.	0	4	18	8	4	6	3	0	0	6	1	0	1	2	
EC.	0	4	18	9	4	4	1	2	0	4	0	0	6	0	
EAR	0	85	225	56	101	23	38	21	0	16	3	5	10	3	

YEAR : 1936

Month	Frequency (%) of the wind direction (24 hourly observations) (5)																
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm
JAN.	1.4	3.6	6.0	4.9	2.5	2.0	3.0	7.8	12.9	6.0	3.5	3.5	2.8	0.7	0.9	0.3	38.2
FEB.	4.6	3.9	2.4	3.0	2.3	1.0	2.8	5.0	9.1	8.2	6.0	5.5	4.2	4.8	6.3	5.6	25.3
MAR.	5.5	9.1	5.6	2.2	1.7	1.5	1.2	7.0	10.0	9.2	6.3	3.9	3.8	1.5	3.0	4.0	24.5
APR.	5.6	6.6	6.5	3.2	2.8	1.5	1.9	5.6	7.9	10.8	7.6	8.3	8.6	2.6	1.9	1.4	17.2
MAY	5.6	7.2	11.0	8.8	3.1	0.8	0.9	0.9	4.0	7.4	10.9	7.9	4.7	4.3	3.9	1.7	16.9
JUNE	5.3	4.5	3.6	3.5	2.5	1.7	1.1	1.0	5.3	9.1	12.8	9.3	6.0	6.5	3.5	1.1	23.2
JULY	8.4	14.9	20.3	10.7	4.2	0.9	0.9	0.5	2.6	2.6	7.0	4.2	3.8	2.3	2.3	3.6	10.8
AUG.	5.8	13.3	23.6	12.0	4.4	1.5	0.3	0.4	1.6	4.9	4.0	1.9	2.5	1.5	4.8	5.8	11.7
SEP.	3.9	10.9	22.6	8.1	1.5	0.1	0.2	0.8	5.0	8.3	6.5	2.9	2.6	1.5	2.6	1.9	20.6
OCT.	1.4	3.0	5.5	3.2	1.9	0.1	0.8	0.4	8.9	11.2	9.5	6.9	6.4	3.9	3.8	1.5	31.6
NOV.	2.1	3.6	9.0	17.1	7.6	3.1	4.6	0.4	1.7	3.1	3.9	4.9	3.5	2.8	2.5	1.7	28.4
DEC.	15.5	26.8	17.2	3.9	2.5	0.8	0.7	1.5	1.2	0.8	1.6	1.1	1.6	4.4	5.6	3.4	11.4
YEAR	5.4	9.0	11.2	6.7	3.1	1.3	1.5	2.6	5.8	6.8	6.6	5.0	4.2	3.2	3.4	2.6	21.6

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h. observation.

YEAR 1937

Year : 1937 Month : Janua

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing Direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	7.2	14.3	2.9	5.7	11			71	5.3	766.5	NNE	0.7	1.2
2	7.4	13.7	3.0	5.7	11			74	5.5	63.8	NNE	0.5	1.3
3	8.1	15.6	3.8	6.3	10			73	5.8	61.1	NNE	0.4	1.3
4	7.6	12.2	4.9	5.8	10	2.3	2.20	73	5.3	57.9	NNE	2.7	1.7
5	7.5	11.9	4.3	5.8	10	0.8	0.50	73	5.5	59.5	NNE	1.5	1.3
6	8.9	14.9	3.9	7.2	9			72	6.3	59.9	SW	0.1	1.5
7	10.5	15.9	7.2	9.1	7			79	7.5	58.8	SSW	0.5	1.4
8	11.9	15.7	7.5	9.2	6			73	6.9	52.1	WSW	1.4	2.0
9	8.7	13.4	7.8	5.4	9	0.1	1.70	65	4.9	48.2	NNW	2.6	2.3
10	5.5	9.6	2.7	3.9	12	0.0	0.47	72	5.6	53.8	NNE	5.3	1.7
11	3.4	5.5	3.0	2.1	15	0.0	3.67	81	4.2	53.3	N	5.7	1.3
12	3.4	7.4	0.7	1.3	15	0.2	3.00	62	3.5	56.2	NNW	4.1	1.8
13	5.0	10.1	0.6	2.8	13			63	4.0	57.0	NE	1.7	2.0
14	4.2	6.8	2.4	2.9	14	2.23	3.25	75	4.8	55.5	NNE	10.5	1.7
15	3.3	5.2	2.6	1.8	15	0.2	5.33	75	4.3	58.1	NNE	7.7	1.4
16	4.5	10.0	1.8	2.7	13	0.2	0.83	72	4.6	59.9	N	3.3	1.4
17	5.7	8.2	1.8	4.7	12	0.7	4.55	76	5.4	58.2	N	0.2	0.8
18	9.6	15.1	5.9	9.2	8	1.0	3.17	86	7.5	53.9	SW	0.2	0.7
19	10.8	16.5	7.8	9.8	7	1.0	1.75	86	8.9	53.4	SSW	0.6	1.0
20	12.1	16.7	8.1	10.4	6			78	8.1	52.3	SSW	0.7	1.5
21	12.8	17.8	10.7	8.7	5			59	6.0	55.4	W	2.8	2.9
22	9.1	14.1	4.2	6.2	9			61	5.4	61.0	NE	3.5	2.4
23	5.1	9.2	5.2	2.1	13			60	3.7	60.8	NNE	10.9	2.4
24	3.6	7.2	1.2	1.2	14	0.0	0.05	58	3.4	59.7	NNE	6.4	2.2
25	3.2	4.7	1.3	1.5	15	0.0	4.25	74	4.2	57.6	NE	4.5	1.1
26	6.1	8.1	3.3	5.4	12	0.0	5.00	83	5.8	55.5	NNE	0.5	0.6
27	11.6	15.4	6.3	11.1	6			88	9.0	51.9	S	2.5	0.6
28	14.7	16.4	12.7	12.7	3			78	9.5	46.9	S	6.7	2.6
19	15.4	17.1	14.0	12.5	3			69	9.0	40.7	S	8.5	4.8
30	13.5	17.5	10.3	9.6	4			60	7.0	43.4	W	3.9	4.8
31	12.8	18.0	10.1	9.3	5			64	6.7	49.6	NW	3.3	3.3
Sum					302	8.7	39.72				NNE		57.0
Avg.	8.2	12.4	5.2	6.2				72	5.9	755.5	(6)	3.3	1.8

ar : 1937 Month : January

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Green	Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	7.7	3.0	8	9	4.2	6.9	8.4	9.1	10.6	12.0		1
	7.2	3.3	6	8	5.2	8.2	8.6	9.2	10.6	11.9		2
	6.0	4.0	8	8	5.2	7.6	8.8	9.3	10.6	11.8		3
	3.8	6.0	6	8	5.5	7.4	8.9	9.4	10.6	11.8	◍¹	4
	4.6	4.3	8	8	5.8	7.6	8.8	9.2	10.6	11.7	◍⁰⁻¹	5
	8.2	1.0	5	7	5.7	7.9	8.8	9.3	10.6	11.7		6
	4.0	7.0	6	6	8.8	9.6	9.3	9.6	10.6	11.6		7
	7.3	3.7	7	8	10.2	10.1	9.7	9.9	10.7	11.7		8
	6.3	5.3	8	9	6.2	8.7	10.2	10.3	10.9	11.8	◍⁰	9
	6.6	4.5	7	8	4.4	6.8	9.5	9.9	10.8	11.7	◍⁰	10
	1.4	8.0	7	7	3.7	6.0	8.8	9.3	10.6	11.6	⚹⁰	11
	5.9	3.7	5	8	1.6	5.4	8.2	8.9	10.4	11.5	⚹⁰⁻¹	12
	7.8	5.0	5	7	3.0	6.2	7.6	8.5	10.2	11.3		13
	4.8	9.0	6	7	3.7	4.6	7.9	8.4	10.0	11.2	◍⁰⚹⁰	14
	0.8	8.7	7	6	2.7	2.0	7.4	8.0	9.8	11.0	⚹⁰	15
	3.6	5.0	6	9	4.4	4.6	7.3	8.0	9.7	11.0	⚹⁰	16
	0.0	10.0	6	6	6.3	5.6	7.4	8.0	9.6	10.9	◍⁰	17
	2.1	8.7	5	6	7.3	8.8	8.3	8.5	9.7	10.9	◍⁰	18
	4.4	4.7	7	6	9.4	10.2	9.3	9.2	9.9	10.9	◍⁰⁻¹	19
	5.4	5.3	7	7	9.5	10.9	9.7	9.6	10.1	11.0		20
	8,2	4.3	7	8	9.4	12.9	10.5	10.1	10.4	11.1		21
	6.1	6.3	6	7	7.5	10.4	10.1	10.4	10.5	11.2		22
	5.2	7.3	6	6	4.1	4.7	9.6	9.7	10.4	11.1		23
	4.4	9.7	7	7	4.3	4.7	8.4	9.0	10.2	11.1	⚹⁰ ⚹⁰	24
	0.0	10.0	7	7	2.5	2.6	7.9	8.6	10.0	10.9	⚹⁰⁻¹⚹⁰	25
	0.0	10.0	5	5	6.9	6.0	7.9	8.5	9.9	10.9	◍⁰	26
	0.3	9.7	5	5	11.3	11.2	8.7	9.0	9.9	10.9		27
	0.7	8.7	6	6	13.5	12.8	10.2	9.8	10.1	11.0		28
	0.0	9.3	6	6	13.9	12.3	11.2	10.5	10.5	11.2		29
	7.0	3.7	7	9	12.4	13.7	11.4	10.9	10.8	11.3		30
	8.2	2.3	8	8	11.7	13.4	11.6	11.1	11.1	11.4		31
n	138.0										◍9, ⚹2, ⚹7, ⌐5,	
g		6.2	65	7.2	6.8	8.1	9.1	9.3	10.3	11.3	☊20, ☽3, ☋2, ☫2.	

Year : 1937 Month : Febr

Date	Air temperature (°C)					Precirit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	10.8	14.5	7.6	8.9	7			74	7.5	754.4	S	1.3	1.6
2	11.9	16.5	10.0	9.2	6			67	6.8	53.0	ENE	2.8	1.8
3	11.9	14.8	9.7	10.5	6	9.3	6.00	78	8.3	51.2	NE	7.6	2.2
4	11.5	15.2	9.6	9.6	6	0.4	2.25	77	7.7	54.3	NNE	4.0	1.6
5	11.7	15.8	7.7	10.1	6			76	8.1	54.4	SW	1.2	1.5
6	13.3	17.1	9.7	10.9	5	0.0	0.05	72	7.8	50.2	SSW	3.8	2.3
7	12.8	14.7	12.1	11.2	5	1.2	4.67	80	9.0	44.8	SSW	4.5	2.1
8	11.8	15.4	6.7	9.6	6	0.2	0.17	76	7.8	49.5	S	2.2	1.7
9	13.9	18.3	9.3	11.8	4			73	8.7	46.3	S	5.5	2.6
10	14.4	17.0	13.7	11.5	4	0.0	0.50	72	8.6	42.3	W	6.5	4.2
11	13.3	18.6	9.3	9.5	5			61	6.6	48.8	W	2.8	3.6
12	12.7	16.1	7.4	10.1	5			69	7.7	47.0	SSW	4.6	2.9
13	12.0	14.7	12.8	8.0	6	0.0	0.05	55	5.7	44.7	WNW	7.9	5.7
14	8.8	12.4	5.2	6.2	9	0.0	2.70	65	5.3	50.8	ENE	2.1	2.5
15	7.4	9.9	6.7	5.6	11	10.6	17.30	81	5.9	50.7	NNE	10.6	1.2
16	6.9	10.7	5.8	4.5	11	0.0	0.17	66	4.9	54.7	NNE	9.8	2.4
17	8.7	16.2	3.0	5.0	9			51	4.0	52.5	NNW	2.2	3.0
18	10.5	15.0	5.7	8.1	7			67	6.1	49.7	SSW	3.0	2.5
19	11.7	13.1	10.5	10.3	6	9.4	12.00	85	8.5	48.6	SSE	5.9	2.0
20	11.9	15.7	9.3	10.4	6	4.6	4.42	82	8.4	49.3	S	3.4	1.5
21	12.2	16.0	8.1	10.2	6			74	7.7	49.1	SSW	2.1	1.9
22	12.9	17.4	9.9	10.4	5	0.0	0.13	68	7.6	47.8	ENE	2.3	2.3
23	12.4	15.9	8.6	9.6	6	0.1	0.42	69	7.0	44.3	SSW	2.4	2.1
24	11.3	14.2	11.1	6.9	7	0.3	2.00	58	6.2	43.3	WNW	6.9	5.3
25	9.3	13.5	4.4	6.4	9			56	4.8	51.8	S	1.6	3.1
26	12.6	18.9	8.0	10.3	5			70	7.7	51.3	WSW	0.7	2.4
27	13.2	18.2	8.4	11.2	5			75	8.5	52.8	SW	1.0	2.1
28	13.4	18.2	9.5	12.0	5			83	9.5	52.7	SSW	2.0	1.3
Sum					178	36.1	52.83				SSW		69.4
Avg	11.6	15.5	8.6	9.2				71	7.2	749.7	(6)	3.9	2.5

ar : 1937 Month: February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenoména (4)	Date
1	1.7	9.3	8	7	10.7	12.3	11.6	11.3	11.2	11.6		1
2	0.5	9.0	7	7	11.2	12.9	11.7	11.4	11.3	11.7		2
3	0.1	8.0	7	7	10.8	10.6	11.8	11.5	11.4	11.7		3
4	0.0	6.0	7	9	9.5	9.6	11.5	11.4	11.5	11.8		4
5	8.8	0.0	6	6	10.1	11.7	11.2	11.1	11.5	11.9		5
6	3.6	8.3	7	7	14.6	14.1	11.5	11.3	11.6	12.0		6
7	0.0	9.0	6	5	12.5	11.8	12.1	11.7	11.7	12.1		7
8	5.1	5.0	8	7	10.5	11.6	11.6	11.6	11.8	12.2		8
9	5.6	5.3	6	7	14.4	15.6	11.9	11.7	11.9	12.2		9
10	3.3	6.7	8	7	13.1	13.4	12.6	12.1	12.0	12.3		10
11	9.5	3.0	7	7	13.1	15.4	12.5	12.2	12.1	12.4		11
12	4.3	7.7	6	6	13.1	12.0	12.4	12.1	12.2	12.4		12
13	6.3	5.0	5	7	11.7	14.2	12.6	12.3	12.3	12.6		13
14	0.0	9.0	8	7	8.0	9.2	11.6	11.5	12.2	12.6		14
15	0.0	10.0	7	7	6.7	5.9	11.0	10.9	12.0	12.4		15
16	2.8	6.0	6	6	5.7	5.9	10.2	10.3	11.8	12.4		16
17	9.9	0.0	8	8	7.7	10.9	9.5	9.8	11.5	12.3		17
18	8.5	4.3	6	7	9.2	12.1	9.9	10.1	11.4	12.2		18
19	0.0	10.0	6	6	10.9	11.1	10.8	10.8	11.5	12.2		19
20	2.9	6.3	8	7	10.7	10.9	11.1	11.0	11.6	12.2		20
21	8.2	3.3	8	8	10.5	12.1	11.1	11.1	11.6	12.2		21
22	0.7	7.7	6	5	11.0	11.0	11.5	11.4	11.8	12.3		22
23	7.3	6.3	7	7	10.5	11.9	11.5	11.4	11.8	12.3		23
24	7.3	5.3	8	9	10.1	14.8	11.8	11.6	11.9	12.5		24
25	8.6	2.7	8	8	9.1	10.6	11.0	11.1	11.8	12.3		25
26	6.6	5.0	6	6	12.0	13.3	11.2	11.2	11.8	12.4		26
27	9.9	1.3	7	6	13.1	16.3	11.8	11.5	11.9	12.4		27
28	6.8	7.3	6	6	12.7	14.8	12.4	11.9	12.1	12.5		28
um	128.3										●15, ⊏13, Ω17,	
vg.		6.0	7.0	6.9	10.8	12.0	11.5	11.3	11.8	12.2	⊕3, Ψ3, ∩4.	

Year : 1937 Month : March

Date	Air temperature (°C)					Precipit		Average of			Wind (1) (5)		
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (1)	Prevailing direction	Avg. speed (met. p.s.)	Total evaporation (mm) (4)(7)
1	15.1	18.3	10.8	12.5	3			75	9.2	747.6	SSE	4.4	2.9
2	12.3	16.2	10.1	8.5	6	7.9	3.50	69	6.8	35.4	W	7.0	3.4
3	11.2	14.3	8.1	7.2	7			54	5.1	43.4	WNW	6.6	6.0
4	12.7	16.9	9.4	10.2	5	1.7	5.75	76	7.8	48.4	NNE	1.3	2.3
5	13.7	17.2	10.7	11.9	4			77	8.4	53.2	SSW	2.0	1.8
6	14.8	18.5	12.1	12.7	3			76	9.4	48.6	S	3.5	2.7
7	13.9	19.2	10.6	11.3	4	3.3	1.17	70	8.0	47.6	SSE	2.3	2.5
8	14.3	18.4	9.6	11.5	4			66	8.0	51.6	SSW	2.9	2.9
9	14.2	16.2	11.4	12.0	4			75	9.0	51.0	S	7.3	3.0
10	15.6	19.0	14.5	12.6	2			68	8.9	47.8	S	8.4	5.1
11	13.6	17.9	10.4	9.9	4			57	7.5	52.6	W	5.1	5.7
12	13.7	19.0	8.8	10.4	4			60	6.9	52.3	SSW	1.8	3.2
13	14.0	18.4	10.0	11.4	4			70	8.3	53.3	S	2.7	2.6
14	14.4	19.7	9.9	11.1	4			63	7.6	53.8	SSW	1.9	3.7
15	16.5	21.5	11.6	12.1	1			55	7.3	54.9	SW	1.9	4.2
16	15.4	18.8	13.2	11.1	3			57	7.3	55.7	SW	2.7	4.8
17	12.8	18.2	7.1	8.8	5			51	5.6	59.6	SSW	1.9	4.1
18	14.2	20.2	8.8	10.5	4			58	7.1	56.1	S	1.1	3.4
19	15.6	21.0	11.4	12.3	2			64	8.5	55.0	SW	1.5	3.7
20	17.2	22.2	12.0	13.3	1			63	8.8	52.3	WSW	0.8	3.0
21	16.7	20.3	14.1	12.2	1			53	7.6	47.0	S	6.8	5.9
22	15.5	19.9	11.9	10.7	2			50	6.6	51.6	SSW	3.0	5.6
23	15.0	20.4	10.5	11.3	3			60	7.6	52.2	SSW	1.2	4.1
24	16.2	20.3	10.7	13.1	2			64	9.0	49.4	SSE	4.4	4.5
25	15.2	21.0	11.8	12.8	3			68	9.5	48.3	SSW	1.2	3.0
26	13.3	16.8	10.7	8.7	5			50	5.4	49.1	WNW	3.6	5.7
27	13.4	19.1	8.5	9.3	5			55	6.0	52.2	WSW	3.2	4.1
28	14.1	19.8	9.3	10.9	4			61	7.2	53.4	SSW	2.4	3.1
29	14.8	20.0	10.1	11.9	3			64	8.2	53.9	SW	1.1	3.0
30	14.5	19.4	10.2	11.9	3			64	8.5	53.0	SW	1.0	2.6
31	15.3	22.2	11.6	11.0	3			55	6.5	49.4	NE	2.9	3.6
Sum					108	12.9	10.42				SSW		116.2
Avg	14.5	19.0	10.6	11.1				63	7.6	751.1	(6)	3.1	3.8

r : 1937 Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
9.2	7.0	7	6	13.6	16.7	13.0	12.4	12.2	12.6	Ω^{1}	1
1.6	9.7	8	7	10.6	9.6	13.2	12.7	12.4	12.7	$\circledcirc^{1}$ $\triangle^{0}$ $\mathbb{K}^{1-2}$ $\angle^{0}$	2
8.5	7.0	7	8	11.5	12.1	12.2	12.2	12.5	12.8		3
4.4	6.3	7	7	12.0	12.4	12.4	12.3	12.5	12.7	$\circledcirc^{2}$ $\oplus^{0}$ Ω^{0}	4
9.0	3.7	7	8	15.0	16.7	12.7	12.5	12.6	12.9	Ω^{2}	5
1.5	3.3	6	6	14.2	14.0	13.0	12.6	12.6	12.9	Ω^{0}	6
5.3	4.3	7	8	15.6	17.0	13.3	12.8	12.7	13.0	$\circledcirc^{0-1}$ Ω^{1-2}	7
8.7	3.7	7	7	13.7	15.1	13.2	12.8	12.8	13.1	Ω^{1-2}	8
3.5	6.3	6	6	13.8	15.2	13.4	13.0	12.9	13.1	$\oplus^{0}$ Ω^{0}	9
6.1	0.7	6	6	15.8	17.9	13.9	13.2	13.1	13.2		10
9.9	0.7	8	8	16.0	17.9	13,8	13.3	13.1	13.3		11
10.0	2.7	8	7	16.2	18.3	13.7	13.2	13.2	13.4	Ω^{0}	12
8.4	2.7	6	7	15.4	18.1	13.8	13.3	13.3	13.4	$\oplus^{0}$ Ω^{1-2}	13
10.0	4.3	7	8	15.9	19.8	14.0	13.5	13.4	13.5	Ω^{0-1}	14
4.5	3.7	7	7	18.0	22.8	14.2	13.8	13.5	13.6		15
2.2	5.7	2	3	14.8	15.1	14.6	14.0	13.6	13.7		16
10.1	5.0	8	7	15.3	18.9	13.9	13.6	13.6	13.8		17
7.9	6.7	7	7	15.8	20.1	13.9	13.6	13.7	13.9		18
8.6	6.0	7	6	17.6	20.3	14.3	13.9	13.8	14.0	Ω^{1-2}	19
7.2	8.7	7	7	18.2	21.4	14.8	14.2	14.0	14.1	Ψ^{1} Ω^{1}	20
5.7	6.3	6	6	16.4	18.1	15.3	14.6	14.1	14.2		21
10.7	2.7	7	7	18.1	20.4	15.1	14.6	14.2	14.2	Ω^{0}	22
10.9	2.3	7	8	17.1	19.3	15.1	14.7	14.4	14.4		23
4.5	8.0	6	6	17.3	18.1	15.3	14.9	14.5	14.5	Ω^{1-2}	24
1.5	9.0	6	6	15.4	16.7	15.5	15.0	14.6	14.5	Φ^{0} $\oplus^{0}$ Ω^{1-2}	25
10.8	1.3	8	8	18.2	20.3	15.3	15.0	14.7	14.6	Ω^{0-1}	26
10.6	2.0	8	9	16.4	19.2	15.0	14.8	14.7	14.7		27
10.6	1.3	7	7	17.9	21.0	15.1	14.8	14.7	14.8	Ω^{0}	28
10.7	1.0	8	7	17.9	22.4	15.3	15.0	14.8	14.8	Ω^{1}	29
2.6	9.7	6	6	16.0	18.8	15.4	15.1	14.9	14.9	$\oplus^{0-1}$	30
1.9	8.0	5	6	17.0	20.3	15.5	15.2	15.0	15.0		31
217.1										$\circledcirc$3, $\triangle$1, $\mathbb{K}$1, Ω18, $\oplus$5, Φ1, Ψ1.	
	4.8	6.7	6.8	15.7	17.9	14.2	13.8	13.6	13.8		

Year : 1937 Month : Ap

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C	Wind (1)	Wind (5)	Total evapora tion (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	14.4	18.3	12.6	11.7	4	4.0	9.00	68	8.5	744.9	NE	7.3	2.1
2	15.5	18.8	12.3	13.6	2	5.1	3.35	74	9.7	43.5	SSW	2.4	2.5
3	15.2	19.8	11.7	13.3	3	0.5	2.17	75	9.9	49.1	SSW	1.5	2.1
4	14.9	18.5	11.8	13.0	3	0.0	0.40	79	9.8	48.6	SSW	0.4	1.6
5	16.5	21.6	12.0	12.3	1	0.8	0.50	66	8.0	44.7	WSW	2.4	4.1
6	13.6	18.4	11.5	9.9	4			59	6.7	49.0	NE	6.3	3.3
7	10.9	16.4	7.4	7.3	7			56	5.3	54.3	NE	8.1	3.5
8	11.7	17.6	7.3	8.3	6			55	5.7	54.2	NE	3.9	3.2
9	11.0	15.5	6.9	7.8	7			54	5.5	54.8	NNE	6.1	3.2
10	11.8	16.9	7.0	7.4	6			—	4.8	52.7	NNE	5.2	3.8
11	13.1	17.4	7.6	10.8	5	0.0	0.17	--	7.9	54.2	SSW	3.0	2.8
12	17.0	20.9	13.2	13.5	1			63	9.1	50.5	S	3.9	5.3
13	19.0	24.8	14.6	14.8	0			60	9.4	49.6	SW	1.5	4.2
14	19.9	25.4	13.8	15.3	0			54	9.8	48.3	S	3.8	5.8
15	18.9	23.0	17.6	15.2	0			62	10.8	44.9	SSE	5.9	8.1
16	15.7	20.1	11.2	12.4	2	0.0	0.45	66	8.6	45.5	SSW	3.8	3.9
17	17.1	21.9	12.5	12.3	1			55	7.4	45.7	WNW	5.4	6.6
18	17.3	23.3	13.9	12.9	1			53	7.6	46.4	W	4.8	6.8
19	16.0	20.2	11.9	11.8	2			59	7.4	49.2	S	3.0	4.5
20	17.5	22.4	12.5	14.8	0			66	10.3	47.4	SSE	4.4	4.6
21	16.6	20.6	12.8	12.0	1	0.0	0.17	55	7.4	48.8	W	5.7	6.1
22	16.4	20.5	13.3	13.2	2			61	8.9	48.0	W	5.2	5.6
23	15.1	20.1	11.5	10.6	3			55	6.7	47.7	WNW	4.1	5.6
24	15.3	19.1	10.5	12.0	3			59	8.1	49.9	WSW	3.7	4.7
25	16.5	22.4	12.4	13.6	1			64	9.5	47.7	SSW	4.7	5.0
26	17.8	20.7	15.7	14.0	0	0.1	0.87	64	9.5	47.7	S	8.1	6.0
27	18.4	23.4	15.2	15.3	0	0.4	3.50	69	10.8	48.8	S	1.9	4.0
28	18.6	23.4	13.8	15.2	0			66	10.3	48.3	SW	2.0	3.9
29	18.7	24.0	14.5	12.9	0			52	7.2	47.7	W	2.9	6.3
30	16.1	22.8	13.1	12.8	2	0.7	4.67	64	8.9	50.4	SW	1.3	3.7
Sum					67	11.6	25.25				NE		132.9
Avg	15.9	20.6	12.1	12.3				62	8.3	748.7	(6)	4.1	4.4

r : 1937 Month : April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					
					Green	Bare	30	60	90	120		
1	0.9	10.0	5	5	13.9	16.3	15.5	15.1	15.0	15.1	$\oplus^{0-1}$	1
2	9.8	7.0	7	8	17.2	18.8	15.3	15.1	15.0	15.1	$\oplus^{1-2}$ $\mathbb{K}^1$ $\leq^1$	2
3	9.5	6.0	7	7	17.0	21.2	15.6	15.2	15.1	15.1	$\oplus^{0}$	3
4	1.5	9.7	8	7	14.7	17.0	15.8	15.3	15.1	15.1	$\oplus^{0}$	4
5	9.6	6.0	8	8	18.5	22.6	16.0	15.5	15.2	15.2	$\oplus^{1}$	5
6	10.9	4.0	8	9	16.5	20.1	16.3	15.7	15.3	15.3		6
7	3.1	6.3	7	8	12.4	15.7	15.7	15.4	15.3	15.3		7
8	10.8	3.7	7	8	14.8	20.3	15.3	15.2	15.2	15.3		8
9	10.4	3.3	7	7	15.3	18.1	15.3	15.2	15.2	15.3		9
0	10.8	2.3	7	8	13.9	19.4	15.3	15.1	15.2	15.4		10
1	8.1	6.0	7	7	16.4	21.2	15.5	15.3	15.3	15.4	$\oplus^{0}$ Ω^1	11
12	5.2	7.0	5	5	16.6	22.9	16.1	15.6	15.4	15.4		12
13	5.3	8.7	6	6	22.0	27.2	16.9	16.2	15.6	15.5	$\oplus^{1}$	13
14	4.0	8.0	6	6	21.0	26.8	17.6	16.2	15.8	15.6		14
15	6.3	4.3	5	5	19.8	26.1	18.4	17.3	16.1	15.7		15
16	8.1	6.3	7	7	18.1	24.2	18.0	17.3	16.4	15.8	$\oplus^{0}$	16
17	10.1	3.0	8	8	22.0	28.3	17.9	17.2	16.4	16.0		17
18	10.4	4.0	8	9	20.2	24.2	18.3	17.6	15.6	16.1		18
19	11.0	3.3	8	7	17.2	25.9	18.3	17.7	16.7	16.1		19
20	10.0	6.0	7	6	19.8	27.5	18.5	17.9	16.8	16.3	$\oplus^{0}$	20
21	10.0	6.7	8	9	23.0	25.4	18.5	17.9	17.0	16.4	$\oplus^{0}$	21
22	0.7	8.7	7	6	16.6	20.8	18.4	18.0	17.1	16.5	Ψ^{0}	22
23	9.5	4.0	9	9	18.2	25.6	18.0	17.3	17.1	16.6	$\oplus^{0}$	23
24	7.1	3.7	8	8	19.4	24.8	18.1	17.7	17.1	16.6		24
25	8.9	6.0	7	7	20.2	26.7	18.1	17.7	17.2	16.7		25
26	4.6	8.0	7	7	17.6	21.6	18.4	17.9	17.2	16.8	$\oplus^{0}$	26
27	2.9	7.3	5	4	17.0	17.8	18.2	17.8	17.2	16.8	$\oplus^{0}$	27
28	10.4	3.7	7	7	19.3	28.0	18.3	17.7	17.2	16.8		28
29	11.2	1.3	7	8	21.0	28.3	19.0	18.1	17.3	16.9		29
30	3.2	7.3	7	7	14.8	19.4	18.5	18.2	17.4	16.9	$\oplus^{0}$	30
um	224.3										$\oplus_{11}$, $\mathbb{K}_1$, $\oplus_3$, Ψ_1,	
vg.		5.7	7.0	7.1	17.8	22.7	17.2	16.7	16.1	15.9	Ω_1.	

Year : 1937 Month : May

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	18.2	25.7	12.1	14.9	0	1.2	2.50	67	9.8	746.5	E	1.9	3.4
2	18.6	25.3	13.7	15.6	0			68	10.4	49.5	SSW	2.6	4.4
3	19.1	24.0	13.6	15.9	0			69	11.1	51.6	SW	1.9	4.2
4	18.3	23.4	14.3	15.6	0			72	10.8	49.0	SW	1.0	2.8
5	16.7	21.9	13.5	14.9	1	22.7	4.47	78	11.1	46.4	SW	1.8	2.2
6	16.6	23.2	12.9	15.1	1	0.7	1.83	74	11.2	48.8	ENE	1.8	2.5
7	15.0	19.1	12.7	13.4	3	9.3	8.67	81	10.4	50.4	NW	1.0	1.3
8	15.5	20.6	12.0	11.5	2	1.5	2.00	62	7.5	52.7	N	3.3	2.9
9	16.8	23.9	11.5	12.8	1			55	8.1	52.0	N	3.0	4.1
10	16.5	21.1	11.6	13.0	1			63	8.5	52.1	WSW	2.4	3.9
11	19.0	25.8	12.6	13.9	0			51	8.0	53.6	NE	2.5	4.4
12	20.4	26.6	14.5	14.4	0			43	8.1	54.9	NE	4.4	7.1
13	20.9	27.1	14.8	13.9	0			40	6.9	54.0	NE	5.4	6.9
14	21.5	27.7	14.8	14.5	0			38	7.3	51.9	NE	5.8	7.3
15	21.0	26.2	15.9	14.0	0			39	7.2	52.8	NE	5.4	7.1
16	21.3	28.3	15.3	14.8	0			40	8.0	53.0	N	4.7	6.5
17	20.9	29.1	15.8	16.3	0			51	10.0	52.2	NNE	1.4	5.4
18	21.0	26.3	15.9	15.7	0			53	9.2	50.9	SSW	2.4	5.3
19	22.6	27.2	17.2	16.9	0			53	10.6	50.4	SSW	2.2	5.9
20	23.3	28.8	19.2	18.5	0			57	12.5	52.9	WSW	1.7	5.7
21	23.7	28.2	19.2	18.3	0			54	11.2	53.4	SW	2.0	5.4
22	23.6	28.4	20.0	18.1	0			54	11.9	51.6	WSW	2.7	6.3
23	22.3	27.9	18.3	15.8	0			50	9.0	49.4	W	2.7	6.3
24	20.4	25.1	16.0	15.6	0			54	9.6	52.1	SSW	2.9	5.8
25	20.8	25.3	16.4	16.5	0			62	10.8	53.0	SW	2.3	5.1
26	20.9	24.7	17.1	16.7	0	0.0	0.23	63	11.0	53.3	SW	1.2	3.8
27	23.9	29.5	18.8	17.6	0			50	10.5	50.9	NE	6.3	6.7
28	23.6	29.6	19.2	19.1	0	0.7	0.58	60	13.2	51.6	NNW	3.9	4.8
29	23.0	30.4	18.2	17.1	0			50	10.3	52.2	NNW	1.8	6.2
30	21.6	30.1	17.9	16.4	0	49.8	1.97	58	10.6	52.5	E	2.0	5.1
31	18.9	21.8	17.4	15.9	0	11.1	4.42	72	11.3	55.4	NNE	2.6	2.5
Sum					9	97.0	26.67				SSW		151.3
Avg.	20.2	25.9	15.6	15.6				57	9.9	751.7	(67	2.8	4.9

r : 1937 Month : May

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	9.1	3.7	7	8	18.9	25.4	18.3	17.9	17.4	17.0	$\circ^{0-1}$	1
2	11.7	3.0	7	8	19.2	27.3	19.1	18.3	17.5	17.1		2
3	10.7	3.3	8	8	20.4	30.0	19.7	18.8	17.7	17.1		3
4	2.1	9.0	7	7	22.0	27.2	19.8	19.0	17.9	17.2	$\oplus^{0}$ Ω	4
5	5.9	7.7	7	7	17.6	23.6	19.6	18.9	17.8	17.3	$\circ^{2}$ R^{1-2}	5
6	7.9	7.0	7	7	20.7	22.4	19.2	18.6	18.2	17.4	$\circ^{0-1}$ R^{0} T^{0}	6
7	2.2	9.3	7	7	15.9	17.3	18.8	18.3	18.0	17.4	$\circ^{0-1}$ R^{1} T^{0}	7
8	4.4	6.7	7	7	17.0	17.6	18.3	18.0	17.9	17.5	$\circ^{0-1}$ R^{1} $\swarrow^{1}$	8
9	11.1	3.3	8	8	18.7	20.5	18.4	17.8	17.7	17.5	Ω^{0}	9
10	10.0	6.0	7	7	19.7	21.7	18.5	18.0	17.7	17.5	Ω^{0-1}	10
11	10.4	3.7	8	8	18.2	25.5	19.1	18.3	17.7	17.5		11
12	12.0	0.7	7	7	24.5	28.8	19.9	18.9	17.9	17.5		12
13	11.6	4.7	7	8	24.1	29.6	20.8	19.5	18.2	17.6		13
14	11.8	0.3	7	8	26.0	30.7	21.4	20.1	18.6	17.8		14
15	11.9	0.0	7	8	24.5	30.0	21.8	20.6	18.9	18.0		15
16	11.7	1.7	8	8	22.6	31.4	22.2	21.0	19.3	18.2		16
17	12.0	2.7	8	8	22.4	30.3	22.6	21.3	19.6	18.3		17
18	11.5	1.0	7	7	23.0	30.9	22.7	21.5	19.8	18.5	Ω^{0}	18
19	11.5	1.3	7	7	21.8	31.4	22.9	21.6	20.0	18.7		19
20	11.8	1.7	7	7	26.2	32.7	23.6	22.0	20.2	18.8		20
21	9.1	5.0	7	7	21.5	32.4	23.8	22.2	20.5	19.0	Ω^{0}	21
22	11.2	2.0	7	7	23.0	32.2	24.1	22.6	20.7	19.2		22
23	11.9	0.0	8	7	21.6	32.3	24.2	22.7	20.9	19.3	Ω^{0}	23
24	11.6	3.3	8	7	22.1	31.9	23.8	22.6	21.0	19.5		24
25	10.7	2.7	8	8	21.7	32.6	23.6	22.6	21.1	19.6		25
26	4.8	6.7	8	7	19.2	29.8	23.5	22.5	21.1	19.7	$\circ^{0}$ Ω^{0}	26
27	10.2	2.7	7	8	22.7	34.1	23.7	22.4	21.1	19.9		27
28	10.7	5.7	7	8	23.1	30.4	24.3	22.9	21.3	19.9	$\circ^{0}$ $\swarrow^{1}$	28
29	10.5	4.7	8	9	23.4	36.4	24.6	23.2	21.5	20.1		29
30	7.4	6.7	6	8	19.0	24.0	23.7	21.7	20.7	19.8	$\circ^{2}$ Δ^{1-2} R^{1}	30
31	0.3	8.7	7	8	18.4	18.7	21.6	20.6	20.9	20.6	$\circ^{1}$ $R^{1}T^{0}\swarrow^{1}$	31
um	289.7										$\circ$9, Δ1, R6, $\swarrow$1,	
vg.		4.0	7.3	7.5	21.3	28.0	21.5	20.5	19.3	18.4	Ω7, $\oplus$1.	

Year : 1937 Month : June

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm) (4)(7)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)		
1	20.2	26.1	14.8	16.2	0			60	10.7	755.7	NE	3.5	4.2	
2	20.8	25.0	14.9	17.3	0			65	12.0	52.6	S	1.8	4.1	
3	23.3	27.9	19.0	18.6	0			60	12.4	51.6	SSW	1.6	4.3	
4	23.2	26.8	19.9	19.0	0			63	13.3	53.7	SSW	1.7	5.0	
5	25.3	32.2	18.9	19.1	0			52	12.1	55.5	NE	3.4	5.2	
6	26.7	33.6	20.0	19.9	0			47	12.4	55.2	NE	5.3	7.0	
7	25.3	29.2	21.9	17.6	0			43	10.1	56.2	NE	10.3	8.3	
8	23.4	28.8	18.8	15.4	0			37	7.7	55.6	NE	8.6	8.2	
9	22.9	28.4	17.7	14.9	0			34	7.1	54.2	NE	6.9	7.0	
10	24.5	31.8	17.3	16.9	0			36	7.5	53.8	NE	5.8	9.1	1
11	25.0	30.6	19.0	18.1	0			41	10.5	53.6	SSW	2.2	8.7	1
12	24.3	30.0	20.6	19.2	0			54	12.9	52.7	WSW	2.7	6.2	1
13	25.0	30.2	19.8	19.3	0	0.0	1.00	54	12.2	52.1	SSW	2.1	6.3	1
14	25.3	30.4	21.0	20.4	0	0.0	0.17	59	14.0	51.9	SW	1.5	5.5	1
15	26.0	31.1	21.4	21.1	0			57	14.8	51.3	SW	2.3	6.1	1
16	25.8	29.7	22.2	21.1	0			62	15.3	50.5	SSW	2.6	6.3	1
17	26.0	30.6	22.3	21.1	0			61	15.0	49.9	S	4.0	6.1	1
18	25.8	30.8	21.0	21.5	0			67	16.1	50.1	SW	2.4	5.2	1
19	28.1	35.9	21.8	21.8	0			55	14.7	50.6	NE	4.0	5.9	1
20	28.5	34.5	22.8	20.1	0			42	11.7	49.6	NE	4.9	7.8	2
21	26.8	32.2	22.4	19.6	0			46	11.9	49.0	SW	2.6	8.0	2
22	26.3	33.5	20.8	19.8	0	0.0	0.03	47	12.4	49.0	NE	2.5	6.6	2
23	25.9	30.4	21.8	18.1	0			44	10.2	50.1	NNE	7.3	7.8	2
24	26.5	32.6	21.7	18.0	0			40	9.9	50.4	NE	6.2	7.7	2
25	26.5	33.5	21.4	18.8	0			45	11.5	49.8	NE	2.8	8.4	2
26	25.5	29.5	21.4	19.9	0			55	13.4	49.0	SW	2.3	6.6	2
27	25.0	30.5	21.6	19.7	0	1.3	3.37	60	13.6	48.6	E	1.9	4.9	2
28	26.0	32.3	19.9	19.7	0			50	12.5	49.0	SW	2.1	6.5	2
29	26.7	31.6	22.2	20.5	0			49	13.6	50.8	SW	1.5	7.6	2
30	27.9	32.0	23.7	20.6	0	0.0	0.05	47	13.2	49.7	SSW	2.1	7.7	2
Sum					0	1.3	4.62				NE		199.3	
Avg.	25.3	30.7	20.4	19.1				51	12.2	751.7	(6)	3.5	6.6	

Year : 1937 Month : June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	9.9	3.3	8	8	23.7	21.9	20.6	20.3	20.1	19.9		1
2	12.0	2.0	7	7	21.3	25.1	21.2	20.5	20.1	19.9	Ω^{0}	2
3	11.7	3.3	6	7	22.5	25.2	22.3	21.1	20.3	19.9		3
4	9.6	4.7	8	7	22.7	30.3	23.2	21.7	20.5	19.9	$\leftarrow^{1}$	4
5	11.1	5.0	7	7	23.2	32.6	23.9	22.3	20.9	20.1	Ω^{0}	5
6	12.3	1.3	8	8	25.3	34.5	24.9	23.1	21.3	20.2		6
7	11.8	0.7	6	7	23.7	33.2	25.6	23.8	21.7	20.4		7
8	11.8	0.7	7	9	20.6	31.8	25.3	24.0	22.0	20.7		8
9	10.4	2.7	8	9	20.6	32.8	25.1	24.0	22.2	20.9		9
10	12.4	0.7	8	9	21.9	35.1	25.1	24.1	22.4	21.3		10
11	11.5	3.7	8	8	22.6	33.9	24.7	24.3	22.6	21.1		11
12	11.1	6.3	7	7	23.4	32.7	25.8	24.6	22.7	21.2		12
13	9.8	5.0	8	8	22.5	33.8	25.9	24.6	22.9	21.3	$\circledcirc^{0}$ T^{0}	13
14	7.4	5.7	7	7	23.9	36.2	26.0	--	23.0	21.5	$\circledcirc^{0}$ T^{0} Ω^{0-1}	14
15	11.3	3.0	7	7	24.4	34.7	26.5	--	23.2	21.6		15
16	11.1	2.7	7	7	23.0	35.6	26.6	25.2	23.5	21.7		16
17	11.9	1.0	7	7	25.4	32.7	26.8	25.4	23.5	21.8		17
18	11.9	1.7	6	6	25.3	28.6	27.0	25.5	23.6	21.9		18
19	10.7	4.0	7	8	26.6	39.0	27.4	25.8	23.8	22.2		19
20	11.4	3.3	7	9	25.5	38.0	27.9	26.2	24.1	22.3		20
21	10.2	2.7	8	7	24.5	36.6	28.1	26.5	24.4	22.4		21
22	5.7	7.0	7	9	24.2	36.8	27.7	26.5	24.6	22.6	$\circledcirc^{0}$	22
23	12.0	2.7	6	7	24.2	35.4	27.7	26.5	24.6	22.8	R^{1}	23
24	11.2	3.3	7	8	23.5	36.7	27.8	26.6	24.7	23.0		24
25	11.7	1.3	7	7	25.5	36.9	27.8	26.8	24.9	23.1		25
26	11.8	2.7	7	7	24.0	36.9	27.9	26.9	25.0	23.1		26
27	5.6	5.3	8	6	23.4	31.7	27.7	26.8	25.1	23.3	$\circledcirc^{0}$ T^{0-1} $\leftarrow^{1}$ $\cap^{0-1}$	27
28	11.6	0.3	8	8	25.1	35.0	27.1	26.4	25.0	23.3		28
29	12.2	0.0	8	8	27.1	36.6	27.6	26.5	25.0	23.3		29
30	5.4	8.0	8	7	25.4	33.7	27.9	26.7	25.0	23.4	$\circledcirc$ $\oplus^{1}$	30
Sum	318.5										$\circledcirc$5, R4, $\leftarrow$1, $\oplus$1,	
Avg.		3.1	7.3	7.5	23.8	33.5	26.0	24.7	23.1	21.7	$\cap$1, Ω3.	

Year : 1957. Month : July

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	26.9	31.1	21.9	21.1	0	0.0	0.05	57	14.6	745.4	SSW	3.3	7.6	
2	22.4	29.4	21.8	18.8	0	5.7	4.95	71	14.3	45.6	NW	4.7	4.4	
3	22.9	28.1	18.4	19.8	0	1.5	1.75	71	14.7	49.7	NNW	2.9	3.0	
4	27.0	33.8	21.0	21.2	0			55	14.5	51.2	NNE	4.6	5.4	
5	28.0	35.3	23.7	21.6	0			52	14.7	49.6	NNW	4.9	7.1	
6	26.2	32.6	22.0	21.4	0	0.0	0.48	63	15.5	49.1	SSW	2.4	6.8	
7	27.8	34.8	21.9	21.8	0			59	15.1	50.1	N	2.6	5.7	
8	29.9	37.4	22.5	21.4	0			46	12.8	51.5	NNE	2.8	6.9	
9	30.7	38.2	24.5	22.5	0			43	14.2	50.5	NE	2.9	8.1	
10	30.5	37.7	25.7	23.0	0			46	15.6	47.9	WSW	1.8	8.6	1
11	30.2	37.9	25.3	21.8	0			49	13.8	45.2	WSW	3.0	8.5	1
12	28.7	33.9	25.1	21.9	0			51	14.8	44.3	SW	3.8	8.0	1
13	26.8	32.8	22.6	19.6	0			50	12.4	46.9	ENE	7.0	6.4	1
14	26.6	31.7	22.7	18.8	0	0.0	1.05	44	11.3	49.1	NE	5.3	7.2	1
15	25.3	31.4	21.5	19.9	0	0.0	0.08	54	13.0	50.2	NNE	2.9	5.9	1
16	26.3	32.4	21.1	19.8	0			52	12.0	50.8	E	2.0	6.0	1
17	26.5	31.7	21.2	20.3	0			55	13.6	51.1	WSW	2.5	6.8	1
18	29.3	36.3	22.1	19.8	0			39	10.7	50.9	ENE	4.5	7.9	1
19	30.7	36.9	25.1	20.4	0			35	11.1	48.5	NE	4.1	9.6	1
20	27.5	33.0	23.3	21.8	0			58	15.8	46.1	SW	4.1	7.3	2
21	26.7	34.8	24.2	20.9	0			45	12.9	46.3	N	5.0	7.3	2
22	29.0	34.9	24.1	20.1	0			40	11.6	46.4	N	4.5	8.8	2
23	30.8	37.1	25.2	21.3	0			36	12.3	46.9	NE	5.8	9.3	2
24	31.6	37.0	26.2	22.4	0			38	13.8	47.2	ENE	5.4	9.6	2
25	32.2	38.4	26.4	21.7	0			35	12.4	46.3	NE	5.2	10.3	2
26	31.5	40.5	26.1	22.7	0			42	14.8	46.7	W	1.8	9.6	2
27	31.0	37.0	26.7	22.9	0			48	15.6	46.7	WSW	2.0	8.2	2
28	28.3	34.5	25.7	21.7	0	6.3	1.62	56	15.7	46.1	WSW	4.5	7.9	2
29	25.9	31.0	20.8	21.7	0	3.5	1.67	69	16.2	46.6	WSW	2.5	4.8	2
30	28.1	35.6	22.7	22.4	0			58	15.6	47.0	NE	2.7	5.0	3
31	29.5	36.3	24.1	21.1	0			44	13.2	49.2	NE	2.3	7.5	3
Sum					0	17.0	11.65				NE		225.5	Su
Avg.	28.3	34.6	23.4	21.1				50	13.9	748.0	(6)	3.7	7.3	Av

ear : 1937 Month : July

Date	Total sunshine (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.9	3.0	8	8	25.5	37.1	28.0	26.8	25.1	23.5	◍⁰	1
2	1.5	8.0	5	6	19.2	24.3	27.5	26.6	25.1	23.5	◍² R² T⁰	2
3	7.2	5.0	9	9	23.3	25.7	26.2	25.9	25.0	23.6	◍⁰⁻¹ R¹	3
4	11.3	2.3	7	7	26.2	33.0	26.0	25.5	24.7	23.6		4
5	9.7	2.0	7	8	27.8	38.6	27.5	26.2	24.8	23.6		5
6	9.3	3.7	7	7	29.7	32.3	28.0	26.5	25.0	23.6	◍⁰	6
7	10.2	2.3	8	9	26.8	39.5	28.2	26.9	25.3	23.7		7
8	11.7	1.3	7	8	29.0	36.6	29.0	27.4	25.5	23.8		8
9	11.4	0.3	7	7	28.8	38.4	29.6	27.8	25.8	24.0		9
10	10.6	1.3	6	7	29.0	37.4	30.1	28.4	26.1	24.1		10
11	11.6	1.0	8	9	29.1	--	30.4	28.7	26.4	24.2	≺¹	11
12	11.7	0.7	8	8	29.0	39.5	30.2	28.8	26.6	24.4		12
13	8.7	6.0	7	9	25.1	35.2	29.7	28.6	26.6	24.6	≺¹	13
14	7.9	4.3	5	9	25.5	30.5	29.4	28.4	26.4	24.8	◍⁰	14
15	6.4	4.0	7	9	26.0	35.2	28.5	28.0	26.6	24.8	◍⁰ T¹	15
16	8.9	1.7	7	7	26.1	34.5	28.3	27.8	26.4	24.8		16
17	11.6	0.7	7	7	25.6	36.3	28.4	27.7	26.4	24.8		17
18	11.8	0.3	7	8	25.1	39.8	28.8	27.8	26.3	24.9		18
19	11.7	0.0	7	8	28.1	41.4	29.6	28.2	26.5	24.9		19
20	11.5	0.7	7	7	25.9	39.1	29.9	28.5	26.7	24.9		20
21	11.3	0.7	7	8	27.8	41.7	29.9	28.6	26.8	25.0		21
22	11.8	0.0	7	8	26.3	41.3	30.2	28.9	27.0	25.1		22
23	11.7	0.0	7	8	26.4	37.5	30.5	29.2	27.2	25.2		23
24	11.2	0.3	7	7	27.4	41.9	31.2	29.3	27.3	25.4		24
25	11.7	0.7	8	8	28.3	43.0	31.1	29.6	27.5	25.5		25
26	11.4	0.0	7	8	29.2	43.8	31.2	29.9	27.8	25.6		26
27	10.1	2.0	7	7	27.5	39.9	31.2	30.0	27.9	25.7		27
28	8.6	4.7	7	7	26.9	37.6	30.8	29.7	27.8	25.8	◍¹ R² T⁰	28
29	11.2	0.3	8	8	26.7	30.5	29.2	28.9	27.6	25.8	◍¹⁻² ≺¹	29
30	9.7	2.0	7	8	28.1	36.8	28.9	28.4	27.4	25.8		30
31	8.0	4.0	7	7	25.6	32.7	29.2	28.4	27.1	25.8		31
Sum	313.3										◍8, R4, ≺3.	
Avg.		2.0	7.1	7.8	26.7	36.7	29.3	28.1	26.4	24.7		

Year : 1937 Month : Augus

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	28.7	33.3	24.0	22.1	0			51	15.1	749.3	WSW	1.9	7.5	
2	29.4	33.7	25.0	21.3	0			48	13.7	45.0	SW	3.9	8.3	
3	29.3	34.3	25.5	20.3	0			42	12.0	44.2	NW	4.0	11.6	
4	27.5	33.6	23.5	21.3	0	0.0	0.17	55	14.5	46.2	NNW	4.0	8.0	
5	26.5	31.0	22.9	21.4	0			60	15.3	49.3	SSW	4.6	6.2	
6	26.8	32.1	22.7	21.2	0			57	14.8	50.0	SW	2.7	6.3	
7	27.8	34.8	22.7	21.6	0			54	14.9	49.6	NNE	3.3	6.4	
8	27.4	34.4	23.1	21.9	0			59	15.5	49.6	SW	2.8	5.8	
9	28.1	35.2	22.5	22.1	0			58	15.6	48.5	E	2.6	6.4	
10	28.1	33.6	22.3	21.6	0			55	14.7	47.8	NE	2.8	5.2	1
11	28.4	36.0	22.7	21.1	0			49	13.9	48.9	ENE	4.0	6.9	1
12	29.2	35.0	23.9	20.5	0			40	12.1	49.9	ENE	5.3	8.5	1
13	29.8	35.6	24.5	20.7	0			37	12.0	50.6	ENE	5.7	8.0	1
14	29.9	36.4	24.6	21.0	0			39	12.4	49.9	NE	5.2	8.4	1
15	28.2	33.7	24.9	21.0	0			46	13.6	48.5	SSW	3.2	8.5	1
16	27.9	32.5	23.8	21.8	0			46	15.5	46.3	SSW	2.1	6.7	1
17	28.4	34.0	22.9	22.5	0			57	16.3	43.9	SSW	2.8	8.8	1
18	28.0	33.8	23.9	20.5	0			49	13.2	46.9	ENE	2.9	6.8	1
19	26.9	32.8	22.2	20.6	0			52	13.8	50.3	NE	2.8	6.6	1
20	26.6	31.0	23.4	20.8	0			59	14.8	50.6	SSW	2.5	5.8	2
21	26.3	33.4	22.4	21.7	0			61	15.7	50.4	SSW	1.9	5.4	2
22	27.2	32.4	21.9	19.8	0			53	12.2	49.8	S	2.6	6.5	2
23	27.2	31.3	22.4	22.4	0			64	16.9	45.7	SSW	1.8	6.1	2
24	28.0	32.3	25.8	21.7	0			54	15.0	46.0	SSW	3.8	6.9	2
25	27.2	31.8	22.3	19.0	0			41	10.9	47.5	W	3.3	9.9	2
26	26.7	33.9	23.1	19.8	0			49	12.7	47.3	W	2.3	7.8	2
27	25.7	30.8	21.7	20.0	0	0.0	0.03	57	13.6	48.7	ENE	2.5	5.6	2
28	25.0	31.6	19.5	19.1	0	1.3	1.53	53	12.3	52.7	NNE	3.6	4.9	2
29	26.2	34.2	20.1	19.9	0			46	12.0	53.6	N	3.0	5.6	2
30	25.6	31.1	21.0	20.0	0			55	13.4	51.6	SSW	1.9	5.7	3
31	27.3	33.5	22.7	20.0	0			50	12.2	48.0	W	3.1	6.6	3
Sum					0	1.3	1.76				SSW		217.7	Su
Avg.	27.6	33.3	23.0	20.9				52	13.9	748.6	(6)	3.2	7.0	Av

Year : 1937 Month : August

Date	Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Towardsea	Visibility at 14h (0-9) Towardland	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.2	0.0	7	7	28.4	37.5	29.5	28.5	27.2	25.8		1
2	10.1	2.0	7	7	28.0	35.6	29.5	28.6	27.3	25.8		2
3	12.1	1.7	5	8	27.3	39.2	29.9	28.8	27.3	25.7		3
4	10.5	4.0	8	8	26.6	37.8	29.6	28.7	27.3	25.8	◍°	4
5	11.8	2.7	7	8	26.4	38.0	29.4	25.3	27.4	25.8		5
6	11.8	2.3	8	8	25.0	36.6	29.1	28.5	27.3	25.8		6
7	9.4	2.7	7	8	27.7	37.9	29.2	28.5	27.3	25.8		7
8	9.3	3.0	7	8	26.6	37.5	29.4	28.6	27.3	25.8		8
9	11.0	2.3	8	9	28.0	39.6	29.4	28.7	27.3	25.8		9
10	10.7	3.3	8	8	26.1	36.2	29.5	28.7	27.3	25.9	≺¹	10
11	12.0	2.0	7	9	25.0	37.1	29.3	28.7	27.3	25.9		11
12	11.6	1.0	7	9	27.2	40.5	29.5	28.7	27.3	26.0		12
13	11.8	0.0	7	8	27.8	39.3	29.7	28.9	27.4	26.1		13
14	11.8	0.3	7	8	30.0	40.8	29.9	29.1	27.6	26.1		14
15	11.6	0.3	7	8	27.5	37.0	29.8	29.3	27.8	26.1		15
16	11.8	0.7	7	7	26.6	37.6	29.6	29.0	27.8	26.1		16
17	11.5	0.3	7	7	27.1	37.4	29.4	28.8	27.7	26.1		17
18	11.6	1.3	7	9	26.6	39.0	29.4	28.8	27.6	26.2		18
19	11.3	2.7	7	8	26.4	37.1	29.2	28.8	27.6	26.1		19
20	10.1	5.3	7	7	25.8	34.5	29.1	28.7	27.6	26.1		20
21	10.1	3.3	7	7	26.0	37.0	28.7	28.4	27.5	26.1	⊤°	21
22	11.0	0.7	8	8	26.8	36.0	28.5	28.2	27.3	26.1	Ω¹	22
23	10.5	1.7	7	7	25.4	35.4	28.5	28.2	27.3	26.0	⊂°	23
24	9.2	3.3	7	8	27.3	36.0	28.6	28.2	27.3	26.0	≺° Ω°	24
25	11.0	1.7	4	8	25.6	35.3	28.2	28.0	27.2	25.9		25
26	10.1	3.3	8	8	26.3	35.3	28.2	27.9	27.0	25.9		26
27	8.0	5.3	7	8	22.6	30.3	28.0	27.8	26.9	25.9	◍°	27
28	9.7	3.7	7	8	22.4	29.3	27.2	27.3	26.7	25.8	◍¹ R¹ ≺¹	28
29	10.8	0.7	7	8	24.3	36.5	27.1	27.1	26.6	25.8		29
30	10.8	0.3	7	7	25 3	33.1	27.3	27.2	26.6	25.7		30
31	10.7	0.3	7	9	26.8	36.3	27.5	27.2	26.6	25.6		31
Sum	333.9										◍3, R2, ≺2, Ω3.	
Avg.		2.0	7.0	7.9	26.4	36.7	28.9	28.4	27.3	25.9		

Year : 1937 Month : Septembe

Date	Air temperature (°C)				Degree days (hrs)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	26.8	32.3	23.1	20.6	0			54	14.4	747.6	W	1.6	6.4	1
2	24.0	29.6	21.2	20.0	0	10.5	1.00	69	15.1	49.9	NNE	2.0	3.6	2
3	24.1	30.5	20.1	20.4	0	0.0	0.17	69	15.2	51.4	NNE	1.8	3.2	3
4	24.6	31.9	20.4	20.0	0			65	14.4	51.0	NW	2.3	4.3	4
5	24.2	28.7	20.1	20.2	0	1.2	0.42	69	14.6	51.5	S	1.9	4.2	5
6	25.1	30.6	20.9	20.1	0	0.0	0.25	60	13.8	53.0	NNE	1.6	5.3	6
7	24.8	31.9	19.8	18.7	0			50	11.7	54.1	NNE	3.8	5.6	7
8	24.8	29.4	21.9	18.4	0			50	11.3	52.9	N	6.1	6.2	8
9	24.6	31.6	20.4	18.6	0			50	11.0	51.7	NNE	2.8	5.6	9
10	23.0	27.2	19.5	18.7	0	0.0	0.33	61	13.4	49.0	S	3.0	5.1	10
11	23.5	26.1	21.4	20.8	0	2.2	1.58	77	16.5	48.0	S	6.3	4.2	11
12	24.6	27.9	20.8	21.0	0			71	16.1	50.5	SSW	3.9	5.1	12
13	25.3	29.8	20.8	21.7	0			67	16.5	48.5	S	3.2	5.3	13
14	24.7	30.5	19.8	17.9	0			47	11.0	51.5	W	1.4	6.9	14
15	24.0	28.8	19.1	18.6	0			55	12.1	51.1	SSW	1.6	7.2	15
16	25.1	30.4	20.8	19.5	0			58	13.1	51.5	SSW	1.3	5.8	16
17	25.3	29.7	20.6	19.7	0			57	13.1	52.3	SW	1.6	5.2	α7
18	25.7	32.5	20.0	18.7	0			48	11.6	52.1	NNE	1.7	6.5	18
19	26.9	33.6	20.7	20.0	0			50	12.9	50.7	NE	0.8	6.5	19
20	24.5	28.9	20.9	21.6	0			72	17.0	50.6	SSW	1.6	4.0	20
21	26.0	31.2	21.5	21.1	0			63	14.9	51.7	S	2.2	4.5	21
22	26.8	31.1	23.2	22.4	0			66	17.4	51.0	SW	1.2	5.2	22
23	26.7	31.2	22.6	21.2	0			59	15.2	49.6	WSW	1.4	6.4	23
24	25.3	31.6	20.7	19.2	0			51	12.6	52.4	WSW	0.8	6.6	24
25	25.8	32.7	20.5	20.0	0			51	13.3	54.4	SW	0.9	7.0	25
26	27.0	34.2	21.9	19.3	0			45	11.4	56.0	N	1.6	6.3	26
27	24.7	29.6	21.6	18.8	0			52	12.4	57.0	NNE	5.9	6.3	27
28	23.4	28.7	19.9	17.3	0			51	10.6	54.5	NNE	6.2	5.8	28
29	23.0	28.8	18.5	18.8	0			58	12.9	50.6	NNE	3.3	5.8	29
30	23.1	28.1	18.7	19.4	0	0.0	1.00	67	14.1	51.7	SW	1.0	4.1	30
Sum					0	13.9	4.75				NNE		164.2	Sum
Avg.	24.9	30.3	20.7	19.8				59	13.7	751.6	(6)	2.5	5.5	Avg

ar : 1937 · Month : September

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	9.8	4.3	7	7	25.4	32.4	27.7	27.3	26.6	25.3		1
2	3.4	7.0	7	9	22.5	24.8	27.1	27.0	26.4	25.5	◍0-1	2
3	5.0	5.0	7	9	22.1	23.7	25.8	26.2	26.3	25.6	◍0	3
4	10.3	3.7	8	9	22.3	30.3	25.7	25.9	25.9	25.3	≺1	4
5	10.0	1.3	7	7	25.1	29.3	26.0	25.9	25.7	25.2	◍1 ≾0-1 ≺1-2	5
6	8.3	5.0	7	7	25.2	30.6	26.0	25.9	25.6	25.1	◍0	6
7	10.2	2.3	7	7	25.6	30.6	25.9	25.8	25.5	25.1		7
8	9.1	1.7	7	7	24.0	29.5	26.0	25.8	25.5	25.0		8
9	7.8	3.7	7	7	22.8	29.8	25.9	25.8	25.4	25.0		9
0	2.9	8.7	6	6	21.3	27.5	25.5	25.6	25.4	25.2	◍0	10
1	5.3	6.3	7	8	22.6	26.6	25.1	25.3	25.2	24.8	◍1-2	11
2	10.3	0.3	7	8	24.3	29.7	24.9	25.0	25.1	24.7	Ω1-2	12
3	9.5	2.3	7	7	25.7	31.1	25.3	25.2	25.0	24.6	Ω1	13
4	10.7	0.0	8	9	23.4	31.7	25.3	25.2	24.9	24.5		14
5	10.1	0.3	8	8	24.8	31.1	25.0	25.2	24.8	24.8		15
6	10.3	0.7	8	7	25.3	33.0	25.3	25.1	24.9	24.4		16
7	9.8	0.7	7	8	25.7	32.2	25.4	25.2	24.8	24.4		17
8	10.4	0.3	8	9	25.6	32.8	25.4	25.2	24.8	24.4		18
9	9.8	2.7	8	8	27.3	35.5	25.5	25.3	24.9	24.3		19
0	8.7	1.0	7	6	23.7	30.3	25.6	25.5	25.0	24.3	Ψ	20
1	8.5	4.3	7	7	26.1	32.2	25.5	25.4	24.9	24.3		21
2	7.5	4.3	6	6	26.1	30.9	25.8	25.4	24.9	24.3		22
3	9.7	0.7	5	7	25.4	31.7	26.0	25.5	24.9	24.3		23
4	8.4	3.0	7	7	23.9	30.8	25.6	25.5	24.9	24.3		24
5	8.9	3.3	7	7	23.8	31.5	25.4	25.3	24.9	24.2		25
6	9.3	0.7	7	9	24.2	34.7	25.6	25.3	24.8	24.2		26
7	9.6	2.7	7	8	23.0	30.3	25.7	25.3	24.7	24.2		27
8	8.9	2.0	6	8	22.9	30.1	25.1	25.0	25.5	24.2		28
9	6.7	3.3	7	7	23.3	29.2	24.6	24.8	24.7	24.2	⊕0	29
0	4.8	7.7	6	7	22.7	27.8	24.4	24.6	24.4	24.1	◍0	30
m	254.0										◍7, ≾1, ≺1, Ω2, ⊕1, Ψ1.	
g.		3.0	7.0	7.5	24.4	30.4	25.6	25.5	25.2	24.7		

Year : 1937 Month : October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	22.5	27.5	19.2	19.2	0			71	14.5	751.8	SW	1.0	3.3	
2	22.1	26.6	18.4	19.2	0	0.6	0.55	74	14.3	50.4	SW	1.3	3.3	
3	21.2	25.0	18.6	17.7	0	0.0	0.20	67	12.7	52.6	NNW	2.8	2.9	
4	22.3	27.5	18.4	18.1	0			61	12.4	54.9	NNE	2.7	4.2	
5	22.8	30.4	17.5	18.5	0			60	12.5	55.6	SSW	0.8	4.7	
6	23.4	29.4	18.6	19.4	0			67	13.8	54.0	S	1.1	4.7	
7	24.3	28.7	20.1	21.0	0			69	16.2	53.5	SSW	1.2	4.2	
8	23.7	30.7	19.5	21.0	0			73	16.1	54.6	SSW	1.1	3.1	
9	24.1	30.7	19.7	21.8	0			75	17.2	53.3	SSW	0.8	3.6	
10	23.3	27.7	19.5	20.8	0			75	16.5	49.2	S	2.5	2.9	1
11	21.0	24.8	18.7	16.5	0			61	11.2	47.1	WSW	2.7	5.5	1
12	20.5	24.6	15.5	17.5	0			68	12.7	48.8	S	3.4	4.6	1
13	18.7	23.6	17.9	17.0	0	20.4	15.63	85	13.1	46.7	NE	1.7	1.8	1
14	15.2	20.6	13.5	13.4	3	1.4	2.50	80	10.2	51.5	NNE	5.5	2.0	1
15	14.1	17.1	10.7	11.8	4	2.2	3.00	70	8.9	51.8	NNE	7.2	2.8	1
16	13.1	16.9	10.9	10.7	5	0.0	1.50	75	8.3	53.3	NNE	8.1	2.6	1
17	13.7	15.7	11.6	12.0	4	0.0	4.00	79	9.3	55.5	NE	13.2	2.5	1
18	13.2	14.1	12.7	12.4	5	61.9	11.00	88	10.3	52.9	NE	11.5	1.8	1
19	15.7	19.3	11.6	14.4	2	30.8	8.67	85	11.4	54.1	NNE	7.4	1.2	1
20	16.0	18.8	14.5	14.1	2	0.2	0.33	79	10.7	54.3	NNE	11.8	2.3	2
21	15.6	18.7	14.0	12.5	2	0.0	0.25	73	9.4	55.9	NNE	11.3	2.6	2
22	14.8	19.3	13.2	12.7	3	0.0	0.17	76	9.3	55.2	NNE	2.8	2.3	2
23	15.1	20.7	10.9	13.1	3			74	9.6	54.7	N	1.2	2.1	2
24	16.9	20.9	12.7	15.0	1			77	11.2	54.7	S	1.6	2.4	2
25	19.3	27.7	16.5	18.1	0			83	14.1	54.7	S	1.9	1.7	2
26	19.7	24.4	16.1	17.9	0			82	14.1	55.9	SSW	0.5	1.7	2
27	21.3	28.3	16.7	16.9	0			61	11.4	55.9	NNE	1.1	3.3	2
28	20.4	26.2	16.5	15.6	0			56	9.7	54.2	NNE	2.4	4.2	2
29	19.1	25.7	15.7	15.2	0			64	10.5	52.8	SW	0.4	3.5	2
30	18.7	22.8	18.7	17.5	0	0.0	0.67	84	13.8	51.8	SSW	0.2	1.7	3
31	17.3	23.3	16.5	15.5	1	0.0	0.25	79	11.7	49.2	NE	4.6	1.7	3
Sum					35	117,5	48.72				NNE		91.2	Su
Avg.	19.0	23.8	15.9	16.3				73	12.2	752.9	(6)	3.8	2.9	Av

r : 1937 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	3.0	4.7	8	6	21.2	25.2	24.3	24.4	24,3	24.0	⊤¹ ∩⁰⁻¹
2	5.8	6.0	8	8	20.9	25.7	24.1	24.3	24.2	23.9	◍⁰ ≮⁰ Ω¹⁻²
3	4.6	4.3	9	9	19.7	22.1	23.4	23.9	24.0	23.9	◍⁰
4	7.5	3.3	7	7	20.4	24.1	23.1	23.5	23.6	23.7	
5	9.6	0.3	7	8	22.2	29.0	23.1	23.4	23.5	23.6	
6	9.1	3.3	7	7	21.4	26.9	23.3	23.5	23.5	23.5	Ω⁰
7	9.5	1.3	6	6	22.9	28.1	23.6	23.5	23.5	23.4	Ω¹
8	8.6	3.3	6	6	24.0	29.2	23.7	23.6	23.5	23.4	⊖⁰ Ω²
9	8.1	1.7	6	6	24.4	28.2	23.8	23.7	23.5	23.3	∈⁰ Ω¹⁻²
10	8.4	4.3	7	7	24.3	27.9	23.8	23.7	23.5	23.3	≮⁰ Ω²
11	4.5	4.7	8	8	20.3	23.7	23.1	23.5	23.4	23.3	
12	8.2	6.3	8	8	20.8	24.8	22.5	23.2	23.1	23.1	
13	2.6	8.3	8	8	19.6	20.6	22,2	22.6	--	23.0	◍¹⁻² ⊼¹
14	3.9	7.0	8	8	16.1	15.9	20.8	21.6	22.1	22.7	◍⁰⁻¹
15	1.5	8.0	8	8	13.6	13.0	19.2	20.4	21.0	22.4	◍¹
16	4.5	8.7	8	8	12.9	13.9	18.2	19.4	20.5	22.1	◍⁰
17	1.9	10.0	7	7	13.1	14.2	17.7	18.9	19.8	21.6	◍⁰ ⚹⁰
18	0.0	10.0	6	6	11.1	11.7	16.6	18.6	19.2	21.0	◍² ⚹ ⊼⁰
19	0.4	9.7	8	8	14.4	15.1	16.6	18.0	18.6	20.3	◍² ⊼¹
20	2.5	6.7	7	8	14.8	14.7	17.4	18.0	18.3	20.2	◍⁰
21	1.8	7.7	7	7	14.0	14.6	17.2	17.8	18.2	20.0	◍⁰ ⊖¹
22	2.8	5.0	8	8	13.6	14.4	17.0	17.7	18.4	19.9	◍⁰
23	6.2	4.7	7	8	13.9	14.5	16.4	17.4	18.2	19.7	Ω⁰
24	2.2	5.0	7	8	14.9	16.6	16.6	17.4	18.2	19.6	≮⁰ Ω⁰
25	3.3	5.0	8	8	17.7	19.2	17.5	17.9	18.3	19.5	⊕⁰ Ω¹⁻²
26	5.8	2.7	4	6	17.3	19.2	18.3	18.3	18.6	19.5	Ω¹
27	8.4	0.3	7	8	17.0	19.4	18.5	18.5	18.6	19.5	Ω⁰
28	8.5	0.0	7	8	16.0	18.6	18.7	18.7	18.7	19.5	
29	9.8	0.3	6	7	15.2	16.9	18.6	18.6	18.7	19.5	Ω¹
30	6.8	6.3	6	7	17.2	19.0	18.7	18.7	18.8	19.5	◍⁰ Ω⁰⁻¹
31	5,7	6.3	7	7	17.2	17.9	18.8	18.8	18.7	19.4	◍⁰ ≮⁰
um	165.5										◍14, ⚹2, ⊼4, ≮4, ∩1,
vg.		5.0	7.1	7.4	17.8	20.1	20.2	20.7	20.9	21.7	Ω13, ⊕1, ⊖1, ⊖¹1. ⊎

Year : 193[illegible] Month : Novembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	15.3	20.2	12.2	12.3	3			67	9.2	751.9	NE	3.2	2.6
2	15.6	17.7	13.3	14.4	2	25.4	6.37	84	11.5	52.9	SSE	2.2	2.1
3	19.2	22.9	15.4	17.3	0	2.4	3.50	82	13.4	51.7	SSE	2.8	2.4
4	20.1	23.9	15.7	18.2	0	5.1	2.58	83	14.3	48.8	SSE	2.2	2.1
5	20.7	22.3	19.1	18.4	0	0.0	0.08	73	14.2	49.8	SSE	6.9	3.7
6	18.3	22.2	15.9	15.6	0	12.2	3.37	80	11.6	54.2	NE	2.5	2.2
7	18.5	24.4	15.3	16.4	0			75	12.1	55.6	N	1.6	2.1
8	17.2	22.6	14.0	15.2	1			78	11.5	56.0	N	0.8	1.8
9	16.5	22.3	12.5	14.4	1			77	10.6	54.5	NNE	1.5	2.0
10	17.5	21.4	14.6	15.0	0	0.0	0.08	75	10.9	52.2	S	1.2	2.3
11	18.0	21.7	14.3	16.1	0			79	12.2	52.1	S	3.4	2.2
12	19.7	22.6	18.1	16.5	0	0.0	0.08	71	12.1	47.9	S	9.9	4.5
13	14.4	19.3	14.1	10.0	4			57	6.6	48.6	W	6.5	6.3
14	12.2	17.9	7.5	9.1	6			65	6.7	55.5	SW	0.4	1.9
15	14.9	18.1	10.9	14.5	3	6.1	5.25	85	11.7	52.0	SSW	2.5	1.3
16	16.0	22.2	12.7	14.7	2			84	11.4	52.3	SSW	0.6	1.2
17	15.9	20.8	13.4	13.7	2			78	10.3	54.9	NE	2.5	1.7
18	17.1	20.1	13.2	15.4	1			80	11.7	51.2	S	4.5	2.1
19	17.4	21.9	14.5	15.6	1	8.2	4.00	81	11.8	47.5	SSW	1.7	1.8
20	15.6	17.9	14.1	14.0	2	0.8	3.33	86	11.6	46.6	NE	2.1	1.0
21	15.2	19.9	11.7	13.1	3			80	10.2	49.6	NE	1.6	1.7
22	15.6	19.9	12.4	14.4	2	0.4	0.75	83	11.1	51.9	S	1.2	1.2
23	15.6	20.0	12.5	13.7	2			80	10.3	53.5	SSE	1.2	1.4
24	15.6	20.4	13.1	12.5	2	0.0	0.08	70	8.8	53.1	N	2.0	2.2
25	14.1	17.0	11.7	13.4	4	3.6	10.58	67	10.8	49.1	SSE	1.7	1.1
26	14.6	18.3	13.7	12.4	3	11.8	5.42	80	9.5	40.6	NNW	4.6	1.8
27	10.5	12.3	9.7	7.9	7	2.2	1.83	69	6.4	46.3	NNE	6.0	2.0
28	10.6	15.9	7.1	8.5	7	0.0	0.50	74	6.8	48.3	ENE	2.0	1.6
29	11.2	15.2	9.4	9.1	7	9.5	5.50	74	7.3	46.1	NE	6.4	2.3
30	6.3	9.4	5.2	4.2	12	0.3	1.17	71	4.8	54.5	NNW	5.9	1.6
Sum					77	88.0	54.47				S		64.2
Avg.	15.7	19.7	12.9	13.5				77	10.4	751.0	(6)	3.0	2.1

ar : 1937 Month : November

Total sunshine (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
5.5	6.3	6	7	15.2	16.1	18.0	18.5	18.5	19.4	Ω^{0}	1
0.0	10.0	6	7	14.0	14.5	17.7	18.2	18.4	19.3	$\circledcirc^{2}$	2
4.1	7.0	7	6	17.1	17.5	17.7	18.2	18.4	19.2	$\circledcirc^{0-1}$	3
4.6	6.0	6	6	17.5	19.2	18.5	18.5	18.5	19.2	$\circledcirc^{2}$	4
0.9	7.0	6	6	18.1	18.8	18.8	18.8	18.7	19.2	$\circledcirc^{0}$	5
0.0	8.0	7	7	15.6	16.5	18.5	18.7	18.7	19.2	$\circledcirc^{2}$ R^{1}	6
8.9	3.0	6	9	15.5	17.7	18.2	18.5	18.6	19.2	Ω^{1}	7
5.9	3.0	7	7	14.6	17.0	18.0	18.4	18.5	19.1	Ω^{2}	8
8.6	4.0	6	8	15.0	16.6	17.7	18.1	18.4	19.1	Ω^{2}	9
8.3	3.0	8	8	14.1	16.2	17.7	18.1	18.4	19.0	$\circledcirc^{0}$ Ω^{2}	10
2.5	8.7	7	7	15.7	17.1	17.6	18.0	18.3	19.0	Ω^{2}	11
5.7	6.7	7	7	17.3	18.3	18.3	18.3	18.4	19.0	$\circledcirc^{0}$	12
8.9	2.0	6	9	11.6	13.4	17.9	18.2	18.2	19.0		13
7.8	3.7	7	9	10.1	12.4	16.4	17.2	17.8	18.6		14
0.0	9.3	8	6	13.6	13.6	16.1	16.8	17.4	18.5	$\circledcirc^{1}$	15
4.6	6.0	5	5	13.5	14.5	16.3	16.8	17.4	18.5	R^{0} Ω^{2}	16
1.7	6.7	8	7	13.8	15.2	16.6	16.9	17.4	18.4	ϵ^{0} Ω^{0}	17
2.9	9.3	7	7	16.1	16.1	16.4	16.9	17.4	18.3	Ω^{0}	17
5.1	6.7	6	8	14.9	16.3	17.0	17.2	17.5	18.3	$\circledcirc^{1-2}$ Ω^{1}	19
0.3	9.3	6	6	14.1	14.7	16.8	17.2	17.4	18.2	$\circledcirc^{0}$	20
4.8	4.3	8	8	12.9	13.7	16.2	16.8	17.2	18.1		21
2.2	6.7	5	6	13.8	15.0	16.4	16.8	17.2	18.0	$\circledcirc^{0}$	22
4.6	5.3	6	5	13.2	14.5	16.4	16.8	17.2	18.0	Ω^{1-2}	23
6.9	2.0	7	8	12.2	14.2	16.3	16.6	17.1	18.0	$\circledcirc^{0}$ Ω^{2}	24
0.0	9.7	4	4	12.8	12.7	15.9	16.4	16.9	17.8	$\circledcirc^{1}$ R^{0}	25
2.1	8.3	7	8	13.8	13.7	16.1	16.4	16.9	17.8	$\circledcirc^{1-2}$ R^{0} Ψ^{0-1}	26
0.7	6.7	8	8	9.5	9.1	14.9	15.7	16.5	17.6	$\circledcirc^{1-2}$	27
3.8	6.7	8	7	9.4	10.2	13.9	15.1	16.1	17.4	$\circledcirc^{0}$ Ω^{1-2}	28
6.2	6.0	9	7	10.3	10.7	13.9	14.9	15.9	17.3	$\circledcirc^{2}$ Ω^{0}	29
3.4	4.7	6	8	5.1	5.6	13.0	14.2	15.4	17.0	ϵ^{0} Ω^{0}	30
m 121.0										$\circledcirc$ 18, R 4, Ω 15, Ψ 1.	
g.	6.2	6.7	7.0	13.7	14.2	16.8	17.2	17.6	18.5		

Year : 1937 Month : Decem

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	6.4	11.9	2.5	3.8	12			62	4.3	757.2	NNW	2.1	1.7
2	9.7	15.0	5.2	7.5	8			65	6.3	56.6	SSW	1.2	2.0
3	14.5	17.9	8.8	13.0	3			78	9.9	53.4	S	7.2	2.5
4	16.7	16.8	15.8	13.1	1	0.0	0.08	71	9.3	48.9	S	15.9	5.1
5	13.5	17.1	13.1	12.1	4	30.3	13.00	87	10.2	44.2	S	9.1	3.5
6	12.9	15.5	10.5	10.4	5	1.1	0.75	73	7.9	45.6	WSW	6.1	3.0
7	16.7	19.0	11.0	13.6	1			67	9.9	50.8	WSW	7.6	4.3
8	16.2	19.2	13.8	13.3	2			69	9.4	54.6	SW	0.9	3.3
9	15.5	19.1	7.8	13.2	2			76	9.6	54.8	SSW	0.5	2.3
10	14.8	19.3	11.5	12.2	3			82	9.3	54.6	E	0.4	1.8
11	15.7	17.5	13.1	13.7	2			80	10.2	55.4	SSE	5.1	2.5
12	15.7	17.2	14.1	13.8	2			80	10.5	52.2	SSE	7.2	3.0
13	13.9	17.3	11.5	10.9	4			72	8.1	50.7	W	0.3	2.5
14	15.8	17.7	12.0	13.9	2	0.0	1.33	80	10.5	48.2	SE	6.1	2.7
15	14.7	18.5	10,9	11.9	3			71	8.6	52.2	S	1.9	2.4
16	15.8	18.3	12.4	13.6	2			76	9.9	51.4	SSE	6.9	3.2
17	15.5	18.4	11.5	12.7	2	16.8	2.00	79	9.5	48.3	SSE	6.4	2.2
18	15.7	17.6	13.7	12.8	2			69	9.3	48.2	SSE	9.6	4.4
19	11,9	16.6	11.7	9.5	6	7.3	10.07	80	7.8	46.9	S	3.9	3.0
20	11.2	14.6	8.9	9.0	7			73	7.1	49.0	SW	0.4	2.3
21	10.5	13.8	8.3	9.4	7	3.4	4.50	82	7.9	49.5	N	0.7	1.2
22	5.6	12.6	4.4	3.8	12	7.4	3.50	80	4.7	54.0	NW	7.1	1.7
23	5.0	9.9	2.5	3.0	13			69	4.6	58.7	N	1.5	1.5
24	3.8	7.7	1.2	1.6	14			68	3.9	58.3	NW	2.3	1.4
25	4.5	10.5	0.4	2.6	13			62	4.0	56.5	WNW	1.2	1.7
26	5.3	8.4	2.9	3.7	13			72	4.8	57.8	NNE	4.5	1.4
27	6.4	8.1	4.3	4.4	12	2.2	15.50	71	4.9	54.8	N	8.1	1.2
28	9.1	12.8	6.3	8.2	9	2.2	5.50	80	7.3	52.1	NNE	4.7	1.5
29	10.4	14.9	8.4	9.9	8	34.4	14.83	88	8.6	48.3	SE	2.9	1.2
30	9.3	13.9	6.7	7.9	9	0.3	1.33	80	6.9	46.4	SW	0.4	1.0
31	8.5	13.3	5.7	7.1	9	0.4	0.35	76	6.4	50.4	N	0.4	1.3
Sum					192	105.8	72.74				S		72.8
Avg.	11.7	15.2	8.7	9.5				74	7.8	751.8	(6)	4.3	2.4

r : 1937 Month : December

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	4.4	1.0	7	8	4.4	5.9	11.6	13.4	14.8	16.7		1
	4.8	1.0	6	6	7.9	8.6	11.3	12.9	14.4	16.4		2
	1.4	8.0	7	7	12.9	12.3	12.1	13.2	14.3	16.2		3
	0.0	7.0	7	6	15.2	13.1	13.6	13.9	14.4	16.3		4
	0.0	9.7	7	6	11.3	11.4	14.2	14.2	14.8	16.1		5
	3.9	5.7	9	6	9.4	10.4	13.5	14.3	14.6	16.1		6
	3.3	5.0	7	7	14.2	13.4	13.7	14.3	14.8	15,9		7
	7.5	3.0	7	8	14.0	15.2	14.2	14.4	14.8	15.9		8
	6.4	4.3	6	7	13.4	14.3	14.3	14.5	14.8	15.8		9
	5.9	5.3	7	6	12.6	13.9	14.3	14.5	14.8	15.7		10
	3.4	8.3	7	8	14.8	16.5	14.5	14.7	15.0	15.7		11
	2.6	9.0	7	9	13.9	14.3	14.7	14.8	15.0	15.7		12
	2.7	8.0	8	7	10.4	11.6	14.5	14.7	14.9	15.7		13
	0.0	8.7	8	7	13.9	14.5	14.6	14.8	15.0	15.6		14
	5.9	6.0	6	6	12.5	13.2	14.4	14.6	14.9	15.7		15
	6.6	3.0	6	7	14.5	14.8	14.5	14.7	15.0	15.7		16
	1.1	7.3	7	7	12.8	13.9	14.9	14.9	15.1	15.6		17
	5.1	4.7	7	7	13.7	14.1	14.9	14.9	15.1	15.7		18
	0.0	10.0	9	8	9.1	9.5	14.3	14.5	14.9	15.6		19
	5.8	5.3	7	8	9.5	10.6	13.4	14.0	14.7	15.6		20
	0.2	7.7	4	4	9.6	9.2	12.6	13.4	14.4	15.4		21
	3.5	3.7	7	7	5.5	6.2	11.7	12.8	14.0	15.3		22
	6.5	2.3	6	7	4.1	4.6	10.4	11.9	13.5	15.0		23
	7.0	1.0	6	7	3.7	4.1	9.6	11.1	12.9	14.6		24
	5.2	3.3	7	9	3.8	5.9	9.0	10.6	12.5	14.4		25
	0.2	9.3	7	8	4.1	4.3	8.9	10.3	12.2	14.1		26
	0.0	10.0	7	7	5.1	5.1	9.0	10.2	11.9	13.9		27
	0.7	9.7	6	7	9.0	9.2	8.9	10.5	11.9	13.7		28
	0.0	9.7	4	4	9.0	9.3	9.0	10.9	12.0	13.6		29
	2.6	4.3	5	8	8.9	9.4	9.4	11.0	12.0	13.6		30
	3.2	6.7	6	7	7.9	9.2	10.3	11.0	12.0	13.5		31
n	99.9										13, 1, 3, 3, 17, 5, 1, 2, 2.	
g.		6.1	6.7	7.0	10.0	10.6	12.5	13.2	14.0	15.3		

YEAR : 1937

Month	Air temperature (°C)							Degree day (base 18°C)	Average of			Sunshine hrs (8)	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date		Wet bulb temper. (3)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	Total	Possible (9)
JAN.	8.2	12.4	5.2	18.0	31	0.6	13	302	6.2	72	59	138.0	303.
FEB.	11.6	15.5	8.6	18.9	26	3.0	17	178	9.2	71	7.2	128.3	300.
MAR.	14.5	19.0	10.6	22.2	20.31	7.1	17	108	11.1	63	7.6	217.1	368.
APR.	15.9	20.6	12.1	25.4	14	6.9	9	67	12.3	62	8.3	224.3	393.
MAY	20.2	25.9	15.6	30.4	29	11.5	9	9	15.6	57	9.9	289.7	438.
JUNE	25.3	30.7	20.4	35.9	19	14.8	1	0	19.1	51	12.2	318.5	439.
JULY	28.3	34.6	23.4	40.5	26	18.4	3	0	21.1	50	13.9	313.3	446.
AUG.	27.6	33.3	23.0	36.4	14	19.5	28	0	20.9	52	13.9	333.9	418.
SEP.	24.9	30.3	20.7	34.2	26	18.5	29	0	19.8	59	13.7	254.0	370.
OCT.	19.0	23.8	15.9	30.7	8.9	10.7	15	35	16.3	73	12.2	165.6	344.
NOV.	15.7	19.7	12.9	24.4	7	5.2	30	77	13.5	77	10.4	121.0	301.
DEC.	11.7	15.2	8.7	19.3	10	0.4	25	192	9.5	74	7.8	99.9	294.
YEAR	18.6	23.4	14.8	40.5	July 26	0.4	Dec. 25	968	14.6	63	10.2	2603.5	4421.

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11)		Average soil temperature (°C)(3)						Number of days (4)				
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.0°C ((Tropical nights)
				Green	Bare	30	60	90	120					
JAN.	6.2	6.5	7.2	6.8	8.1	9.1	9.3	10.3	11.3	0	0	0	0	0
FEB.	6.0	7.0	6.9	10.8	12.0	11.5	11.3	11.8	12.2	0	0	0	0	0
MAR.	4.8	6.7	6.8	15.7	17.9	14.2	13.8	13.6	13.8	0	0	0	0	0
APR.	5.7	7.0	7.1	17.8	22.7	17.2	16.7	16.1	15.9	0	0	1	0	0
MAY	4.0	7.3	7.5	21.3	28.0	21.5	20.5	19.3	18.4	0	0	21	2	1
JUNE	3.1	7.3	7.5	23.8	33.5	26.0	24.7	23.1	21.7	0	0	30	21	19
JULY	2.0	7.1	7.8	26.7	36.7	29.3	28.1	26.4	24.7	0	0	31	29	30
AUG.	2.0	7.0	7.9	26.4	36.7	28.9	28.4	27.3	25.9	0	0	31	31	30
SEP.	3.0	7.0	7.5	24.4	30.4	25.6	25.5	25.2	24.7	0	0	30	16	23
OCT.	5.0	7.1	7.4	17.8	20.1	20.2	20.7	20.9	21.7	0	0	14	3	1
NOV.	6.2	6.7	7.0	13.7	14.2	16.8	17.2	17.6	18.5	0	0	0	0	0
DEC.	6.1	6.7	7.0	10.0	10.6	12.5	13.2	14.0	15.3	0	0	0	0	0
YEAR	4.5	6.9	7.3	17.9	22.6	19.4	19.1	18.8	18.7	0	0	158	102	104

YEAR : 1937

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days: Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
N.	755.5	3.3	NNE	8.7	2.3	4	57.0	9	0	2	7	0	15	20	5
B.	49.7	3.9	SSW	36.1	10.6	15	69.4	15	0	0	0	0	15	17	2
R.	51.1	3.1	SSW	12.9	7.9	2	116.2	3	0	0	0	1	3	18	0
R.	48.7	4.1	NE	11.6	5.1	2	132.9	11	0	0	0	0	11	1	0
Y	51.7	2.8	SSW	97.0	49.8	30	151.3	9	0	0	0	1	9	7	0
NE	51.7	3.6	NE	1.3	1.3	27	199.3	5	0	0	0	0	5	3	0
LY	48.0	3.7	NE	17.0	6.3	28	225.5	8	0	0	0	0	8	0	0
G.	48.6	3.2	SSW	1.3	1.3	28	217.7	3	0	0	0	0	3	3	0
P.	51.6	2.5	NNE	13.9	10.5	2	164.2	7	0	0	0	0	7	2	0
T.	52.9	3.8	NNE	117.5	61.9	18	91.2	14	0	0	2	0	14	13	0
V.	51.0	3.0	S	88.0	25.4	2	64.2	18	0	0	0	0	18	15	0
C.	51.8	4.3	S	105.8	34.5	29	72.8	13	0	0	1	0	13	17	5
AR	751.0	3.4	NNE	511.1	61.9	Oct 18	1,561.7	115	0	2	10	2	121	116	12

Month	Number of days: Snow cover	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (4)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
AN.	0	1	20	10	2	4	0	0	0	0	2	2	3	0
EB.	0	3	18	7	3	3	1	0	0	3	3	0	4	0
AR.	0	5	22	4	6	0	1	0	0	5	1	1	0	0
PR.	0	1	25	4	4	0	1	0	0	3	1	0	0	0
AY	0	3	20	3	9	0	6	1	0	1	0	0	0	0
UNE	0	9	21	0	11	0	4	1	0	1	0	0	1	0
ULY	0	17	14	0	13	0	4	3	0	0	0	0	0	0
UG.	0	15	16	0	13	0	2	2	0	0	0	0	0	0
EP.	0	11	18	1	10	0	1	1	0	1	1	0	0	0
CT.	0	6	20	5	2	1	4	4	1	1	1	1	1	0
OV.	0	0	23	7	2	2	4	0	0	0	1	0	0	0
EC.	0	3	19	9	0	5	3	3	0	1	2	2	0	0
EAR	0	79	236	50	75	15	31	15	1	16	12	6	9	0

Y E A R : 1937

Month	Frequency (%) of the wind direction (24 hourly observations) (5)																
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm.
JAN.	10.2	19.1	11.2	4.2	1.7	0.1	0.0	2.6	4.6	3.5	3.0	3.0	2.5	0.8	4.0	7.5	22.0
FEB.	3.9	7.4	6.0	4.0	2.7	1.0	1.0	6.3	10.4	11.2	6.8	3.9	5.8	3.9	3.0	1.4	21.3
MAR.	0.8	0.9	2.5	0.1	0.8	0.7	1.6	7.9	12.1	12.9	10.3	4.7	7.3	7.8	0.8	1.1	27.7
APR.	4.2	5.7	9.1	2.2	1.1	0.1	0.7	4.0	10.0	10.0	7.2	3.5	9.6	7.1	0.6	1.1	23.8
MAY	5.8	7.7	11.5	3.9	1.8	0.5	0.0	0.4	1.1	5.5	9.1	6.0	3.2	0.5	3.5	4.6	34.9
JUNE	3.7	11.0	18.1	2.9	1.9	0.1	0.0	0.0	4.2	10.1	9.1	3.1	1.4	0.3	0.6	0.9	32.6
JULY	7.5	10.5	13.4	10.2	4.4	0.3	0.7	0.4	2.8	3.6	4.0	5.8	4.7	2.7	2.3	5.5	21.2
AUG.	3.6	8.3	9.3	6.7	2.6	0.8	1.1	0.7	4.4	10.2	8.3	4.7	7.0	3.4	3.9	3.5	21.5
SEP.	6.4	10.7	5.0	1.4	1.2	0.7	0.7	4.6	8.8	8.4	8.0	2.8	2.8	2.5	3.6	4.2	28.2
OCT.	6.2	16.7	10.3	1.1	1.5	0.1	0.3	1.2	4.6	6.3	3.9	2.6	2.2	0.4	2.5	3.8	36.3
NOV.	4.8	4.7	6.2	2.4	2.1	0.1	1.7	7.7	9.5	3.9	2.8	1.7	3.1	1.5	3.5	3.5	40.8
DEC.	4.8	4.3	0.7	0.3	0.1	0.1	5.9	11.4	11.7	3.1	6.5	3.8	1.6	1.6	3.1	2.0	39.0
YEAR	5.2	9.0	8.6	3.3	1.8	0.4	1.1	3.9	7.0	7.4	6.6	3.8	4.2	2.7	2.6	3.3	29.1

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell-Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h. observation.

YEAR 1938

Year : 1938 Month : January

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met. p.s.)	Total evaporation (mm) (4)(7)
1	9.5	14.1	4.9	7.5	8			73	6.6	752.8	S	1.4	1.5
2	11.9	15.6	9.7	9.4	6	0.0	0.17	69	6.9	48.6	SW	0.8	2.3
3	8.5	13.0	5.0	6.2	9	0.0	0.50	72	5.8	48.6	N	3.7	1.5
4	6.7	9.1	6.2	4.6	11	0.2	0.67	69	5.0	43.4	N	7.7	1.6
5	5.8	10.8	3.3	4.0	12			74	5.1	44.7	WNW	3.7	1.6
6	6.6	9.3	3.9	4.5	11	- -	- -	69	4.9	46.9	N	5.1	1.4
7	5.8	10.0	4.3	4.3	12	0.0	0.05	74	5.0	43.8	NW	2.5	1.3
8	2.8	7.8	0.3	0.9	15	3.2	2.42	71	3.7	48.6	NNW	4.8	1.4
9	5.4	11.0	1.4	4.6	13	0.4	1.25	77	5.3	51.0	N	1.4	1.0
10	10.0	14.8	3.8	9.1	8			79	7.6	52.3	SSE	2.9	1.3
11	14.1	14.8	12.8	11.8	4			73	8.9	51.2	SSE	7.6	3.5
12	13.2	15.0	13.4	10.8	5	0.5	1.00	74	8.2	53.9	SSE	5.7	3.9
13	11.8	16.7	9.0	9.1	6			70	7.0	56.2	W	0.9	1.9
14	11.5	15.5	9.5	8.3	6			60	6.5	56.1	N	2.8	1.8
15	10.7	17.3	7.1	7.2	7			63	5.1	54.7	W	2.5	2.6
16	11.1	14.9	6.8	9.8	7			76	7.9	51.3	SW	1.2	2.1
17	9.2	12.7	7.4	6.3	9			63	5.5	52.4	NW	4.1	2.6
18	9.2	13.2	4.2	6.6	9			63	5.8	50.4	NW	0.8	2.2
19	9.1	14.3	6.0	5.6	9			58	4.8	51.7	WNW	0.7	2.4
20	9.2	13.4	3.7	5.8	9			60	5.0	53.3	C	0.3	2.3
21	9.7	11.1	8.9	7.9	9	1.0	3.08	75	6.7	52.2	NE	6.1	1.7
22	7.8	11.4	7.1	6.3	10	8.8	20.00	81	6.3	55.8	NNE	8.1	1.3
23	6.8	8.2	5.5	5.6	11	15.0	14.67	83	6.4	55.4	NNW	4.7	0.7
24	6.4	8.0	6.6	4.3	12	0.0	5.83	70	5.1	57.8	NNE	9.1	1.8
25	7.9	13.2	2.3	4.7	10			59	4.6	55.8	W	1.8	2.5
26	8.5	13.7	4.6	6.4	9	3.4	4.50	73	5.9	54.6	NW	2.7	1.9
27	10.2	14.1	5.9	7.8	8			70	6.4	53.2	S	0.2	2.3
28	13.2	17.7	8.3	10.9	5			74	8.3	52.9	SSE	2.0	2.7
29	12.9	17.3	9.8	11.0	5			77	8.5	51.2	SSE	1.2	2.2
30	11.8	14.6	9.6	9.3	6	0.0	0.17	74	7.6	41.1	S	1.3	2.1
31	9.0	12.1	8 0	7.0	9	2.4	2.77	77	6.3	38.6	NE	4.5	1.9
Sum					269						NW		61.3
Avg.	9.2	13.1	6.4	7.0		34.9	57.08	71	6.2	751.0	(6)	3.3	2.0

ar : 1938 Month : January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soiltemperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	5.8	5.3	7	7	7.2	7.8	9.9	10.8	11.9	13.4	Ω^{1-2}	1
2	5.6	5.0	7	7	11.1	12.3	10.5	11.1	12.0	13.4	$\odot^{0}$	2
3	1.3	7.7	6	7	7.8	8.1	10.5	11.1	11.9	13.2	$\dot{\ast}^{0}$ Ω^{1}	3
4	0.3	9.0	7	8	5.8	6.1	10.0	10.8	11.8	13.1	$\odot^{0}$ $\dot{\ast}^{0}$	4
5	2.2	6.0	7	7	4.2	5.0	9.4	10.4	11.5	13.0	Ω^{0}	5
6	0.7	7.7	7	7	5.7	5.5	9.1	10.1	11.4	12.9		6
7	5.4	8.0	6	8	6.7	8.3	9.1	10.0	11.3	12.8	$\odot^{0}$	7
8	8.2	3.0	6	8	2.6	3.7	8.5	9.6	12.0	12.6	$\ast^{0}$ $\dot{\ast}^{1}$ Ω^{0} $\llcorner^{0}$	8
9	3.3	6.0	5	7	6.6	5.2	8.1	9.3	10.7	12.4	$\dot{\ast}^{0}$ Ω^{1} $\llcorner^{1}$	9
10	4.7	6.0	6	8	8.5	9.9	8.5	9.3	10.6	12.3	$\in^{1}$ Ω^{2} $\llcorner^{1}$	10
11	0.0	9.7	7	5	11.9	11.5	9.8	10.1	10.9	12.4		11
12	0.0	9.7	6	5	11.3	11.2	10.9	10.8	11.2	12.4	$\odot^{0}$ Θ^{0}	12
13	6.3	4.3	7	9	10.3	12.0	11.0	11.1	11.4	12.4	Ω^{0}	13
14	6.2	3.0	6	8	9.9	12.1	11.0	11.2	11.5	12.4		14
15	8.4	2.0	7	8	10.7	11.5	10.8	11.1	11.5	12.4	Ω^{1}	15
16	4.8	6.7	7	8	8.8	10.4	10.6	11.0	11.5	12.4	Ω^{1}	16
17	8.0	3.3	6	8	9.0	9.0	10.7	11.0	11.5	12.5		17
18	4.2	7.0	7	7	7.5	8.6	10.2	10.8	11.4	12.4	Θ^{0} Ω^{0} $\llcorner^{0}$	18
19	7.6	4.0	7	7	8.7	10.0	10.3	10.8	11.4	12.4		19
20	4.1	8.0	7	5	6.6	8.5	10.0	10.6	11.3	12.4	$\oplus^{0}$	10
21	0.0	10.0	7	7	6.0	6.7	10.4	10.8	11.4	12.3	$\odot^{0}$	21
22	0.0	10.0	6	7	6.4	6.1	10.0	10.6	11.2	12.2	$\odot^{1}$	22
23	0.0	10.0	8	8	6.3	6.3	9.6	10.3	11.1	12.3	$\odot^{1}$	23
24	2.4	9.0	5	6	5.2	4.5	9.1	9.9	10.8	12.1	$\odot^{0}$	24
25	8.8	3.3	6	8	7.2	7.4	8.4	9.5	10.6	12.1	$\llcorner^{0}$	25
26	7.5	2.9	6	7	8.6	8.6	8.8	9.4	10.7	12.0	$\odot^{0-1}$ $\dot{\ast}^{1}$ $\leftarrow^{0}$ Ω^{0}	26
27	8.8	0.7	6	6	7.5	8.7	9.3	9.8	10.7	11.9	Ω^{1} $\llcorner^{0}$	27
28	8.5	3.7	6	7	12.2	11.7	9.9	10.3	10.8	11.8	Ω^{1}	28
28	4.6	4.7	6	7	11.3	12.3	10.7	10.7	11.0	11.9	Ω^{2}	29
30	3.6	5.7	8	9	10.4	10.7	11.0	11.1	11.2	12.0	$\odot^{0}$ Ω^{0-1}	30
31	0.6	9.3	8	8	7.8	7.6	10.8	11.0	11.3	12.0	$\odot^{0}$	
Sum	131.9										$\odot$11, $\ast$1, $\dot{\ast}$5, $\leftarrow$1, Ω15, $\llcorner$6, $\oplus$1, Θ2, Ψ1.	
Avg.		6.1	6.6	7.3	8.1	8.6	9.9	10.5	11.2	12.4		

Year : 1938 Month : February

Date	Air temperatyre (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	8.7	13.0	6.9	6.6	9	1.0	2.39	71	5.8	746.1	NW	4.2	1.8	
2	10.1	14.7	5.8	7.7	8			69	6.2	51.8	SSE	1.3	2.5	
3	11.3	15.0	7.5	9.3	7	1.8	2.00	79	7.4	52.4	E	2.1	1.8	
4	12.3	12.9	9.8	9.1	6	27.6	13.52	89	8.1	52.6	NNE	3.2	1.0	
5	7.5	11.7	6.9	6.4	10	8.5	19.67	85	6.6	53.8	N	11.8	1.1	
6	7.0	7.9	5.2	5.2	11	5.2	16.00	76	5.6	55.4	NNW	12.5	1.5	
7	8.0	9.5	6.8	6.3	10	0.6	2.08	75	6.2	56.8	NNW	3.9	1.6	
8	7.0	8.6	5.9	5.5	11	1.5	10.00	79	6.0	58.3	NW	2.4	0.9	
9	4.5	6.1	3.7	2.2	13	0.0	4.33	70	4.9	61.0	N	6.1	1.5	
10	5.5	9.6	-0.3	3.4	12			65	4.4	58.4	S	1.0	1.8	
11	11.2	15.5	5.8	8.5	7			65	6.8	49.3	SSW	2.7	2.8	
12	12.2	13.7	11.7	10.0	6	7.2	4.50	71	7.7	47.0	S	5.4	3.3	
13	11.8	14.4	10.1	8.5	6	3.4	1.50	66	6.5	38.5	SSW	7.7	2.7	
14	11.5	15.2	6.8	9.4	6			68	7.7	45.4	SSW	3.5	2.9	
15	12.5	15.9	8.4	10.6	5			72	8.1	52.8	S	2.7	2.8	
16	12.6	17.4	8.3	9.5	5			67	6.9	56.9	SW	0.9	2.4	
17	12.0	16.3	10.1	9.5	6			67	7.1	56.0	NE	5.8	2.5	
18	10.0	15.6	6.7	7.1	8			66	5.8	56.2	NE	2.8	3.1	
19	11.1	16.4	6.6	9.1	7			70	7.2	51.6	S	0.8	2.2	
20	8.7	11.4	8.9	6.6	9	0.6	4.00	75	6.3	50.5	ENE	10.1	1.7	
21	6.5	9.1	5.0	3.4	11			58	4.0	49.5	NE	10.6	2.7	
22	5.5	8.0	4.8	2.8	12	0.0	3.20	60	3.9	52.4	NE	8.6	2.5	
23	7.3	11.9	3.8	4.1	11			56	4.9	53.1	WSW	1.9	2.8	
24	4.4	8.9	1.7	1.2	14	0.0	2.33	59	2.5	58.8	NE	9.0	2.6	
25	2.9	8.1	-0.3	1.0	15	0.0	7.67	65	3.8	65.5	NNW	2.7	1.4	
26	6.2	12.1	0.8	3.5	12			55	4.0	64.9	NE	1.0	2.3	
27	6.0	9.8	4.2	3.2	12	0.0	3.33	63	4.1	64.5	NNE	6.1	2.0	
28	5.9	8.5	2.9	3.2	12	0.0	0.92	62	3.5	52.8	NNE	7.4	2.4	
Sum					261	57.4	97.44				NE		60.6	Su
Avg	8.5	12.0	5.9	6.2				69	5.8	754.4	(6)	4.9	2.2	Av

ar : 1938 Month : February

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	4.7	5.7	6	7	10.3	9.8	10.3	10.8	11.3	12.1	◍¹ Ω¹	1
2	8.1	2.0	7	6	9.0	9.4	10.2	10.6	11.2	12.0	Ω°	2
3	6.5	8.7	7	7	9.9	12.0	10.4	10.7	11.2	12.0	◍⁰⁻¹ Ω¹⁻²	3
4	0.0	9.7	6	5	8.5	8.9	10.9	11.1	11.4	12.1	◍²	4
5	0.0	10.0	7	6	6.6	6.9	10.4	10.8	11.3	12.0	◍¹ ⚹⁰⁻¹	5
6	0.0	8.7	7	6	4.5	6.2	9.5	10.2	11.1	--	◍° ⚹° ⚹° ∩°	6
7	0.3	9.3	6	6	5.9	6.3	9.1	10.0	10.8	12.3	◍° ⚹°	7
8	0.0	8.3	7	7	5.8	6.5	9.1	9.8	10.7	11.9	⚹° ϵ°	8
9	0.0	7.0	7	7	3.5	3.1	8.5	9.4	10.5	11.6	⚹°	9
10	9.2	4.3	7	7	3.6	7.0	7.7	8.9	10.2	11.6	Φ° Ω⁰⁻¹ ⌊²	10
11	8.6	5.7	7	7	8.5	10.2	8.4	9.1	10.2	11.6	Ω¹	11
12	1.8	9.3	6	6	9.7	10.1	9.6	9.8	10.4	11.5	◍⁰⁻¹ ◭¹ ⊼¹ ∩¹ ϵ⁰⁻¹	12
13	4.6	8.0	8	9	9.7	9.1	10.2	10.2	10.6	11.5	◍¹ ◭⁰⁻¹ ⊼¹ ϵ°	13
14	8.7	6.0	5	6	10.2	11.1	9.9	10.2	10.7	11.6	Ω⁰⁻¹	14
15	6.5	2.0	5	6	9.9	11.9	10.3	10.4	10.8	11.5	Ω¹	15
16	7.9	2.0	5	6	9.2	12.5	10.8	10.8	10.9	11.6	Φ° Ω⁰⁻¹	16
17	8.4	4.3	6	7	12.7	13.8	11.2	11.1	11.1	11.6	Ω°	17
18	7.7	2.3	7	7	10.7	13.1	11.1	11.1	11.2	11.7	Ω°	18
19	8.2	3.7	7	7	10.0	13.0	11.0	11.2	11.2	11.8	Ω¹	19
20	0.0	10.0	6	6	7.2	7.5	11.1	11.1	11.3	11.8	◍°	20
21	2.7	5.3	7	8	7.4	7.2	10.1	10.6	11.1	11.7		21
22	3.0	8.3	6	7	4.4	6.3	9.5	10.1	10.9	11.7	⚹° ⚹°	22
23	9.7	2.0	7	8	7.2	8.7	9.3	9.9	10.8	11.7		23
24	5.9	6.7	7	7	2.8	5.1	9.3	9.8	10.6	11.6	⚹° ⚹°	24
25	4.6	5.3	7	7	4.8	5.6	8.4	9.3	10.2	11.5	⚹¹	25
26	5.7	3.0	8	8	7.4	8.7	8.2	9.1	10.3	11.6	⌊⁰⁻¹	26
27	1.4	6.7	7	8	6.0	8.1	8.8	9.4	10.2	11.3	◍°	27
28	2.5	9.7	8	7	4.6	6.3	8.6	9.4	10.1	11.3	◍°	28
n	126.6										◍11, ◭2, ⚹4, ⚹7, ⊼2, ∩2, Ω11, ⌊2, Φ2, Ψ3.	
g.		6.2	6.6	6.8	7.5	8.7	9.7	10.2	10.8	11.7		

Year : 1938 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)(5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	6.5	11.2	4.2	4.5	11			67	4.9	759.1	NNW	2.6	1.8
2	7.8	13.5	1.8	5.4	10			65	5.0	56.6	SSW	0.3	2.2
3	7.8	9.9	7.5	6.6	10	6.5	12.25	82	6.5	54.1	ENE	0.5	1.0
4	7.6	8.7	5.3	5.7	10	0.8	4.83	74	6.0	51.3	NE	8.9	1.6
5	8.4	9.7	6.7	6.8	10	1.8	11.50	76	6.3	55.9	NE	12.0	2.1
6	11.1	16.4	7.6	7.9	7			57	5.8	59.8	NNE	4.7	2.9
7	12.3	18.2	7.0	9.3	6			58	6.6	56.4	SSW	0.9	3.3
8	13.7	19.4	9.7	10.0	4			57	6.5	54.7	NNE	4.1	2.6
9	11.0	15.0	6.9	8.5	7			68	6.5	57.6	S	1.1	2.5
10	13.2	18.1	9.5	11.3	5			76	8.6	54.5	SSW	1.1	2.2
11	13.6	18.3	9.8	11.6	4			72	8.4	50.8	S	1.6	2.4
12	11.6	17.6	11.2	8.8	6	1.4	4.50	67	6.6	48.6	NNW	2.9	2.3
13	7.1	10.2	5.2	4.8	11	0.1	4.50	68	5.3	52.6	NE	8.8	2.3
14	5.1	7.3	3.9	2.0	13	0.5	3.00	56	3.5	57.1	NE	12.0	3.4
15	6.3	10.6	2.1	3.5	12			53	3.8	58.3	NNE	7.0	3.0
16	10.0	16.9	5.0	7.1	8			55	5.2	58.9	NNE	1.8	2.7
17	11.8	17.9	6.1	7.8	6			49	4.9	57.7	NNE	2.6	3.8
18	13.8	19.4	8.1	10.2	4			52	6.4	57.6	S	1.0	4.4
19	15.1	20.6	10.1	10.4	3			50	6.3	61.7	NE	4.6	4.0
20	13.2	18.9	9.2	10.7	5			62	7.3	60.5	NNE	1.8	3.2
21	13.7	19.9	9.5	10.7	4	0.0	0.50	62	7.0	56.9	ENE	0.7	2.7
22	14.5	19.9	9.5	11.2	3			59	7.4	55.5	SSW	1.1	3.6
23	13.9	18.9	9.9	11.2	4	0.0	0.50	69	8.1	54.7	SSW	0.9	2.7
24	14.8	20.2	11.1	11.3	3			61	7.4	54.8	SW	0.8	3.5
25	14.2	19.2	10.0	11.9	4			69	8.5	55.5	SSW	0.8	3.1
26	15.1	19.5	10.1	12.6	3	0.0	0.33	70	8.7	53.6	SSW	1.4	2.9
27	14.3	17.8	12.6	12.1	4	10.6	4.00	74	8.8	46.8	W	3.7	3.0
28	10.8	14.2	11.6	9.2	7	8.6	7.83	80	7.9	46.2	W	3.0	2.3
29	8.9	12.5	5.2	6.1	9	1.9	1.37	70	5.5	51.1	NNW	3.6	2.0
30	9.0	14.2	5.6	5.2	9			50	4.2	54.2	NNW	5.0	3.4
31	12.0	16.6	6.1	9.2	6			62	6.6	53.8	S	1.1	3.5
Sum					208	32.2	55.11				NE		86.4
Avg.	11.2	15.8	7.7	8.5				64	6.5	755.1	(6)	3.3	2.8

r : 1938 Month : March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	1.7	6.0	7	6	6.8	8,2	8.8	9.5	10.1	11.2	Ω°
2	7.5	5.0	6	6	6.3	10.4	8.8	9.3	10.1	11.2	Ω⁰⁻¹ ⌊¹⁻²
3	0.0	10.0	6	6	7.3	7.7	9.5	9.7	10.2	11.2	◍¹⁻²
4	0.8	9.3	7	6	6.7	6.0	9.2	9.7	10.2	11.1	◍°
5	0.1	9.0	8	7	8.4	7.4	9.0	9.5	10.2	11.0	◍⁰⁻¹
6	9.5	2.7	6	8	10.4	11.1	9.3	9.6	10.2	11.1	
7	10.3	0.3	6	6	10.0	14.3	9.9	10.0	10.4	11.2	Ω°
8	10.1	1.3	7	7	13.3	17.1	10.7	10.5	10.6	11.3	Ω¹
9	5.1	1.0	6	6	10.4	14.7	11.2	11.0	10.9	11.4	Ω°
10	10.0	0.3	7	6	13.3	17.8	11.7	11.3	11.2	11.5	Ω¹
11	9.9	1.0	6	6	13.0	17.4	12.3	11.8	11.4	11.6	Ω¹
12	3.8	8.7	7	7	13.3	15.1	12.6	12.2	11.7	11.7	◍⁰⁻¹
13	5.2	8.7	7	7	8.0	9.4	11.8	11.8	11.7	11.9	⁎°
14	9.6	4.3	5	7	7.6	8.6	10.8	11.1	11.5	12.0	⁎°
15	7.2	7.3	5	9	9.0	10.8	10.1	10.8	11.3	12.0	
16	9.6	4.0	6	9	10.8	12.6	10.2	10.8	11.3	11.9	⌊°
17	8.3	3.3	5	7	12.9	16.5	11.1	11.2	11.4	12.0	
18	10.3	0.0	5	6	12.6	18.0	11.8	11.7	11.6	12.1	
19	9.7	0.0	5	7	15.8	19.4	12.7	12.3	12.0	12.2	
20	1.8	9.0	6	7	13.2	16.6	13.1	12.7	12.2	12.3	⊕°
21	0.6	10.0	5	6	15.7	18.3	13.4	12.9	12.5	12.5	◍° ⊕°
22	9.9	0.7	6	7	13.1	19.5	13.6	13.1	12.7	12.6	
23	6.9	7.0	6	6	12.9	18.2	13.9	13.4	12.9	12.7	◍° ≺° Ω¹
24	9.8	0.3	8	7	13.8	20.1	14.2	13.7	12.1	12.9	
25	10.3	1.0	7	6	14.5	20.9	14.4	13.9	13.3	13.0	Ω¹
26	8.6	5.3	6	6	16.0	20.2	14.6	14.2	13.5	13.3	◍° Ω¹
27	6.1	5.0	8	9	16.5	17.2	15.0	14.4	13.6	13.3	◍¹⁻²
28	1.3	7.3	6	6	9.9	11.0	14.1	14.0	13.7	13.4	◍¹
29	5.2	7.7	8	8	8.7	8.9	12.9	13.3	13.4	13.5	◍¹
30	10.8	1.7	8	9	9.5	15.3	12.2	12.8	13.2	13.5	
31	10.5	2.0	8	7	12.0	17.9	12.4	12.7	13.1	13.5	Ω¹
Sum	210.5										◍10, ⁎2, ≺1, Ω11, ⌊2 ⊕2.
Avg.		4.5	6.4	6.9	11.3	14.4	11.8	11.8	11.8	12.1	

Year : 1938 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	15.9	20.4	10.9	12.9	2			66	8.9	755.1	S	1.5	4.0
2	17.1	23.6	12.3	14.1	1			68	9.6	55.0	SSW	0.7	3.2
3	17.1	22.0	12.7	14.2	1			64	9.9	54.6	SSW	0.9	3.7
4	15.4	18.9	12.9	13.3	3	1.6	4.25	76	10.0	52.3	S	4.4	3.3
5	12.8	15.9	13.4	11.6	5	10.1	12.67	86	9.6	50.7	NE	2.3	0.8
6	11.2	15.1	9.5	8.9	7	1.9	3.50	70	7.3	49.9	NE	3.7	1.9
7	10.6	15.5	7.6	8.2	7	0.0	0.92	70	6.8	52.5	NE	1.4	1.9
8	11.3	15.4	6.5	9.0	7			71	7.1	49.8	S	1.1	2.2
9	13.7	18.0	9.8	10.0	4			61	6.6	47.6	W	4.3	4.6
10	11.8	15.7	7.9	7.8	6			54	5.4	53.2	NNE	1.5	3.6
11	13.1	17.4	9.7	11.5	5	2.6	4.25	74	8.6	51.3	S	3.2	2.6
12	10.7	14.6	11.3	10.1	7	21.3	19.25	88	8.8	44.9	NNE	4.9	0.9
13	7.5	11.7	4.7	15.6	10	0.8	1.67	72	5.6	44.1	NNW	6.4	1.9
14	10.6	14.8	5.3	8.2	7	-		59	5.8	46.9	S	1.9	3.4
15	12.9	17.5	8.0	10.6	5	0.0	0.25	70	7.7	46.6	SSW	1.7	2.7
16	12.0	16.4	10.4	9.0	6	0.0	0.33	67	6.7	47.2	NNW	5.3	2.3
17	13.3	18.2	8.9	9.3	5			55	5.9	49.6	NW	5.0	3.8
18	14.0	17.3	9.3	10.9	4			61	7.3	52.0	S	2.7	3.2
19	14.3	18.5	11.4	12.5	4	5.7	7.92	78	9.3	50.3	SSE	4.7	2.4
20	17.2	19.9	14.4	13.7	1	0.4	0.58	69	9.4	47.9	SSE	8.2	5.3
21	17.3	22.2	14.3	13.1	1			65	8.6	49.8	W	3.7	4.6
22	15.9	21.8	11.1	12.1	2			60	7.0	51.2	N	2.3	3.6
23	15.1	19.0	10.1	11.9	3			64	8.1	52.1	SSW	3.1	3.5
24	15.2	20.4	11.3	12.7	3	-		67	9.1	52.3	SSW	3.0	3.6
25	15.1	20.3	12.1	12.2	3	0.0	0.33	69	8.4	50.1	SSW	2.4	2.9
26	15.0	18.9	10.9	12.6	3	0.0	0.12	67	8.7	47.2	SW	2.9	3.3
27	14.2	20.7	10.3	12.3	4	2.7	2.35	79	9.6	47.7	N	2.7	1.9
28	14.5	19.9	10.0	11.8	3	0.5	0.67	68	8.3	51.6	NNE	2.4	2.0
29	15.6	20.3	10.2	12.4	2	-	-	66	8.5	52.8	S	2.5	3.4
30	16.3	20.7	11.7	12.9	2	0.0	0.25	64	8.2	48.3	SSW	2.3	3.4
Sum					123	47.6	59.31				SSW		89.9
Avg.	13.9	18.4	10.3	11.2				68	8.0	750.1	(6)	3.1	3.0

ar : 1938 Month : April

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
	10.4	0.7	7	7	15.2	22.0	13.7	13.3	13.2	13.5	Ω^1	1
2	9.5	1.3	7	6	16.6	26.0	14.7	14.0	13.5	13.6	Ω^1	2
3	10.7	0.3	6	6	15.4	24.1	15.5	14.6	13.8	13.7	Ω^1	3
4	7.3	9.7	6	6	15.7	21.7	15.8	15.1	14.2	13.9	Ω^1	4
5	0.0	10.0	4	6	11.7	12.7	15.3	14.9	14.3	14.0		5
6	2.1	8.3	8	9	10.2	12.9	14.2	14.4	14.3	14.1		6
7	5.0	6.7	8	8	8.5	10.0	13.5	13.9	14.0	14.2		7
8	6.1	7.3	6	6	10.7	14.4	13.0	13.5	13.8	14.1		8
9	10.8	2.0	7	7	13.1	19.0	13.4	13.6	13.8	14.1	Ω^1	9
10	4.8	7.7	8	8	9.8	14.0	13.6	13.7	13.7	14.1		10
11	0.4	9.3	7	7	12.9	16.8	13.7	13.7	13.8	14.1		11
12	0.0	9.7	6	6	9.5	10.4	13.6	13.6	13.7	14.0		12
13	0.8	8.3	8	8	8.3	8.3	12.3	13.0	13.5	14.0		13
14	11.1	1.0	8	8	11.4	14.0	12.0	12.6	13.2	13.9		14
15	8.6	7.3	8	7	13.2	16.9	12.6	12.9	13.2	13.8		15
16	6.7	8.0	7	8	11.4	13.6	13.6	13.4	13.4	13.8		16
17	11.1	2.3	8	8	16.4	20.7	13.7	13.6	13.5	13.9		17
18	4.5	9.0	8	7	12.6	16.1	14.1	13.9	13.7	13.9	Ω^0	18
19	0.6	10.0	7	7	13.4	14.5	14.3	14.1	13.8	14.0		19
20	0.1	10.0	6	6	14.4	15.0	14.5	14.2	14.0	14.0		20
21	8.8	4.0	7	8	16.4	23.0	15,2	14.5	14.1	14.1		21
22	8.4	5.0	7	9	17.7	23.1	15.6	15.2	14.4	14.2		22
23	11.3	1.0	8	8	15.9	21.5	16.4	15.7	14.6	14.4		23
24	6.1	6.7	7	7	15.2	20.6	16.6	15.8	14.9	14.5	Ω^4	24
25	1.8	10.0	8	7	15.5	19.9	16.6	16.0	15.1	14.7		25
26	7.3	5.7	7	6	15.1	20.3	16.4	15.9	15.2	14.8	Ω^0	26
27	3.0	9.0	7	6	13.7	15.8	16.5	16.3	15.3	14.9		27
28	8.1	4.0	7	7	14.4	18.4	16.2	15.9	15.4	15.0		28
29	12.3	1.7	7	7	16.5	22.9	16.2	15.9	15.4	15.1	Ω^1	29
30	9.5	4.7	7	6	16.5	22.9	16.8	16.2	15.5	15.2		30
Sum	187.2										●16, ⊕3, ☽1, Ω9.	
Avg.		6.0	7.0	7.1	13.6	17.7	14.7	14.5	14.1	14.2		

Year : 1938 Month : May

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met. p.s.)	Total evaporation (mm) (4)(7)	Date
1	17.8	22.6	13.2	15.0	0			70	10.5	743.7	S	1.8	3.0	
2	18.2	22.6	13.7	13.4	0			58	8.2	43.7	WSW	5.8	6.[illegible]	
3	17.5	21.8	13.3	12.7	0			54	7.6	45.9	WSW	5.2	6.6	
4	18.1	23.9	12.9	12.0	0			47	6.7	48.3	SW	2.8	[illegible].7	
5	17.8	21.7	13.3	14.1	0			60	9.4	49.6	S	1.8	5.2	
6	18.2	22.3	15.4	15.9	0	1.6	2.50	75	11.8	52.3	SSW	1.1	3.0	
7	18.2	22.2	14.0	14.8	0			66	9.9	54.5	S	0.9	3.5	
8	19.2	23.8	14.7	15.8	0			64	10.3	52.5	SSW	1.1	4.0	
9	20.7	26.5	15.7	17.2	0			66	12.2	52.8	S	1.2	3.8	
10	18.8	23.3	17.2	16.7	0	1.6	6.67	75	12.6	54.0	S	1.5	2.2	10
11	20.6	25.9	16.5	16.4	0			60	10.9	51.6	WSW	3.0	5.1	11
12	19.4	24.3	15.3	15.2	0			58	9.3	52.2	WSW	3.3	6.2	12
13	16.5	19.6	15.0	13.9	1	0.5	4.00	70	9.9	53.9	NNE	4.3	2.9	13
14	16.7	21.8	12.4	12.5	1			57	7.7	55.6	N	5.2	3.9	14
15	18.1	23.0	13.2	12.5	0			45	6.9	55.3	NW	6.1	5.4	15
16	19.7	24.9	14.2	14.1	0			45	7.9	56.1	NNW	5.2	5.7	16
17	21.8	29.9	16.2	16.3	0			47	9.6	55.6	NNE	2.2	5.9	17
18	21.7	27.1	16.8	16.0	0			49	9.6	53.7	SSW	2.3	6.2	18
19	21.6	26.0	17.5	15.8	0			52	9.1	52.8	S	3.0	7.6	19
20	21.3	25.9	16.4	16.2	0			53	10.6	51.3	S	2.6	6.9	20
21	21.3	27.6	18.3	15.7	0	0.0	0.75	54	9.9	49.3	ENE	1.7	4.7	21
22	20.1	25.6	15.3	15.7	0			60	10.0	51.2	S	2.4	4.8	22
23	21.7	28.5	16.1	16.3	0			55	10.3	51.0	S	2.5	5.6	23
24	19.4	23.6	16.0	14.6	0			56	9.0	46.7	WSW	4.1	5.8	24
25	19.8	23.0	15.0	14.6	0			56	9.3	46.7	WSW	5.9	7.1	25
26	19.9	24.2	15.6	14.9	0			55	9.1	49.0	S	3.7	6.4	26
27	20.5	24.5	15.9	16.4	0			61	10.8	51.3	S	2.6	5.1	27
28	20.6	25.2	15.6	16.3	0			60	11.8	52.5	S	2.7	4.6	28
29	21.4	25.8	16.5	16.8	0			58	10.9	51.8	S	2.4	5.4	29
30	22.9	27.8	18.1	18.1	0			60	12.0	51.6	SSW	2.4	5.8	30
31	20.3	28.0	17.4	18.0	0			57	11.3	52.6	S	2.4	5.5	31
Sum					2	3.7	13.92				S		160.9	Sum
Avg.	19.8	24.6	15.4	15.3				58	9.9	751.3	(6)	3.0	5.2	Avg

ar : 1938 Month : May

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	9.9	1.7	7	7	18.3	29.1	17.6	16.6	15.7	15.3		1
2	10.3	1.7	8	9	20.9	29.7	18.4	17.3	16.0	15.4	◁¹	2
3	12.0	1.7	6	8	21.2	29.3	18.7	17.6	16.3	15.6		3
4	12.1	1.3	8	8	24.4	27.1	18.8	17.8	16.6	15.8		4
5	6.8	9.0	7	7	18.3	27.0	19.3	18.1	16.8	16.0	⊕°	5
6	7.1	4.7	7	7	18.7	24.8	19.1	18.2	17.0	16.1	◍⁰⁻¹ ☖°	6
7	11.9	0.3	7	7	18.9	30.1	19.1	18.2	17.1	16.3	☖¹	7
8	11.2	0.7	7	6	19.1	31.1	19.7	18.6	17.3	16.5	☖°	8
9	10.1	7.0	6	6	19.6	28.5	20.3	19.1	17.5	16.6		9
10	0.0	9.7	6	6	17.5	17.5	20.3	19.3	17.8	16.8	◍° ⊖	10
11	11.8	2.7	7	6	20.8	28.1	19.7	19.0	17.9	17.0		11
12	11.6	1.7	6	8	23.5	29.9	20.3	19.3	18.0	17.0		12
13	0.4	9.3	6	7	16.0	19.6	20.2	19.1	18.1	17.2	◍°	13
14	10.7	6.0	8	7	18.7	25.3	19.3	18.8	18.1	17.3		14
15	12.1	3.3	9	8	20.1	29.1	19.6	18.9	18.1	17.4		15
16	12.0	2.7	6	6	22.0	30.6	20.1	19.4	18.3	17.5		16
17	11.8	1.7	7	7	23.8	33.4	20.7	19.9	18.5	17.7		17
18	12.0	2.0	7	7	24.4	31.3	21.6	20.3	18.8	17.8		18
19	12.0	2.3	6	6	21.5	28.4	21.8	20.7	19.1	18.0		19
20	10.3	-	-	-	-	-	-	-	--	-		20
21	3.5	5.7	6	6	17.9	21.7	22.1	21.0	19.5	18.3	◍°	21
22	12.3	0.3	8	7	21.3	30.1	21.7	20.9	19.5	18.4		22
23	10.5	2.3	8	7	24.0	31.5	22.2	21.1	19.7	18.5		23
24	9.8	3.7	8	8	21.1	29.1	22.5	21.5	19.9	18.7		24
25	11.3	4.3	8	8	20.4	29.6	21.9	21.2	20.0	18.8		25
26	11.8	3.3	7	7	22.0	29.8	22.0	21.2	20.1	18.9		26
27	12.1	1.7	6	7	22.7	31.4	22.2	21.4	20.1	19.0		27
28	11.0	4.0	7	7	22.4	31.7	22.5	21.6	20.2	19.1		28
29	12.0	3.3	7	7	21.6	33.7	22.7	21.8	20.4	19.3		29
30	12.3	2.7	7	7	24.6	33.7	23.2	22.0	20.6	19.4		30
31	12.1	2.7	7	7	24.8	34.1	23.6	22.4	20.7	19.5		31
Sum	314.8										◍4, ◁1, ⊕1, ☖1, ☖3.	
Avg.		3.5	7.0	7.0	21.0	28.9	20.7	19.7	18.5	17.5		

Year : 1938 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)(5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	24.3	29.8	19.0	17.5	0			45	10.0	752 3	NE	6.0	6.6	
2	24.3	29.6	18.9	16.6	0			40	8.8	55.5	NNE	7.7	8.3	
3	24.7	31.1	18.4	17.2	0			39	9.2	53.3	NNE	7.9	8.8	
4	24.7	31.6	17.3	18.0	0			45	10.7	51.1	N	4.0	5.6	
5	25.4	31.1	20.2	19.1	0			49	11.8	50.8	NNE	6.5	6.7	
6	25.1	30.8	21.1	18.0	0			45	10.4	51.9	NNE	6.3	7.7	
7	24.9	30.9	19.9	18.2	0			44	10.7	52.4	NNE	5.4	7.0	
8	25.0	31.3	18.3	18.1	0			39	10.7	52.4	NNE	5.2	7.4	
9	25.0	29.4	21.8	18.7	0			47	11.7	53.0	NNE	9.1	7.8	
10	24.0	27.9	21.4	17.2	0			48	10.7	53.6	N	8.1	7.4	1
11	23.2	28.3	19.2	16.1	0			44	8.9	53.4	NNE	7.2	7.5	1
12	24.3	31.5	17.9	17.7	0			42	9.9	52.8	NNE	4.0	7.3	1
13	23.3	28.7	17.0	16.9	0			50	11.8	51.2	SSW	2.3	6.9	1
14	25.2	29.9	20.5	18.9	0			48	11.7	50.8	SSW	2.4	6.9	1
15	26.0	31.3	21.5	19.0	0			46	11.5	48.8	SSW	3.5	8.3	1
16	24.2	28.7	20.6	17.0	0			43	9.7	48.4	WSW	6.0	9.7	1
17	23.3	29.5	19.4	17.1	0			47	8.6	51.3	NNW	2.9	7.0	1
18	22.3	26.9	19.1	17.4	0			56	11.5	52.3	ENE	2.3	5.3	1
19	22.1	27.9	16.9	16.7	0			51	10.5	53.8	NNE	3.7	6.0	1
20	22.8	27.9	17.9	16.8	0			46	9.9	55.0	N	5.2	7.6	2
21	23.6	28.4	18.3	16.5	0			41	8.9	55.2	NNE	8.2	8.6	2
22	25.0	29.6	20.8	17.5	0			40	9.5	55.5	NNE	7.9	9.3	2
23	27.5	33.6	21.9	18.7	0			36	9.4	52.7	NNE	5.7	10.3	2
24	28.5	37.2	22.0	21.1	0			40	12.5	50.5	NNE	2.5	7.7	2
25	29.9	35.3	23.0	20.9	0			37	13.8	50.8	NNE	6.8	9.5	2
26	29.6	35.3	24.4	20.9	0			40	12.4	51.0	NNE	5.4	8.6	2
27	29.7	35.9	23.3	20.2	0			36	11.1	49.8	NNE	4.5	8.6	2
28	29.9	36.5	25.7	21.2	0			40	13.4	48.9	SSW	2.4	9.2	2
29	29.6	36.1	24.1	21.3	0			44	13.1	48.2	NNE	3.3	6.3	2
30	28.7	36.1	24.3	21.7	0			47	14.2	47.4	NE	3.7	8.3	3
Sum					0	0	0				NNE		222.2	Su
Avg.	25.6	31.3	20.5	18.4				44	10.9	751.9	(6)	5.2	7.7	Av

ar : 1938 Month : June

	Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	12.3	0.3	6	8	24.2	37.2	24.1	22.8	21.0	19.8		1
2	12.3	0.7	6	8	24.5	34.2	24,4	23.1	21.3	19.9		2
3	12.1	1.3	7	8	26.4	37.7	24.8	23.5	21.6	20.1		3
4	12.1	2.7	7	7	23.4	35.0	25.2	23.9	21.9	20.3		4
5	12.4	0.7	7	7	27.1	38.7	25.7	24.2	22.2	20.6		5
6	12.4	2.7	7	8	25.8	37.8	26.0	24.5	22.4	20.8		6
7	12.3	0.3	7	7	27.7	37.8	26.2	24.8	22.7	21.0		7
8	12.3	0.7	6	8	24.8	38.0	26.1	24.9	22.9	21.2		8
9	12.2	2.0	6	8	25.9	35.7	26.3	25.1	23.1	21.5		9
0	12.4	1.0	5	7	24.7	34.0	26.3	25.2	23.3	21.6		10
1	12.4	0.3	7	8	22.9	35.0	25.9	25.3	23.3	21.8		11
2	12.6	0.0	8	8	24.1	39.0	26.1	25.1	23.5	21.8		12
3	12.5	0.0	8	7	22.8	35.1	26.2	25.3	23.6	21.9		13
14	12.1	0.0	7	6	24.4	35.3	26.2	25.4	23.7	22.0		14
15	12.6	0.0	6	7	23.7	36.7	26.6	25.6	23.8	22.1		15
16	11.9	3.0	7	6	24.9	35.7	26.6	25.5	23.8	22.2		16
17	11.1	3.3	7	7	24.5	36.3	26.5	25.5	23.9	22.2		17
18	6.4	3.0	7	7	20.4	29.6	25.9	25.4	23.9	22.4		18
19	7.8	2.7	7	6	21.7	33.4	25.4	25.0	23,7	22.5		19
20	12.1	1.3	6	8	23.4	35.2	25.7	24.9	23.7	22,5		20
21	12.8	0.0	7	7	21.8	33.3	25.5	24.8	23.6	22.5		21
22	12.7	0.0	7	8	24.2	35.4	25.7	25.1	23.7	22,5		22
23	12.7	0.0	8	8	25.6	37.7	26.3	25.6	23.8	22,6		23
24	12.6	0.0	8	8	26.9	41.4	27.1	25.8	24.1	22,7		24
25	12.3	0.0	6	8	27.0	41.2	27.6	25.9	24.3	22.9		25
26	12.4	0.0	7	7	27.5	42.0	28.5	26.7	24.7	23.0		26
27	12.4	0.3	6	7	26.5	42.1	28.9	27.2	25.0	23.2		27
28	11.6	0.7	6	6	26.5	38.7	29.3	27.6	25.0	23.3		28
29	11.9	1.3	7	7	26.1	37.8	29.5	27.8	25.7	23.5		29
30	12.2	1.3	7	7	28.0	42.8	29.5	28.0	25.8	23.7		30
um	357.9											
vg.		1.0	6.8	7.3	24.9	37.0	26.4	25.3	23.5	21.9		

Year : 1938 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	27.4	31.6	23.3	21.5	0	0.3	.92	54	14.8	747.1	S	2.6	6.6
2	28.3	34.4	22.9	21.3	0			52	13,9	48.0	S	3.2	7.6
3	30.2	36.5	23.8	21.8	0			44	13.2	48.2	S	3.2	8.6
4	30.2	35.7	25.3	20.1	0			36	10.9	45.5	WSW	4.1	11.6
5	26.4	32.6	23.4	18.9	0			45	11.4	47.5	WNW	5.6	9.3
6	25.7	30.6	20.7	19.5	0			52	12.3	51.9	SSW	2.0	5.7
7	29.1	34.2	22.0	20.3	0			41	11.5	54.5	N	6.7	8.6
8	29.7	34.5	22.1	21.2	0			42	13.2	54.7	N	8.3	9.5
9	30.5	35.7	24.7	21.3	0			38	12.2	52.4	N	6.5	9.3
10	31.2	40.7	25.9	22.5	0			42	14.7	47.0	S	2.5	9.8
11	29.8	36.4	25.5	20.2	0			38	10.8	43.4	NW	4.5	10.2
12	27.3	34.4	23.0	18.7	0			37	10.3	47.7	NNE	4.6	7.7
13	26.4	32.4	21.5	18.7	0			39	10.4	49.4	NNE	4.8	7.5
14	26.9	32,7	21.5	19.2	0			41	11.0	49.1	NNW	4.6	7.4
15	28.5	34.2	23.3	19.8	0			38	11.9	48.9	NNW	4.2	8.2
16	29.7	36.3	24.5	21.0	0			39	12.4	50.5	N	4.5	9.6
17	29.8	35.3	24.7	19.9	0			35	10.7	50.3	N	4.5	9.1
18	30.5	37.5	24.3	20.6	0			32	11.1	47.2	NNE	3.2	10.0
19	28.2	35.7	24.9	21.2	0	0.3	0.92	49	13.6	45.3	NNE	1.9	7.4
20	25.5	34.0	22.1	20.5	0	10.0	1.25	62	15.1	46.5	NNE	1.9	4.7
21	27.4	33.2	22.5	21.7	0			55	15.1	49.3	N	4.3	5.6
22	27.5	35.2	22.2	21.6	0			56	15.4	49.8	NNW	2.5	6.8
23	27.3	31.9	22.2	22.1	0			63	16.3	49.1	SSW	2.1	5.7
24	29.0	34.9	23.9	22.3	0			54	15.7	48.9	SW	2.3	7.0
25	29.1	34.1	23.7	22.3	0			52	15.6	48.4	SSW	1.7	7.6
26	30.1	36.6	24.4	22.2	0			47	14.7	47.9	N	4.1	8.2
27	29.0	34.3	24.5	20.7	0			44	12.6	49.2	NNE	6.4	8.8
28	29.4	34.4	24.9	21.0	0			42	12.7	48.9	NNE	5.6	8.0
29	30.0	35.2	25.7	20.8	0			38	12.1	48.5	N	6.9	9.3
30	30.4	34.9	26.8	20.5	0			34	11.3	48.9	N	7.1	10.6
31	29.6	33.3	25.9	20.1	0			39	11.4	50.2	N	8.5	10.2
Sum					0	10.3	2.17				N		255.2
Avg.	28.7	34.6	23.8	20.8				44	12.9	748.8	(6)	4.3	8.2

ar : 1938 Month : July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Towrad land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.9	1.3	5	7	25.5	38.4	29.3	28.0	25.9	23.8		1
2	12.4	2.0	7	7	26.9	37.7	29.1	27.9	26.0	24.0		2
3	12.4	[illegible]	8	8	30.0	40.1	29.3	28.0	26.0	24.1		3
4	12.2	0.0	5	7	27.2	41.0	29.8	28.3	26.2	24.2		4
5	12.6	0.0	8	9	25.6	42.0	29.7	28.3	26.4	24.2		5
6	12.5	0.0	8	7	26.0	35.6	29.2	28.2	26.4	24.3		6
7	12.4	0.0	7	7	25.2	39.7	29.0	27.9	26.3	24.6		7
8	12.3	0.0	7	7	27.0	39.5	29.6	28.3	26.4	24.7		8
9	12.2	1.0	6	7	29.9	40.6	29.8	28.4	26.6	24.8		9
10	11.8	0.0	7	8	29.0	-	30.3	28.9	26.9	24.9		10
11	12.1	0.3	7	7	29.7	41.6	30.6	29.1	27.1	25.0		11
12	11.8	0.7	7	7	26.8	41.8	30.4	29.2	27.2	25.1		12
13	12.3	1.0	7	8	23.5	37.5	29.9	29.0	27.1	25.3		13
14	13.0	1.0	8	8	27.2	39.5	29.7	28.9	27.3	25.3		14
15	12.7	0.3	7	8	27.1	30.4	29.7	28.8	27.3	25.4		15
16	12.6	0.3	7	7	30.3	41.6	30.1	29.0	27.3	25.6		16
17	12.6	0.0	7	8	26.3	41.1	30.4	29.0	27.3	25.6		17
18	12.5	1.7	7	7	28.6	40.9	30.4	29.3	27.5	25.7		18
19	8.0	5.7	7	7	23.0	33.5	30.5	29.5	27.7	25.9	◍² R° T	19
20	5.5	4.7	7	7	21.6	29.1	29.2	28.9	27.6	25.8	◍² R° T	20
21	11.9	2.7	7	7	26.1	33.9	27.9	27.9	27.1	25.8	<°	21
22	12.3	1.0	7	7	26.4	34.8	28.5	27.8	26.9	25.7		22
23	12.1	1.7	7	7	26.3	35.7	28.9	27.9	26.8	25.6		23
24	12.4	0.7	7	7	30.4	38.4	29.0	28.0	26.8	25.5		24
25	12.1	0.3	7	7	27.3	37.8	29.3	28.2	26.8	25.5		25
26	12.3	1.0	7	7	26.1	37.7	29.6	28.4	26.9	25.6		26
27	12.5	0.7	7	8	28.2	40.1	29.6	28.5	26.9	25.7		27
28	12.5	0.7	7	8	27.7	39.7	29.9	28.7	27.0	25.7		28
29	12.2	1.0	7	8	27.6	39.2	30.0	28.8	27.0	25.8		29
30	12.1	0.3	6	7	28.5	42.2	30.2	29.1	27.2	25.9		30
31	12.6	0.0	7	8	28.3	40.5	30.2	29.0	27.2	26.0		31
Sum	369.8										◍2, R2, <1.	
Avg.		1.0	7.0	7.4	27.1	38.5	29.6	28.6	26.9	25.2		

Year : 1933 Month : August

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	30.3	36.0	25.0	21.7	0	3	0.63	42	13.8	750.7	NW	3.5	8.2	
2	30.6	36.6	25.2	20.7	0			35	11.6	50.1	NW	4.5	9.2	
3	30.4	35.3	25.1	19.6	0			30	9.7	48.7	NNE	6.2	10.9	
4	30.6	35.7	25.9	20.3	0			32	10.9	48.6	N	6.1	10.1	
5	29.9	34.2	26.1	20.9	0			39	10.4	48.5	NNE	8.0	10.2	
6	28.6	32.9	25.3	20.9	0			45	13.4	49.2	N	7.8	8.1	
7	28.9	33.7	23.6	19.9	0			42	11.7	49.0	NNE	6.2	8.1	
8	27.9	34.7	23.3	21.0	0			46	14.1	49.0	N	3.2	7.9	
9	26.6	30.6	22.4	21.2	0			58	15.1	49.6	SSW	2.4	6.3	
10	27.1	32.0	22.6	23.1	0			62	16.3	50.3	S	2.3	4.9	1
11	28.3	33.5	24.1	22.4	0			58	16.4	50.3	S	2.2	6.4	1
12	29.4	35.0	24.7	21.6	0			54	13.9	49.2	SSE	2.5	7.4	1
13	30.0	36.2	26.3	22.8	0			51	16.1	45.8	S	2.4	8.1	1
14	29.4	34.5	24.4	22.1	0			51	15.2	43.0	SSW	5.0	9.9	1
15	26.8	30.9	23.1	20.6	0			51	14.2	47.1	SSE	3.1	9.2	1
16	27.5	33.4	23.4	20.9	0			53	14.0	49.0	SSW	3.6	6.8	1
17	26.5	32.3	23.3	20.7	0	9.3	0.63	56	13.8	49.2	NW	1.6	6.5	1
18	27.4	33.0	22.2	21.5	0			58	14.9	48.2	SSW	1.5	6.1	1
19	29.0	35.4	22.9	20.9	0			47	13.2	49.3	N	2.5	6.8	1
20	28.3	32.9	24.0	20.6	0			45	12.0	51.1	NNE	6.7	7.7	2
21	28.1	33.7	23.3	21.4	0			49	14.1	49.3	NNW	4.8	7.2	2
22	29.0	36.1	23.5	21.6	0			50	14.1	46.4	NNW	2.5	6.5	2
23	27.4	33.3	23.2	21.3	0			57	14.5	43.9	S	3.1	6.0	2
24	27.7	33.6	22.8	19.8	0			49	12.0	44.4	WSW	3.5	8.2	2
25	26.0	31.4	22.1	19.8	0			56	13.3	48.7	NNE	5.7	5.5	2
26	25.8	32.0	20.6	20.2	0			50	13.7	49.3	SW	1.5	6.3	2
27	26.6	33.4	21.3	20.9	0			56	14.6	47.6	SSW	1.4	5.8	2
28	26.8	32.2	22.3	20.2	0			55	13.5	46.4	SSW	2.1	6.1	2
29	26.5	32.0	22.0	20.5	0			57	14.1	46.5	SW	2.0	6.4	2
30	27.7	33.0	22.7	20.8	0			53	13.5	48.2	SSE	2.6	6.5	3
31	28.4	32.2	23.9	21.0	0			49	13.7	48.1	SSW	3.0	7.5	3
Sum					0	9.3	0.63	-			NNE		230.8	S
Avg.	28.2	33.6	23.6	21.0				50	13.6	748.2	(6)	3.6	7.5	A

r : 1938 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
12.5	0.3	8	8	28.8	39.8	30.4	29.3	27.7	26.0		1
11.9	1.0	7	8	29.0	43.7	31.0	29.7	27.8	26.1		2
12.0	1.3	7	8	27.8	40.3	30.9	29.7	27.7	26.3		3
11.9	1.7	7	8	33.7	40.3	30.9	29.7	28.0	26.3		4
11.9	0.3	6	8	27.1	37.9	30.8	29.7	27.8	26.3		5
11.5	1.3	6	7	26.8	38.8	30.5	29.7	27.9	26.4		6
11.8	0.3	7	8	27.1	29.3	30.4	29.5	28.0	26.5		7
11.4	2.0	6	7	27.3	34.6	30.2	29.5	28.1	26.5		8
11.4	1.0	7	7	26.3	35.9	29.8	29.2	28.1	26.4	D°	9
11.6	2.0	6	7	26.4	37.6	29.5	29.0	28.0	26.4		10
11.8	0.3	6	7	26.3	36.7	29.5	28.9	27.9	26.4		11
11.1	0.0	9	8	28.9	39.0	29.7	28.9	27.9	26.4	D D°	12
10.7	0.7	7	7	27.2	36.0	29.8	29.1	27.9	26.4	D°	13
10.6	0.7	7	7	27.3	36.5	29.9	29.1	27.8	26.4		14
11.8	0.7	8	8	26.0	36.6	29.5	29.0	27.9	26.3		15
11.3	2.3	7	8	28.0	36.9	29.2	28.8	27.8	26.4		16
10.1	1.7	8	6	24.4	33.4	29.0	28.6	27.7	26.4	◍² R¹⁻² D°	17
11.7	1.3	8	7	26.5	31.5	28.0	28.0	27.4	26.3		18
11.5	2.0	7	8	26.0	34.2	28.4	27.8	27.1	26.3		19
11.2	0.7	6	8	--	35.6	28.7	27.9	27.0	26.2		20
11.6	1.3	8	8	27.5	38.7	29.0	28.2	27.1	26.2		21
11.5	0.3	6	7	27.4	38.1	29.4	28.5	27.2	26.2		22
11.1	1.3	6	7	26.9	35.6	29.5	28.7	27.4	26.2		23
11.5	0.3	6	8	26.7	37.2	29.2	28.6	27.4	26.2		24
8.1	3.7	8	8	24.1	31.6	29.0	28.4	27.6	26.3		25
11.5	0.7	8	7	25.1	32.9	28.4	28.2	27.3	26.2		26
8.8	2.7	8	7	26.4	30.9	28.2	28.0	27.2	27.2		27
10.3	1.7	7	7	25.4	30.8	28.1	27.9	27.1	26.1		28
11.1	0.0	7	8	25.7	34.3	27.9	27.8	27.0	26.0		29
10.5	0.0	8	8	25.7	33.9	28.0	27.7	26.9	26.0		30
10.6	0.0	7	7	27.9	34.1	28.2	27.5	26.9	26.0		31
346.3										◍1, R1, D4.	
	1.1	7.1	7.5	27.0	36.2	29.4	28.7	27.6	26.3		

Year : 1938 Month : Septemb

Date	Air temperature (°C)				Precipit.			Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	28.1	35.4	22.9	20.6	0			46	12.7	747.1	WSW	2.8	8.8
2	27.3	32.5	23.5	18.4	0			37	10.0	48.5	WNW	3.8	8.5
3	27.0	33.8	23.0	20.3	0			47	12.9	50.9	N	3.6	6.3
4	26.3	33.3	21.0	19.3	0			48	12.4	50.6	NNE	3.2	6.2
5	26.0	32.0	22.2	20.3	0			56	13.9	48.7	S	2.2	5.7
6	26.0	31.1	22.3	20.0	0			57	13.5	48.7	SSE	3.0	6.3
7	25.8	30.3	21.7	20.4	0			55	14.2	49.6	S	2.6	5.8
8	25.2	30.7	21.3	19.6	0			55	13.1	51.9	S	1.9	5.9
9	26.1	32.5	20.8	19.9	0			54	13.0	52.8	SSW	2.0	5.3
10	27.1	33.2	21.8	19.5	0			43	11.5	53.7	NNE	4.8	7.2
11	26.7	32.6	22.3	20.3	0			51	14.0	52.2	SSW	2.1	5.8
12	27.8	33.1	24.3	20.0	0			47	12.2	49.3	NW	4.1	7.1
13	25.2	30.8	21.2	18.0	0			49	10.7	50.0	NE	4.0	5.5
14	21.9	25.6	19.0	16.5	0	0.0	0.13	54	10.5	51.4	N	7.3	5.0
15	23.1	28.5	18.0	17.5	0			54	11.2	49.5	SSE	3.4	4.8
16	21.1	23.3	21.8	18.3	0	25.6	6.57	75	14.1	46.9	WSW	2.2	2.9
17	21.9	27.0	18.5	18.0	0			66	12.6	50.7	NNE	5.1	3.5
18	29.4	23.6	17.1	14.9	0			61	9.8	54.8	NNE	8.0	4.2
19	18.6	23.6	15.3	14.1	0			54	8.8	57.2	NNE	6.0	4.2
20	19.8	26.6	14.4	14.8	0			53	8.7	51.0	SSW	0.8	4.2
21	20.3	25.3	16.3	16.3	0			62	11.0	51.2	SSW	1.1	3.8
22	19.4	25.7	16.9	17.0	0	2.8	2.55	71	12.3	52.1	N	2.2	2.9
23	19.2	25.7	14.7	15.5	0	0.1	0.17	67	10.4	52.9	N	2.0	2.7
24	19.9	25.2	15.5	16.4	0			62	11.0	54.0	N	3.5	10.4
25	19.2	23.1	15.5	15.6	0	0.8	1.25	67	10.6	54.7	N	5.6	3.3
26	19.7	24.0	15.8	14.8	0			57	9.9	55.6	N	6.0	4.2
27	19.0	23.0	17.1	14.2	0			56	8.9	58.2	N	8.1	4.9
28	18.5	23.4	15.1	13.6	0			54	8.3	59.5	NNE	8.2	4.4
29	19.0	26.0	14.7	14.3	0			54	9.0	59.7	N	3.6	4.4
30	19.1	25.5	12.6	14.5	0			55	9.3	58.4	SSW	1.4	4.3
Sum					0	29.3	10.72				NNE		158.5
Avg.	22.8	28.2	18.9	17.4				56	11.4	752.2	(6)	3.8	5.3

ar : 1938 Month : September

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	10.8	0.0	5	6	26.5	33.5	28.3	27.8	26.9	25.9		1
2	11.0	0.3	8	8	26.3	33.3	28.2	27.8	26.9	25.9		2
3	7.9	2.0	5	8	26.8	34.4	28.1	27.7	26.7	25.9		3
4	10.3	0.3	7	8	26.5	35.1	27.8	27.5	26.7	25.9		4
5	10.0	0.0	7	7	26.6	34.6	27.8	27.6	26.8	25.8		5
6	9.9	3.0	7	6	25.4	31.9	27.6	27.4	26.7	25.8		6
7	11.1	3.7	6	6	25.6	31.1	27.3	27.2	26.6	25.8		7
8	10.4	0.3	6	6	25.5	31.3	27.1	27.0	26.5	25.7		8
9	10.7	2.7	6	6	25.2	31.3	27.0	26.8	26.4	25.6		9
0	11.1	0.0	5	8	25.6	33.3	27.1	26.7	26.1	25.6		10
1	9.1	3.3	6	7	26.2	34.8	27.2	26.9	26.4	25.6		11
2	9.4	6.3	5	7	26.2	32.6	27.4	27.0	26.2	25.5		12
3	8.7	4.0	6	7	25.6	32.6	27.5	27.0	26.2	25.5		13
4	8.6	3.7	7	8	20.3	27.3	26.7	26.7	26.2	25.5	◍°	14
5	10.4	2.7	7	7	23.5	28.8	25.8	26.1	26.0	25.4		15
6	1.2	6.7	4	4	18.7	19.5	25.2	25.5	25.5	25.2	◍¹ R¹	16
7	10.3	5.3	8	7	23.2	22.8	24.0	24.6	25.0	25.0		17
8	10.2	2.7	7	8	22.1	22.0	23.4	23.8	24.4	25.6		18
9	10.4	3.0	7	8	20.1	22.0	22.9	23.4	23.9	24.3		19
0	10.4	1.7	8	8	20.4	25.6	22.7	23.1	23.8	24.1		20
1	8.4	3.0	8	7	20.1	23.3	23.0	23.2	23.6	24.0		21
2	4.2	6 3	7	6	19.4	22.5	22.8	23.0	23.4	23.7	◍¹ R¹ ⩘¹	22
3	10.0	3.7	8	8	17.6	20.1	22.3	22.6	23.2	23.6	◍°	23
4	8.8	3.3	7	7	20.5	22.6	22.2	22.5	23.0	23.4	Ω°	24
5	5.4	6.3	5	7	18.5	20.0	22.2	22.3	22.7	23.2	◍¹	25
6	9.5	1.7	5	7	20.8	23.3	21.8	22.1	25.6	23.1		26
7	7.6	3.0	5	7	19.5	23.3	21.9	22.0	22.4	22,9		27
8	8.1	2.7	6	7	20.0	24.0	21.6	21.8	21,9	22,7		28
9	9.6	2.3	6	8	20.2	24.8	21.5	21.8	22,2	22,7		29
0	9.0	3.7	7	7	17.9	23.1	21.5	21.8	22.2	22,6		30
um	272.5										◍5, R2, Ω1.	
vg.		2.8	6.4	7.0	22.7	27.5	25.0	25.0	24.9	24.7		

Year : 1938 Month : October

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met. P.s.)	Total evaporation (mm) (4)(7)
1	20.7	25.7	16.2	16.6	0	.5	12 0	64	11.2	756.5	SSW	1.2	3.4
2	21.8	29.3	16.8	16.8	I			56	10.7	55.1	NNW	2.3	4.2
3	21.7	27.1	18.0	17.0	0			51	11.4	54.3	SSW	1.4	4.0
4	21.7	26.3	18.1	18.4	0			70	13.2	54.8	S	1.8	3.1
5	22.5	27.2	18.5	19.2	0			69	14.2	54.1	SE	1.8	3.7
6	22.9	27.7	19.5	18.5	0			67	12.8	52.6	S	1.7	3.8
7	22.9	28.9	19.4	19.3	0	1.5	0.39	64	14.1	58.8	N	2.1	3.1
8	22.5	28.2	18.3	18.3	0			63	12.7	53.0	N	2.6	3.9
9	22.8	28.0	18.5	16.3	0			50	9.6	53.0	NNE	2.6	4.6
10	20.4	28.0	16.6	15.2	0			50	9.4	55.6	NNE	2.1	5.0
11	21.0	26.5	15.7	15.6	0			47	9.4	55.6	SSW	1.2	4.7
12	21.6	29.1	16.6	16.2	0			51	10.2	55.6	N	1.7	5.1
13	22.5	29.6	18.4	16.3	0			52	9.5	55.7	NNE	4.6	5.0
14	20.7	26.2	17.3	15.8	0			56	10.2	54.7	NNE	3.9	4.5
15	20.9	27.3	16.1	16.3	0			56	10.3	53.5	NNE	3.6	4.2
16	21.6	28.2	17.1	16.2	0			50	9.7	54.1	NNE	5.1	5.3
17	21.6	27.5	16.6	15.0	0			46	8.4	55.3	N	5.0	5.7
18	20.8	26.9	16.6	15.5	0			52	9.6	54.8	NNE	3.5	4.8
19	19.9	26.9	14.4	14.8	0			54	9.1	53.1	SW	1.2	4.4
20	20.0	24.9	15.3	17.5	0			70	12.6	50.2	SSW	1.2	3.1
21	17.7	23.6	17.0	14.8	0	7.7	12.50	76	11.6	47.3	N	2.7	2.6
22	11.0	14.0	9.2	8.5	7	10.3	5.39	74	6.8	43.7	NW	6.8	1.8
23	13.4	17.6	9.1	9.1	5	-		48	5.6	48.9	W	3.8	3.9
24	13.6	17.0	11.1	12.1	4	18.0	8.10	80	9.8	51.6	N	2.8	3.3
25	15.0	20.0	10.9	22.7	3	1.7	2.83	78	9.5	52.6	NNW	0.8	2.1
26	17.0	19.2	11.7	15.1	1	0.0	0.05	80	11.4	55.0	SSE	3.3	1.9
27	20.9	23.9	15.7	19.0	0			80	14.7	53.2	SSE	5.5	3.1
28	21.5	23.5	18.1	19.0	0	0.3	1.25	75	14.8	51.6	SSE	7.9	4.7
29	21.1	24.7	18.4	18.0	0	0.0	0.32	71	13.4	50.4	SSE	4.0	4.1
30	20.3	23.9	17.4	17.8	0	0.0	0.08	79	13.7	49.0	SSE	3.3	2.8
31	16.4	20.9	15.8	14.8	2	36.6	2.08	76	11.3	48.3	ESE	2.6	2.2
Sum					22	76.1	32.99				NNE	-	118.1
Avg.	19.9	25.1	16.1	16.0				64	11.0	752.8	(6)	3.0	3.8

r : 1938 Month : October

	Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	8.2	2.7	7	7	20.6	24.6	21.9	22.0	22.3	22.6		1
2	7.5	5.3	6	8	22.7	28.0	22.2	22.1	22.1	22.5		2
3	6.4	5.3	6	7	19.8	24.4	22.5	22.4	22.3	22.5		3
4	9.5	2.3	6	7	21.7	25.8	22.7	22.6	22.5	22.5	Ω^{0-1}	4
5	7.2	5.0	7	8	22.3	25.9	22.8	22.7	22.5	22.5	Ω^{1-2}	5
6	9.7	1.7	7	8	22.4	25.7	22.9	22.7	22.6	22.5		6
7	7.3	5.3	7	7	22.3	25.9	23.0	22.8	22.6	22.5	$\mathbb{O}^{1}$ Ω^{1}	7
8	6.3	4.3	6	7	21.9	24.6	22.7	22.6	22.6	22.5		8
9	9.4	4.3	6	8	23.2	27.9	22.7	22.6	22.5	22.4	Ω^{0}	9
10	9.8	2.0	6	8	20.2	26.1	22.8	22.7	22.5	22.4		10
11	9.9	0.0	6	6	19.6	23.8	22.4	22.5	22.4	22.4		11
12	9.8	0.0	7	7	19.5	20.4	22.4	22.4	22.5	22.3	Ω^{0}	12
13	10.1	1.3	6	8	21.2	26.8	22.5	22.4	22.4	22.3	Ω^{0-1}	13
14	9.7	1.3	6	8	19.9	24.5	22.5	22.5	22.4	22.3		14
15	9.6	1.3	7	9	19.6	24.8	22.3	22.4	22.4	22.3		15
16	9.4	0.3	6	7	18.7	24.9	22.2	22.3	22.3	22.2		16
17	9.5	0.0	5	8	19.8	23.9	22.2	22.3	22.2	22.2		17
18	9.3	0.3	6	8	17.9	23.8	22.0	22.3	22.2	22.2		18
19	9.5	0.0	5	7	18.1	22.9	21.7	22,0	22.2	22.1	Ω^{0}	19
20	9.2	0.0	5	6	19.9	23.7	21.6	21.9	22.2	22.0	Ω^{0}	20
21	2.8	8.3	6	6	17.6	20.5	21.4	21.7	21.9	21.9	$\mathbb{O}^{1-2}$ $\top^{0}$ $\leftarrow^{1-2}$ Ω^{1}	21
22	8.0	3.7	8	8	13.7	15.6	19.8	20.6	21.4	21.8	$\mathbb{O}^{1-2}$ $\mathbb{R}^{1}$ $\leftarrow^{1}$ Ω^{0}	22
23	7.5	2.3	8	8	11.3	10.9	18.4	19.4	20.7	21.3		23
24	0.0	9.7	5	4	12.6	12.0	17.6	18.7	20.2	21.0	$\mathbb{O}^{0}$ $\top^{0}$	24
25	5.4	6.3	7	8	13.9	14.3	17.4	18.5	19.8	20.7	$\mathbb{O}^{0-1}$ $\top^{0}$ Ω^{0}	25
26	0.0	9.7	7	6	15.9	15.2	17.8	18.5	19.6	20.5	$\mathbb{O}^{0}$	26
27	1.0	4.7	5	7	18.8	19.2	18.6	18.9	19.7	20.3	$\leftarrow^{1}$ Ω^{2}	27
28	0.1	9.0	6	7	18.8	18.4	19.4	19.4	19.7	20.3	$\mathbb{O}^{0}$	28
29	0.2	6.7	7	7	19.0	19.5	19.6	19.6	19.9	20.3	$\mathbb{O}^{0}$ Ψ^{0}	29
30	4.7	5.7	6	7	18.2	19.3	19.9	19.8	19.9	20.3	$\mathbb{O}^{0}$ $\mathbb{R}^{0}$ $\leftarrow^{1}$ Ω^{1}	30
31	3.2	4.3	7	7	14.4	14.3	18.9	18.3	16.4	19.2	$\mathbb{O}^{2}$ $\mathbb{R}^{1-2}$ $\cap^{1}$ Ω^{1-2}	31
m	210.2										$\mathbb{O}$10, $\mathbb{R}$6, $\leftarrow$1, $\cap$1,	
g.		3.6	6.3	7.2	18.9	21.9	21.2	21.3	21.5	21.8	Ψ1, Ω14.	

Year : 1938 Month : Novemb

Date	Air temperature (°C)				Degree days (base 18°)	Precipit		Average of		Avg. Pressure at 0°C (mm)	(1) Wind (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	16.5	18.7	12.9	14.9	1	3.7	1.65	78	11.7	748.6	SSE	3.1	1.9
2	16.6	20.3	13.3	14.7	1	11.3	3.00	70	10.9	48.1	S	1.5	2.2
3	16.7	21.9	13.2	13.5	1	1.3	1.22	68	9.1	51.3	WSW	0.6	2.1
4	15.5	20.8	11.9	12.1	2			64	8.2	55.9	NE	1.6	2.6
5	15.2	20.4	11.4	11.7	3			59	7.6	53.0	SW	1.3	2.9
6	17.8	21.4	13.5	13.2	0			54	8.5	48.2	NW	4.8	3.6
7	14.0	18.9	12.5	9.7	0			58	6.6	52.9	NNE	6.5	4.4
8	15.0	20.8	9.7	12.1	3			65	8.2	54.4	N	2.5	2.3
9	15.6	23.2	10.8	13.0	2			69	9.3	54.7	NE	1.3	2.2
10	16.0	21.6	11.2	12.4	2			63	8.2	58.2	N	2.0	2.6
11	16.3	19.2	12.9	12.0	2			65	8.2	60.0	N	7.3	3.2
12	13.5	18.7	10.0	11.0	4			68	7.8	59.6	N	5.3	2.2
13	13.5	15.5	10.9	10.0	4			60	6.4	61.4	N	7.7	3.1
14	13.0	14.2	11.7	9.9	5	0.0	0.50	65	7.1	61.7	N	7.8	2.6
15	13.1	16.4	11.3	9.6	5			60	7.0	61.3	N	8.2	3.5
16	12.4	17.4	10.2	9.6	6			64	6.8	59.5	N	1.5	2.1
17	11.9	17.6	7.3	9.0	6			65	6.7	56.7	SW	0.4	2.1
18	13.7	18.8	8.8	11.9	4			75	9.1	55.0	SSW	0.9	1.6
19	13.9	16.9	11.1	11.3	4	0.0	0.45	70	8.1	56.5	N	3.5	1.8
20	13.9	19.2	10.8	11.5	4			73	8.7	58.4	S	1.2	1.9
21	13.7	15.6	10.9	11.6	4	0.0	1.53	76	8.8	59.4	N	1.5	1.3
22	16.5	19.2	12.5	14.6	1	0.0	0.02	77	11.0	54.3	SSE	4.6	2.2
23	16.2	18.6	14.4	14.1	2	12.1	5.72	79	20.5	48.0	SSE	8.6	3.1
24	11.5	14.2	10.2	9.6	6	5.3	3.92	77	8.2	50.5	WNW	3.2	1.5
25	13.7	19.2	10.0	12.2	4	0.0	0.07	76	9.0	54.9	NW	2.3	1.4
26	13.9	19.8	9.7	11.8	4			75	8.8	56.7	N	1.0	1.6
27	13.3	15.5	11.0	10.9	5			75	8.3	57.6	NNE	4.1	1.5
28	13.5	15.4	11.7	11.2	4			74	8.4	56.9	NNW	0.4	1.3
29	13.6	16.1	12.5	11.4	4			75	8.8	54.0	ENE	1.4	1.4
30	14.6	18.8	12.6	13.5	3	20.2	6.58	86	10.8	54.0	NNE	1.2	1.1
Sum					96	53.9	24.66				N		67.3
Avg.	14.5	18.5	11.4	11.8				70	8.6	755.3	(6)	3.2	2.2

: 1938 Month : November

Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (2)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
0.1	8.3	7	7	14.8	14.9	16.7	16.7	16.8	18.1	◍^{2} ≋^{1}	1
3.7	9.0	7	7	15.1	15.1	17.4	17.2	17.4	18.4	◍$^{1-2}$ ≋^{1} ≺^{1} ⊕^{0}	2
8.3	[illegible]	5	6	15.2	15.4	17.2	17.2	17.6	18.5	◍$^{0-1}$ ≋ Ω^{0}	3
8.4	2.0	5	8	14.0	15.3	17.0	17.2	17.7	18.6	Ω$^{0-1}$	4
4.3	7.3	8	8	13.8	14.3	16.6	17.0	17.7	18.5	Ω$^{1-2}$	5
3.5	8.0	6	7	14.9	15.5	16.5	17.0	17.7	18.6	∈$^{1-2}$ Ω^{0}	6
7.3	7.0	6	8	11.7	12.8	16.5	16.9	17.5	18.5		7
8.9	2.0	5	8	12.3	14.1	16.1	16.6	17.3	18.4	Ω$^{0-1}$	8
7.4	2.7	5	7	13.3	15.0	16.3	16.7	17.3	18.3	Ω^{1}	9
7.8	0.3	4	6	12.9	14.3	16.5	16.7	17.3	18.3	Ω^{1}	10
7.9	1.0	5	7	14.2	14.3	16.5	16.8	17.3	18.2		11
6.7	2.7	7	8	12.0	13.3	16.2	16.6	17.2	18.1	Ω^{0}	12
1.7	8.0	5	7	11.5	12.0	15.9	16.4	17.0	18.0		13
0.0	6.0	6	7	10.5	11.0	15.6	16.1	16.9	17.9	◍^{0}	14
8.1	3.3	5	8	11.6	13.1	15.3	16.2	16.7	17.7		15
5.3	4.7	6	8	12.1	13.4	15.1	15.7	16.5	17.7		16
7.8	0.3	4	6	9.6	11.7	14.6	15.4	16.4	17.5	Ω^{2}	17
7.7	5.0	5	7	12.2	13.3	14.7	15.4	16.3	17.4	Ω$^{1-2}$	18
0.0	9.3	7	7	12.1	13.6	15.2	15.6	16.4	17.4	◍^{0}	19
7.5	3.0	5	7	12.1	14.0	15.2	15.6	16.3	17.3	Ω^{1}	20
0.1	8.3	6	6	10.8	11.8	15.5	15.6	16.3	17.2	◍^{0} Ω^{0}	21
3.2	6.3	6	7	14.8	15.5	15.6	15.9	16.4	17.2	◍^{0}	22
0.0	10.0	7	7	15.0	13.5	16.2	16.3	16.6	17.3	◍^{0} ≋^{1} ≺$^{1-2}$	23
2.4	4.3	7	8	11.3	10.1	15.2	15.7	16.3	17.2	◍$^{1-2}$ Ω$^{1-2}$	24
3.1	4.3	8	8	12.4	13.3	14.7	15.4	16.2	17.1	◍^{0} Ω^{1}	25
6.4	1.7	5	8	11.9	13.1	14.6	15.3	16.0	17.0	Ω$^{1-2}$	26
0.7	9.7	7	7	11.4	11.2	14.7	15.2	16.0	16.9	Ω^{1}	27
0.0	9.3	6	6	12.4	12.2	14.7	15.2	15.9	16.8		28
0.0	9.0	8	7	11.6	11.5	14.8	15.2	15.9	16.8	∈$^{0-1}$	29
3.5	5.7	8	7	13.5	13.2	14.5	15.3	15.9	16.7	◍^{2} ≋$^{1-2}$ Ω^{1}	30
131.8										◍11, ≋5, ∈2, ⊕1, Ω17.	
	5.2	6.0	7.2	12.7	13.4	15.7	16.1	16.8	17.7		

Year : 1938 Month : Decembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	15.5	20.0	12.5	14.8	2	3.4	1.47	88	11.6	753.9	NNE	0.6	0.6
2	15.6	18.2	13.4	14.8	2	17.6	22.50	84	11.6	48.0	E	5.0	1.4
3	14.1	17.6	12.1	12.6	4	7.2	2.58	80	9.8	45.5	N	1.6	1.2
4	14.9	19.4	11.6	13.4	3	0.0	0.05	79	10.2	46.9	S	2.2	1.6
5	14.5	18.6	13.0	11.7	3	0.5	0.93	72	8.7	46.2	SSE	2.4	2.1
6	12.2	14.7	11.2	10.8	6	19.5	6.67	84	8.8	46.9	NNE	5.0	1.1
7	12.2	15.0	10.5	10.9	6	2.1	3.92	83	8.8	49.3	N	1.0	0.7
8	10.9	13.8	9.4	9.4	7	11.7	3.92	84	8.0	51.0	N	5.1	0.9
9	10.6	14.2	8.1	8.4	7			70	6.8	55.6	NNE	4.4	1.7
10	11.0	15.5	7.1	8.6	7			69	7.0	56.7	NNE	3.0	1.7
11	11.3	14.2	9.1	9.6	7	0.3	3.58	76	7.5	56.4	N	2.1	1.2
12	11.0	13.0	10.5	8.4	7	4.4	3.67	71	6.6	59.1	N	7.1	2.0
13	10.1	12.8	9.2	7.9	8	0.0	1.17	72	6.6	59.7	NNE	6.8	1.8
14	9.5	12.5	7.7	6.5	8			64	5.5	57.5	NNE	7.0	2.2
15	8.3	11.1	6.0	6.6	10	0.0	2.00	76	6.3	55.0	N	1.3	1.2
16	9.2	12.2	7.5	6.9	9			69	5.8	53.9	N	4.9	1.5
17	10.3	12.4	8.8	9.4	8	0.0	0.83	81	8.0	52.4	N	0.4	0.9
18	10.0	13.4	7.5	9.1	8	0.1	1.75	85	7.9	52.4	N	2.7	0.7
19	9.8	11.5	8.5	9.4	8	23.4	14.17	89	8.0	48.2	N	4.9	0.6
20	10.0	14.3	5.8	9.6	8			79	7.4	51.9	NW	0.9	1.1
21	13.4	15.4	6.1	12.1	5	0.0	0.45	83	9.5	50.5	SE	4.4	0.7
22	12.9	15.8	11.1	9.9	5	8.1	1.83	70	7.1	47.8	WSW	5.7	3.6
23	13.2	17.3	7.1	10.5	5	0.0	0.17	67	7.7	49.7	SE	2.9	2.3
24	14.6	16.2	8.9	12.1	3	12.1	5.17	72	8.8	47.2	SE	10.3	4.0
25	12.3	16.6	9.1	9.6	6			68	7.4	50.6	S	1.0	2.8
26	11.8	15.7	9.1	9.0	6			70	6.6	49.9	SW	1.8	2.3
27	10.2	12.8	7.6	8.4	8	0.0	0.67	76	7.2	50.6	N	0.3	1.2
28	8.9	10.6	7.2	7.8	9	7.1	5.67	86	7.2	44.1	N	1.1	0.6
29	8.7	11.8	6.2	7.3	9	0.6	2.25	81	6.8	42.4	NE	3.6	0.9
30	10.2	13.8	6.4	8.0	8	0.9	3.17	75	6.6	40.0	SW	1.5	1.4
31	9.2	13.3	5.4	6.8	9			66	5.7	43.2	WSW	2.8	2.0
Sum					201	11.9	88.59				N		48.0
Avg.	11.5	14.6	8.8	9.7				76	7.8	750.3	(6)	3.4	1.6

ar : 1938 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.1	9.7	7	5	14.6	14.3	15.0	15.4	15.9	16.7	●0 Ω2	1
2	0.0	9.3	7	6	13.0	13.1	15.5	15.7	16.0	16.6	●0-1	2
3	3.6	6.3	7	8	12.8	13.9	15.3	15.4	16.0	16.5	●0-1 Ω2	3
4	6.0	6.7	7	9	13.4	14.2	15.0	15.4	15.9	16.5	●0 Ψ1 Ω1	4
5	5.8	8.7	8	7	12.7	13.2	15.0	15.4	15.9	16.5	●0 ≺1-2	5
6	0.0	9.7	7	6	11.6	11.7	14.7	15.2	15.7	16.4	●1 ∩1	6
7	0.0	8.7	7	8	11.0	11.3	14.2	14.9	15.6	16.4	●0 ≺0 Ψ0 Ω1-2	7
8	0.2	7.7	5	5	8.8	8.8	13.8	14.4	15.3	16.2	●1 ⋜0	8
9	4.4	6.3	7	8	8.8	9.3	13.2	14.0	15.0	16.0	Ω0-1	9
10	4.3	5.3	7	8	8.8	9.3	12.8	13.7	14.8	15.9	Ω0-1	10
11	0.0	9.3	7	7	9.8	-	12.8	13.6	14.6	15.8	●0	11
12	6.0	6.0	7	7	8.7	9.6	12.8	13.6	14.5	15.6	●1	12
13	4.2	7.0	7	7	9.4	8.6	12.5	13.4	14.3	15.5	●0	13
14	5.3	7.7	7	7	8.1	8.3	12.2	13.0	14.1	15.3		14
15	0.3	9.3	7	7	5.7	6.7	11.6	12.6	13.9	15.2	●0 Ω0-1	15
16	1.7	9.0	6	7	8.4	9.3	11.6	12.6	13.7	15.0		16
17	0.0	7.7	5	4	9.4	8.8	11.5	12.6	13.7	14.9	●0	17
18	0.2	7.7	6	6	9.1	8.8	11.8	12.5	13.6	14.8	●0 Ω2	18
19	0.0	10.0	5	5	9.1	8.9	11.9	12.6	13.5	14.7	●2	19
20	4.7	7.3	5	7	8.6	9.1	11.6	12.4	13.4	14.6	Ω2	20
21	0.2	9.0	7	7	11.3	11.1	12.1	12.7	13.5	14.5	●0 Ω1	21
22	6.8	3.0	6	8	10.5	11.4	12.7	13.0	13.6	14.6	●0 ⋜0-1	22
23	6.9	5.0	7	7	10.9	11.1	12.2	12.8	13.5	14.4	●0	23
24	0.0	5.7	6	6	12.1	11.4	12.9	13.1	13.6	14.4	●1-2 ⋜1-2	24
25	8.3	2.0	7	7	9.2	10.3	12.5	13.0	13.5	14.3	Ω1-2	25
26	6.8	4.0	6	8	10.2	12.3	12.5	12.9	13.5	14.3	Ω0	26
27	0.2	8.7	4	4	8.1	7.7	11.8	12.5	13.3	14.2	●0 Ω0-1	27
28	0.0	6.3	5	5	7.5	7.1	11.4	12.2	12.9	14.1	●0-1 Ω2	28
29	1.9	8.7	8	6	7.3	7.3	11.1	11.9	12.9	13.9	●0-1 Ω2	29
30	7.5	6.0	7	7	8.2	9.3	11.3	11.9	12.8	13.9	● ∩0 Θ0-1 Ω2	30
31	7.3	5.3	6	8	6.3	7.9	10.9	11.7	12.6	13.8	≺1 Ω1-2	31
Sum	92.7										●23, ⋜3, ≺3, Ψ2, Θ1, ∩2, Ω17.	
Avg.		7.2	6.5	6.7	9.8	10.1	12.8	13.4	14.2	15.2		

YEAR : 1938

Month	Air temperature (°C)							Degree days (1) (base 18°C)	Average of			Sunshine hrs	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date		Wet bulb tempr. (3)	Relative humid.(%) (3)	Vapor pressure (mm) (3)	Total	Possible (9)
JAN.	9.2	13.1	6.4	17.7	28	0.3	8	269	7.0	71	6.2	131.9	303.
FEB.	8.5	12.0	5.9	17.4	16	-0.3	10.25	261	6.2	69	5.8	126.6	300.
MAR.	11.2	15.8	7.7	20.6	19	1.8	2	208	8.5	64	6.5	210.5	368.
APR.	13.9	18.4	10.3	23.6	2	4.7	13	123	11.2	68	8.0	187.2	393.
MAY	19.8	24.6	15.4	29.9	17	12.4	14	2	15.3	58	9.9	314.8	438.
JUNE	25.6	31.3	20.5	37.2	24	16.9	19	0	18.4	44	10.9	357.9	439.
JULY	28.7	34.6	23.8	40.7	10	20.7	6	0	20.8	44	12.9	369.8	446.
AUG.	28.2	33.6	23.6	36.6	2	20.6	26	0	21.0	50	13.6	346.3	418.
SEP.	22.8	28.2	18.9	35.4	1	12.6	30	0	17.4	56	11.4	272.5	370.
OCT.	19.9	25.1	16.1	29.6	13	9.1	23	22	16.0	64	11.0	210.2	344.
NOV.	14.5	18.5	11.4	23.2	9	7.3	17	96	11.8	70	8.6	131.8	301.
DEC.	11.5	14.6	8.8	20.0	1	5.4	31	201	9.7	76	7.8	92.7	294.
YEAR	17.8	22.5	14.1	40.7	July 110	-0.3	Feb. 10.25	1182	13.6	61	9.4	2752.2	4421.

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11)		Average soil temperature (°C)(3)						Minimum ≦ 0°C (frost days)	Number of days(4)			
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					Maximum ≦ 0°C (ice days)	Maximum ≧ 25.0°C (summer days)	Maximum ≧ 30.0°C (Tropical days)	Minimum ≧ 20.0°C
				Green	Bare	30	60	90	120					
JAN.	6.1	6.6	7.3	8.1	8.6	9.9	10.5	11.2	12.4	0	0	0	0	0
FEB.	6.2	6.6	6.8	7.5	8.7	9.7	10.2	10.8	11.7	2	0	0	0	0
MAR.	4.5	6.4	6.9	11.3	14.4	11.8	11.8	11.8	12.1	0	0	0	0	0
APR.	6.0	7.0	7.1	13.6	17.7	14.7	14.5	14.1	14.2	0	0	0	0	0
MAY	3.5	7.0	7.0	21.0	28.9	20.7	19.7	18.5	17.5	0	0	13	0	0
JUNE	1.0	6.8	7.3	24.9	37.0	26.4	25.3	23.5	21.9	0	0	30	16	16
JULY	1.0	7.0	7.4	27.1	38.5	29.6	28.6	26.9	25.2	0	0	31	31	31
AUG.	1.1	7.1	7.5	27.0	36.2	29.4	28.7	27.6	26.3	0	0	31	31	31
SEP.	2.8	6.4	7.0	22.7	27.5	25.0	25.0	24.9	24.7	0	0	23	13	14
OCT.	3.6	6.3	7.2	18.9	21.9	21.2	21.3	21.5	21.8	0	0	19	0	0
NOV.	5.2	6.0	7.2	12.7	13.4	15.7	16.1	16.8	17.7	0	0	0	0	0
DEC.	7.2	6.5	6.7	9.8	10.1	12.8	13.4	14.2	15.2	0	0	0	0	0
YEAR	4.0	6.6	7.1	17.0	21.9	18.9	18.8	18.5	18.4	2	0	147	91	92

YEAR : 1938

Month	Average Pressure at 0°C (mb) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm) (4)(7)	Number of days							
		Avg. speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
M.	751.0	3.3	NW	34.9	15,0	23	61.3	11	0	1	5	0	14	15	6
B.	54.4	4.9	NE	57.4	27.6	4	60.6	11	0	4	7	2	16	11	2
R.	55.1	3.3	NE	32.2	10.6	27	86.4	10	0	0	2	0	12	11	2
R.	50.1	3.1	SSW	47.6	21.3	12	89.9	16	0	0	0	0	16	9	0
Y	51.3	3.0	S	3.7	1.6	6.10	160.9	4	0	0	0	0	4	3	0
NE	51.9	5.2	NNE	0	0	0	232.2	0	0	0	0	0	0	0	0
LY	48.8	4.3	N	10.3	10.0	20	255.2	2	0	0	0	0	2	0	0
G.	48.2	3.6	NNE	9.3	9.3	17	230.8	1	0	0	0	0	1	4	0
P.	52.2	3.8	NNE	29.3	25.6	16	158.5	5	0	0	0	0	5	1	0
T.	52.8	3.0	NNE	76.1	36.6	31	118.1	10	0	0	0	0	10	14	0
V.	55.3	3.2	N	53.9	20.2	30	67.3	11	0	0	0	0	11	17	0
C.	50.3	3.4	N	119.0	23.4	19	48.0	23	0	0	0	0	23	17	0
AR	751.8	3.7	NNE	473.7	36.6	Oct. 31	1569.2	104	0	5	14	2	114	102	10

Month	Number of days														
	Snow cover (3)	Clear (0.0-1.9 tenths) (3)	Partly cloudy 2.1-8.9 tenths) (3)	Cloudy (9.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
AN.	0	1	22	8	4	5	0	1	0	1	1	2	0	0	
EB.	0	0	18	10	1	6	2	0	0	0	3	2	2	0	
AR.	0	11	13	7	11	1	0	1	0	2	0	0	0	0	
PR.	0	6	13	11	6	2	0	0	0	3	0	0	1	0	
AY	0	10	17	3	13	1	0	1	0	1	0	1	0	0	
UNE	0	23	7	0	21	0	0	0	0	0	0	0	0	0	
ULY	0	27	4	0	26	0	2	1	0	0	0	0	0	0	
UG.	0	25	6	0	24	0	1	0	0	0	0	0	0	0	
EP.	0	8	22	0	9	0	2	0	0	0	0	0	0	0	
CT.	0	11	16	4	12	2	6	1	0	0	1	0	1	0	
OV.	0	5	17	8	3	5	5	0	0	1	2	0	0	0	
EC.	0	0	19	12	1	8	3	3	0	0	2	1	2	0	
EAR	0	127	174	63	131	30	21	8	0	8	9	6	6	0	

YEAR : 1938

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	8.4	8.2	4.3	0.4	0.4	0.3	2.0	5.9	5.6	2.0	2.2	1.1	4.2	4.3	8.7	5.2
FEB.	9.2	10.6	14.7	5.5	1.8	0.3	1.3	4.2	6.7	4.6	1.6	1.8	1.5	2.4	6.3	7.7
MAR.	4.6	11.3	12.5	4.8	0.9	0.3	0.0	0.1	6.9	6.3	2.7	1.2	2.3	1.1	2.3	5.8
APR.	5.3	5.6	5.5	1.9	1.8	1.2	0.6	6.6	10.8	10.8	4.5	2.1	3.5	2.5	4.7	5.7
MAY	4.3	5.5	2.0	2.5	0.5	0.7	2.3	2.3	18.8	12.2	4.6	9.5	3.6	1.2	3.0	5.4
JUNE	14.3	33.8	10.8	1.9	1.2	0.3	0.0	0.0	1.4	5.6	2.2	2.1	2.2	0.4	3.1	7.6
JULY	21.1	15.9	1.5	1.0	0.4	0.1	1.4	1.4	5.4	5.7	3.5	3.0	0.7	2.5	4.2	10.2
AUG.	11.4	11.6	1.4	0.7	0.7	0.4	1.5	4.9	7.8	9.4	4.6	3.9	2.3	1.9	6.7	8.0
SEP.	14.6	16.3	1.7	0.8	0.3	0.1	1.5	2.8	4.2	6.5	2.4	3.1	1.7	3.0	4.6	8.9
OCT.	9.8	10.9	2.3	0.9	0.5	0.5	4.8	8.3	3.9	6.9	2.9	1.2	2.2	2.2	4.3	4.9
NOV.	20.4	9.5	4.0	1.9	0.8	0.3	0.7	6.1	2.2	1.9	2.4	1.5	1.4	2.5	3.5	7.0
DEC.	17.7	13.5	3.8	2.6	2.0	0.7	4.1	2.5	2.2	1.4	2.8	3.2	1.4	1.5	3.5	6.9
YEAR	11.8	12.7	5.3	2.1	1.0	0.4	1.7	3.7	6.3	6.2	3.0	2.8	2.2	2.1	4.5	7.0

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8, 14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell-Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14h observation.

YEAR 1939

Year : 1939 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind ((1) (5))		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet- bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	7.1	10.4	5.8	4.3	11	10.1	4.03	65	4.8	744.7	NW	6.1	1.8	
2	7.5	12.4	2.9	3.7	10			50	3.7	54.2	NNW	2.5	2.9	
3	10.8	15.9	4.2	9.2	7			74	7.3	55.1	S	1.3	1.6	
4	12.6	15.1	7.7	11.3	5	0.3	4.00	81	8.8	52.6	SE	4.3	1.5	
5	11.7	15.3	8.8	9.0	6	0.2	-	75	7.1	51.0	S	0.8	2.0	
6	10.6	14.7	7.0	8.4	7	0.3	-	74	6.8	48.1	SSE	4.0	1.8	
7	10.6	12.4	7.2	9.4	7	15.2	-	83	8.1	43.2	SE	6.3	2.1	
8	8.4	12.2	8.5	6.5	10	9.8	-	83	6.5	45.9	W	3.9	1.0	
9	9.4	11.5	6.2	8.1	9	7.7	-	84	7.2	53.6	N	4.0	0.9	
10	10.2	15.7	5.8	8.0	8			72	6.6	56.2	SE	0.3	1.6	1
11	11.7	15.3	8.5	9.7	6			74	7.6	55.1	S	2.4	1.9	1
12	12.9	17.1	9.6	10.5	5			74	8.1	55.4	S	1.3	2.1	1
13	13.0	16.9	9.4	10.5	5			73	8.1	54.6	WSW	3.8	2.4	1
14	12.7	16.3	9.7	10.0	5			67	7.1	58.0	WSW	1.6	3.1	1
15	12.0	16.2	9.3	9.2	6			68	6.9	59.5	SW	0.6	2.5	1
16	11.9	16.8	7.9	9.7	6			73	7.6	59.6	S	0.9	1.7	1
17	11.9	16.4	7.9	10.2	6			78	8.0	57.9	SSE	1.0	1.6	1
18	12.6	16.7	8.4	11.0	5			84	9.0	55.9	S	0.2	1.2	1
19	13.4	16.8	8.7	12.2	5			82	9.5	55.5	SSE	0.7	1.0	1
20	12.8	17.3	8.8	11.7	5	0.0	0.25	85	9.7	54.0	SSW	0.5	0.9	2
21	12.2	15.5	8.8	10.5	6	0.0	0.25	82	8.4	50.8	NNE	0.9	0.9	2
22	10.9	13.9	9.3	9.7	7	0.9	4.25	83	8.0	50.6	NW	0.9	0.9	2
23	9.7	10.7	9.4	9.0	8	4.8	21.50	90	8.2	50.7	NW	1.0	0.5	2
24	10.4	12.8	8.1	9.3	8	12.7	12.50	85	7.9	42.8	SE	4.0	1.0	2
25	9.2	14.3	6.8	7.4	9	1.0	2.00	76	6.7	40.6	N	0.6	1.3	2
26	10.7	15.2	7.2	8.6	7	0.0	0.33	73	6.9	45.6	SSE	1.3	1.7	2
27	12.2	15.6	7.5	10.6	6			77	8.4	46.0	SE	4.6	1.5	2
28	14.9	19.1	8.8	11.3	3			64	8.1	48.7	S	5.2	4.1	2
29	13.1	18.7	10.1	10.9	5			73	8.0	54.1	S	0.3	2.1	2
30	13.3	15.7	10.2	12.4	5			87	10.1	52.7	SE	2.1	1.2	3
31	12.1	15.6	11.4	11.3	6	5.4	2.92	83	9.9	43.9	SE	2.5	1.4	3
Sum					204	68.4					S		52.2	Su
Avg.	11.4	15.1	8.1	9.5				77	7.7	751.5	(6)	2.2	1.7	Av

ar : 1939 Month : January

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	3.3	5.7	8	8	5.5	5.2	10.7	11.5	12.4	13.6	●¹ ◕° ◯¹	1
	8.6	0.3	8	6	2.7	5.1	9.5	10.8	12.0	13.4		2
	6.7	5.0	6	7	7.5	9.8	9.7	10.7	12.0	13.3	Ω°	3
	0.1	9.0	7	6	10.7	9.4	10.6	11.2	12.1	13.3	●° Ω²	4
	8.1	3.0	5	7	9.2	9.2	11.1	11.5	12.2	13.2	●° Ω¹	5
	2.3	9.3	5	7	9.1	8.8	11.0	11.5	12.2	13.2	●° Ω¹⁻²	6
	0.0	10.0	6	6	9.3	9.4	11.3	11.7	12.2	13.1	●	7
	0.9	9.3	5	5	7.1	7.5	11.0	11.5	12.1	13.1	●	8
	3.3	5.3	6	7	7.7	7.7	10.9	11.4	12.1	13.0	●¹⁻² ◕° ◯¹⁻² Ω¹	9
	7.6	0.0	5	5	7.8	8.3	10.4	11.2	12.0	13.0	Ω¹⁻²	10
	8.6	0.3	6	8	10.8	9.2	10.7	11.3	12.0	13.0	Ω²	11
	7.9	3.3	7	6	10.9	11.8	11.0	11.5	12.1	12.9	Ω²	12
	7.3	4.0	5	5	10.3	9.8	11.0	11.7	12.1	12.9	Ω²	13
	8.2	1.7	6	9	10.5	10.6	11.5	11.8	12.3	13.0	Ω¹	14
	8.7	4.3	6	9	9.3	10.9	11.5	11.8	12.3	13.0	Ω¹	15
	8.0	0.7	6	6	9.2	9.5	11.4	11.8	12.2	13.0	Ω¹⁻²	16
	8.6	0.3	6	6	10.7	10.5	11.4	11.8	12.2	12.9	Ω²	17
	8.1	1.3	5	5	10.6	12.3	11.6	11.9	12.3	13.0	Ω²	18
	3.8	7.7	7	6	11.3	14.0	12.2	12.3	12.5	13.0	Ω²	19
	1.1	9.3	4	3	10.9	10.8	12.6	12.5	12.6	13.1	◕° Ω¹⁻²	20
	1.6	9.0	6	6	10.3	11.6	12.5	12.6	12.7	13.2	●° Ω²	21
	0.0	9.3	7	6	9.7	10.5	12.4	12.5	12.8	13.2	●° ◕°	22
	0.0	6.7	6	6	8.6	8.4	12.2	12.5	12.7	13.2	●°⁻¹	23
	1.3	6.3	7	4	8.7	8.3	12.1	12.3	12.7	13.2	●¹ Ω¹	24
	3.4	4.7	8	5	6.4	6.8	11.2	11.8	12.4	13.1	●° Ω²	25
	5.8	7.0	7	7	9.3	9.5	10.9	11.4	12.3	13.0	●° Ω²	26
	2.8	7.7	6	6	11.0	9.7	11.1	11.7	12.3	13.0	Ω²	27
	8.0	5.7	7	7	11.8	13.4	11.9	12.0	12.5	13.1	Ω°	28
	4.5	9.0	7	7	12.8	13.3	12.2	12.3	12.5	13.2	⊖° Ω¹	29
	0.6	9.3	7	7	12.0	11.8	12.4	12.5	12.7	13.1	⊖¹ Ω¹⁻²	30
	0.1	7.3	7	6	10.6	10.0	12.6	12.6	12.8	13.2	●°⁻¹	31
m	139.3										●14, ◕4, Ω24, ◯2, ⊖2.	
g.		5.5	6.3	6.3	9.4	9.8	11.4	11.8	12.3	13.1		

Yaer : 1939 Month : Februai

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	7.1	10.6	4.1	5.0	11	1.5	5.00	77	5.6	744.8	N	6.5	1.2
2	5.7	9.2	3.1	3.5	12	0.2	--	68	4.5	53.2	N	5.8	1.5
3	6.5	9.8	3.2	4.4	11	0.0	0.17	68	5.0	59.6	N	5.7	1.5
4	6.3	9.8	3.2	3.7	12			61	4.3	62.1	N	5.2	2.0
5	6.9	14.2	2.0	4.3	11			62	4.4	58.9	S	0.2	1.9
6	10.2	16.4	2.7	5.9	8			45	3.9	55.5	N	4.4	3.4
7	9.7	13.7	7.7	6.1	8			56	5.0	57.3	N	8.5	3.3
8	10.0	14.1	7.5	7.1	8			59	5.5	59.6	N	6.2	2.8
9	12.2	19.7	7.1	7.1	6			42	4.1	60.1	NE	1.1	3.4
10	11.8	16.4	7.4	8.6	6			55	6.2	56.4	SSE	1.0	3.4
11	11.1	13.7	9.1	6.5	7			51	4.7	54.2	NW	6.4	3.4
12	12.4	18.8	6.8	8.6	6			54	5.8	54.0	N	3.4	3.5
13	12.4	16.1	8.1	10.2	6			70	7.7	53.9	S	2.4	2.6
14	13.5	17.7	9.7	11.7	4			78	8.9	51.7	SE	2.7	2.1
15	12.4	17.0	11.2	10.1	6	0.0	--	75	7.6	54.7	NNE	5.2	1.6
16	7.6	9.9	7.0	5.2	10	0.0	0.13	68	5.9	58.0	N	7.6	2.1
17	7.6	13.5	4.1	5.6	10			66	5.2	55.8	NNW	0.9	1.7
18	8.7	15.3	4.6	6.9	9			71	5.8	54.7	S	0.9	1.6
19	8.9	10.1	5.7	8.0	9	6.3	8.92	84	7.4	51.8	NNW	2.5	0.8
20	11.0	15.4	8.7	9.2	7	3.9	5.92	76	7.4	50.6	N	4.4	1.4
21	11.5	16.0	9.0	8.9	6			68	6.7	49.1	N	5.0	2.2
22	10.4	14.3	7.4	9.0	8	3.1	4.17	79	7.6	46.4	NNW	2.4	1.4
23	8.9	12.1	6.4	7.3	9	0.6	0.68	79	6.6	49.6	NW	5.6	1.4
24	9.3	12.2	6.8	7.9	9			78	6.9	57.1	N	2.8	1.3
25	9.2	13.7	5.7	7.6	9			76	6.5	59.6	NNE	5.8	2.0
26	8.9	13.4	5.9	6.9	9			74	6.2	59.1	NNE	6.8	2.1
27	8.2	10.2	6.5	6.6	10	0.6	1.87	76	6.2	54.9	N	9.1	2.3
28	8.8	11.7	6.4	8.5	9	22.1	14.50	91	7.7	45.8	N	7.3	0.8
Sum					236	38.3	---				N		58.7
Avg	9.5	13.7	6.6	7.2				68	6.1	754.6	(6)	4.5	2.1

Year : 1939 Month : February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	9.7	6	5	5.3	5.5	11.6	12.0	12.5	13.1	◍0-1 ⚹	1
2	2.8	8.0	7	7	5.4	4.6	10.2	11.1	12.1	12.9	⚹	2
3	2.9	7.7	6	7	6.1	7.0	9.9	10.8	11.8	12.8	◍°	3
4	4.0	7.7	7	7	6.4	5.8	9.5	10.5	11.6	12.7	Ω°	4
5	9.0	1.7	7	6	7.8	6.7	9.1	10.1	11.3	12.5	⌊⌊1	5
6	6.6	4.7	6	9	8.8	10.5	9.4	10.1	11.2	12.3	⌊°	6
7	7.9	2.0	7	8	8.3	8.7	9.9	10.4	11.2	12.2		7
8	6.9	4.0	6	7	9.3	11.5	10.2	10.5	11.3	12.3	Ω°	8
9	9.5	0.0	7	9	10.7	12.3	10.3	10.6	11.3	12.2		9
10	9.5	0.0	7	7	11.6	13.0	10.5	10.8	11.4	12.3		10
11	7.4	2.3	7	8	9.6	12.7	11.1	11.2	11.6	12.3		11
12	6.9	2.7	8	9	14.1	15.3	11.0	11.2	11.6	12.3		12
13	9.4	0.0	8	8	13.6	13.7	11.4	11.4	11.7	12.3	Ω1	13
14	7.5	1.0	7	7	12.8	13.5	11.7	11.7	11.9	12.4	Ω2	14
15	3.0	8.3	6	7	15.1	17.6	12.6	12.3	12.2	12.6	◍° Ω°	15
16	2.4	8.0	7	6	6.0	6.9	12.1	12.1	12.2	12.6	◍ ⚹°	16
17	9.1	2.3	6	8	8.8	10.6	11.4	11.7	12.0	12.5		17
18	6.5	4.7	7	7	-	12.6	10.9	11.3	11.9	12.5		18
19	0.0	9.7	3	3	7.7	7.4	11.1	11.4	11.9	12.5	◍0-1	19
20	2.5	8.3	8	7	9.4	9.5	11.1	11.5	11.9	12.5	◍0-1 ∩°	20
21	4.8	6.0	6	7	10.7	12.5	11.3	11.5	11.9	12.6		21
22	0.6	9.3	5	4	9.4	10.0	11.3	11.5	12.0	12.6	◍° ◍° <° Ω0-1	22
23	4.0	6.3	7	5	8.6	7.4	11.1	11.4	11.9	12.5	◍	23
24	0.0	7.7	8	7	9.0	8.2	10.8	11.2	11.8	12.5	Ω1	24
25	9.5	1.7	5	7	9.4	9.9	10.7	11.1	11.7	12.4	Ω1	25
26	7.4	7.0	6	7	8.5	10.8	10.8	11.1	11.7	12.4	⊖° ⊕°	26
27	0.7	9.7	6	6	6.8	6.8	10.7	11.0	11.6	12.4	◍0-1	27
28	0.0	10.0	5	6	8.1	7.5	10.5	10.9	11.6	12.3	◍1-2	28
Sum	140.8										◍7, ◍4, ⚹3, Ω8, ∩1, ⌊2, <1, ⊕1, ⊖1.	
Avg.		5.4	6.5	6.8	9.2	10.0	10.8	11.2	11.7	12.5		

Year : 1939 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	11.3	15.2	7.3	10.3	7	19.4	11.83	84	8.4	745.6	W	1.4	0.9
2	10.3	13.4	8.8	8.9	8	3.0	4.08	84	7.6	48.4	NNE	3.9	1.0
3	6.3	9.6	5.7	4.7	12	12.5	20.17	81	5.5	49.6	N	10.2	1.1
4	5.7	7.0	3.8	3.5	13	0.4	19.00	70	4.5	54.1	N	9.8	1.9
5	5.8	7.3	4.0	3.6	12	0.0	—	66	4.6	59.1	N	5.9	1.8
6	6.9	11.8	3.5	4.3	11			61	4.6	60.3	N	3.8	2.2
7	10.7	15.7	4.0	8.4	7			62	6.3	55.6	WSW	5.3	3.6
8	14.5	17.7	7.7	12.2	3			70	9.0	49.1	S	7.2	3.3
9	12.7	16.1	11.3	7.4	5			52	4.9	49.1	W	7.2	5.5
10	11.8	15.4	6.4	9.1	6			62	6.6	49.0	S	4.2	3.7
11	10.1	13.6	8.6	8.5	8	2.1	6.67	80	7.4	48.4	NNE	2.6	1.7
12	6.1	9.4	4.8	5.0	12	19.1	21.17	85	5.9	43.2	N	7.6	0.8
13	8.5	13.2	4.5	6.8	9			67	6.0	50.7	S	1.6	1.9
14	10.9	14.2	5.9	9.1	7	0.1	—	74	7.4	48.7	S	5.0	2.7
15	9.2	12.8	6.3	5.7	9	-		58	4.5	42.6	WSW	3.5	3.3
16	6.6	10.1	4.3	4.8	11	10.4	4.18	71	5.2	38.7	WSW	4.6	2.1
17	5.9	8.3	3.7	4.2	12	0.0	—	72	5.0	45.1	N	2.7	1.5
18	7.5	11.5	3.0	5.4	10			69	5.3	50.6	N	2.3	1.6
19	9.8	13.4	6.8	7.0	8			64	5.7	50.7	NNE	1.0	2.3
20	11.1	14.1	6.2	9.5	7			72	7.3	48.1	SSE	5.1	2.6
21	12.5	15.8	9.9	11.0	5	23.2	6.00	83	8.8	37.2	SE	9.5	4.0
22	10.7	14.0	7.3	7.9	7	-	-	69	6.2	35.0	WSW	4.5	3.2
23	9.5	15.2	5.1	7.5	8	0.1	0.88	69	6.2	39.5	NNW	2.5	2.2
24	10.1	14.0	7.2	8.1	8	3.8	5.17	71	6.4	40.7	SW	4.1	2.0
25	10.3	14.1	7.0	9.1	8	22.1	3.58	79	7.7	40.4	SSE	6.4	3.0
26	12.7	16.5	7.9	10.7	5	0.4	0.47	70	7.8	47.6	S	3.7	2.5
27	15.6	20.3	10.7	13.7	2			75	10.1	49.1	S	1.1	2.1
28	15.8	20.5	10.8	13.0	2	0.0	0.22	70	9.4	45.9	SSE	7.9	4.5
29	13.2	17.2	8.9	10.4	5			61	7.1	49.5	WSW	2.3	2.4
30	13.0	17.6	8.7	8.8	5			54	5.5	48.3	SW	3.3	4.4
31	12.7	19.1	8.7	9.6	5			55	6.1	50.7	NNW	1.7	3.6
					237	116.6		-			N		79.4
Avg.	10.2	14.0	6.7	8.0				70	6.5	747.4	(6)	4.5	2.6

r : 1939 Month : March

Total sunshine (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
0.4	10.0	7	7	10.9	10.7	10.7	11.1	11.6	12.4	◍1-2 ◍°	1
3.3	9.0	6	8	10.1	9.5	11.3	11.4	11.7	12.4	◍0-1 ◍°	2
0.0	10.0	7	5	4.8	4.6	10.7	11.0	11.6	12.3	◍0-1 ⁂°	3
0.2	9.0	7	5	4.6	4.3	9.3	10.2	11.2	12.2	⁂°	4
0.0	8.3	7	6	4.1	3.8	8.8	9.7	10.9	12.0	⁂°	5
8.6	5.0	5	7	6.3	9.7	8.6	9.5	10.7	11.8		6
9.0	4.0	6	7	9.6	11.5	8.9	9.6	10.7	12.0	Ω° L1	7
4.5	7.0	6	7	14.0	16.5	10.3	10.4	10.9	11.9		8
7.9	3.3	7	9	10.9	15.6	11.2	11.4	11.2	11.9		9
9.9	2.0	6	7	11.7	14.7	11.5	11.3	11.4	11.9	Ω°	10
0.0	9.7	3	3	9.0	8.9	11.7	11.6	11.6	12.0	◍°	11
0.5	7.7	6	5	5.8	5.5	10.7	11.0	11.3	12.0	◍0-1	12
7.5	7.0	7	6	8.3	10.2	10.0	10.6	11.1	11.9	Ω°	13
6.3	8.0	7	7	10.2	12.5	10.5	10.7	11.2	11.9	◍° ◍°	14
7.3	3.3	6	9	9.7	14.1	10.8	10.8	11.2	11.9	∠°	15
2.1	5.7	7	6	5.1	5.1	10.2	10.6	10.8	11.8	◍2 ◭° ⋌0-1 Ω1 Ω°	16
0.0	1.0	6	6	4.8	4.8	9.4	10.0	10.8	11.6	◍0-1	17
6.0	6.7	7	6	7.2	8.3	9.2	9.8	10.7	11.5		18
8.1	5.0	7	6	9.0	10.7	10.0	10.1	10.7	11.5		19
7.3	5.7	6	7	11.1	14.0	10.5	10.4	10.8	11.5	Ω°	20
0.0	9.3	5	5	10.8	10.7	11.2	11.0	11.2	11.4	◍2 ◭2 ⋌2 ∠2	21
8.3	5.3	6	7	10.1	10.9	11.1	11.0	11.1	11.5	⋌° ∠°	22
3.0	8.0	7	6	10.5	13.1	11.0	11.0	11.1	11.5	◍	23
1.2	6.7	7	6	10.2	7.5	10.8	11.0	11.1	11.6	◍0-1 ◍°	24
1.0	9.3	6	5	9.6	8.9	10.6	10.7	11.1	11.5	◍2 ⋌1-2	25
8.1	5.3	7	9	12.6	14.0	10.7	10.8	10.9	11.5	◍° ∠0-1 ⊖°	26
3.6	9.3	6	6	16.8	17.8	11.9	11.3	11.2	11.6	⊖°	27
8.7	4.0	3	5	13.9	17.0	13.2	12.1	11.5	11.7	◍°	28
8.5	3.7	6	7	12.6	15.7	13.0	12.4	11.8	11.9		29
10.8	1.7	6	7	13.2	16.2	13.0	12.5	12.0	12.0		30
8.2	2.0	6	8	13.4	20.0	13.1	12.6	12.1	12.1		31
150.3										◍12, ◍9, ⁂3, ◭2, Ω4,	
	6.5	6.2	6.5	9.6	11.2	10.8	10.9	11.2	11.8	⋌4, ∠2, ⌴ 2, ⊖2, ∩1.	

Year : 1939 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.3	18.2	7.4	8.1	6			53	5.4	752.3	NE	1.8	3.2
2	13.3	19.0	6.7	9.6	5			53	6.4	50.3	N	3.4	3.2
3	12.9	15.4	10.9	11.1	5	0.9	--	69	8.5	48.3	NNE	6.5	2.6
4	13.8	18.2	11.0	10.7	4	0.3	--	65	7.6	49.1	NNE	6.7	2.5
5	15.6	23.2	10.6	12.5	2			58	8.0	51.2	NNE	1.7	3.2
6	16.3	21.7	10.6	12.3	2			60	7.7	52.1	SSW	1.7	3.6
7	17.6	25.4	12.3	12.3	0			50	7.2	51.7	S	2.0	4.5
8	17.8	24.8	12.9	13.3	0			52	8.9	50.0	N	2.3	4.5
9	15.6	20.5	11.4	11.6	2			55	7.4	47.3	SSW	1.3	4.0
10	15.6	19.4	11.6	13.3	2			69	9.7	47.3	SSW	1.8	2.6
11	16.3	21.9	12.1	12.4	2			61	8.2	51.5	N	5.1	3.3
12	14.6	19.7	11.4	10.0	3			53	6.0	59.1	N	5.6	3.8
13	14.5	19.2	9.4	12.2	3			70	8.9	58.0	S	2.1	2.5
14	16.7	21.8	11.8	14.3	1			72	10.2	56.1	SSW	1.6	2.2
15	17.4	21.9	13.2	14.1	1			67	9.7	55.5	SSW	1.9	2.8
16	17.3	21.9	12.8	13.8	1			57	9.0	55.5	SSW	2.2	3.8
17	16.9	21.3	12.6	13.7	1			65	9.6	53.4	SSW	1.9	3.3
18	17.5	21.6	12.6	13.7	0			59	8.7	48.7	SSW	1.5	3.4
19	18.7	24.0	14.2	14.0	0			55	9.0	47.5	S	1.5	4.4
20	17.9	22.4	14.9	14.7	0	0.0	0.33	64	9.7	51.5	N	2.4	3.4
21	13.6	16.5	13.2	12.8	4	13.4	12.25	91	10.2	53.8	N	1.6	0.6
22	14.5	18.9	11.5	11.3	3	0.4	1.17	70	8.1	53.7	NNE	4.9	2.2
23	15.7	18.4	12.0	13.3	2	0.3	--	70	9.5	44.6	N	5.7	2.3
24	15.9	17.5	14.0	13.5	2	1.6	0.92	74	10.0	40.5	SSE	9.0	3.7
25	17.1	20.4	14.0	13.3	1	0.0	--	64	9.1	47.2	SE	3.3	4.3
26	16.4	21.0	12.2	13.7	2			70	9.4	51.0	SE	2.1	3.3
27	17.3	22.1	12.9	14.5	1			68	10.1	53.7	SE	1.5	3.1
28	18.3	23.4	14.6	14.4	0			61	9.5	53.2	SSE	0.6	3.6
29	18.5	23.3	13.5	14.8	0			58	9.5	50.9	SE	0.9	4.2
30	19.2	24.4	13.5	12.6	0			46	6.3	49.2	WSW	4.8	6.4
Sum					55	16.9					N		100.5
Avg	16.2	20.9	12.1	12.7				63	8.6	751.1	(6)	3.0	3.4

: 1939 Month : April

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
10.2	2.7	6	7	10.6	17.7	13.2	12.7	12.2	12.3		1
4.9	9.0	6	6	11.7	17.0	13.4	12.7	12.4	12.3		2
0.7	[illegible]	7	7	10.5	11.6	13.5	13.0	12.6	12.5	◍0-1 ☁0	3
0.4	8.3	7	7	11.6	12.1	13.2	13.0	12.6	12.6	◍0	4
10.3	0.7	7	8	17.5	22.3	13.5	13.0	12.7	12.7		5
10.7	0.3	7	7	17.6	20.8	14.5	13.5	12.9	12.8	Ω0	6
11.1	0.0	7	8	19.5	23.7	15.1	14.1	13.3	13.0		7
11.0	0.3	6	8	19.9	24.6	15.8	14.6	13.6	13.2		8
5.3	6.3	8	8	16.1	19.4	16.0	15.0	13.9	13.4	Ω0-1	9
5.5	7.3	7	7	14.8	18.2	16.0	15.1	14.2	13.6	Ω0	10
9.2	3.3	6	6	14.9	19.8	16.1	15.2	14.4	13.8	☈0-1	11
10.0	1.3	7	8	17.6	25.2	16.3	15.4	14.6	14.0		12
9.9	0.3	6	6	16.9	23.7	16.3	15.6	14.8	14.2		13
10.4	1.0	7	6	19.3	23.7	16.6	15.8	15.0	14.4	Ω1	14
10.7	1.0	6	6	16.8	24.3	17.1	16.2	15.2	14.6	Ω1	15
10.7	2.7	6	7	17.7	25.4	17.3	16.4	15.5	14.7		16
10.2	3.3	7	6	16.4	25.0	17.6	16.7	15.7	15.0	Ω0	17
3.0	9.7	7	7	15.8	22.1	17.8	16.9	15.9	15.1		18
8.8	1.3	7	6	17.3	24.7	17.9	17.0	16.1	15.3		19
5.9	6.7	7	6	17.5	24.2	18.3	17.3	16.3	15.5	◍0-1 ⊕	20
0.0	[illegible]	4	3	13.4	14.0	17.7	17.2	16.4	15.6	◍0-1 ☁	21
1.5	9.0	8	8	12.6	14.9	16.5	16.5	16.3	15.8	◍0	22
0.0	[illegible]	7	6	14.4	15.0	16.0	16.2	16.1	15.8	◍0 ☁	23
4.0	[illegible]	6	7	14.7	18.3	16.0	16.0	16.0	15.8	◍	24
5.6	4.3	6	7	16.9	20.8	16.4	16.1	15.9	15.8	☁	25
5.3	1.0	6	6	18.9	20.2	17.0	16.4	16.0	15.8	Ω1	26
5.0	4.0	6	6	18.8	22.4	17.5	16.8	16.2	15.8	Ω0-1	27
0.0	9.3	6	6	18.2	22.6	18.1	17.1	16.4	15.9		28
10.4	0.0	6	7	18.7	25.1	18.6	17.5	16.6	16.1		29
10.3	0.7	6	6	19.6	29.7	18.8	17.7	16.8	16.2		30
201.2										◍7, ☁4, Ω8, ☈1, ⊕1.	
	4.4	6.5	6.6	16.2	21.0	16.3	15.6	14.9	14.4		

Year : 1939 Month : Ma

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	17.3	21.3	13.3	11.8	1			47	6.9	751.3	SSW	3.6	6.6
2	17.6	21.5	13.0	12.3	0			49	7.0	51.1	SSW	1.6	3.7
3	18.1	22.5	12.7	14.3	0			57	9.3	48.6	SSW	1.6	4.5
4	18.6	22.0	14.9	16.0	0	0.1	--	71	11.4	45.5	NE	1.3	2.4
5	18.2	20.4	17.3	15.7	0	0.2	--	75	11.6	44.2	SSE	3.1	3.7
6	17.7	21.8	13.5	13.4	0			58	8.6	49.8	W	2.4	4.8
7	17.9	21.6	13.6	14.1	0			60	9.2	53.0	W	2.4	5.2
8	19.3	24.0	14.9	15.0	0			58	9.4	52.4	SW	1.2	4.2
9	19.6	23.8	15.8	14.8	0			57	9.2	52.4	SW	1.3	5.0
10	20.7	26.7	15.3	15.3	0			53	9.2	53.1	W	1.0	4.9
11	20.6	28.0	17.4	16.3	0	0.1	--	60	11.0	51.6	N	1.5	4.1
12	19.5	26.1	16.3	15.2	0			59	9.8	49.4	SW	1.5	4.4
13	19.4	23.2	15.9	13.9	0			49	8.0	50.6	WNW	5.5	7.4
14	18.6	22.8	13.4	13.6	0			55	8.1	54.0	SW	1.8	5.0
15	19.0	23.9	14.7	15.1	0			61	10.0	52.7	SW	1.3	4.2
16	20.3	27.7	14.8	16.0	0			63	10.2	50.0	SW	0.7	3.5
17	21.6	26.9	17.3	16.7	0			57	11.3	48.8	WSW	1.3	5.1
18	22.4	28.6	16.4	17.9	0			59	12.0	47.6	SW	0.8	4.0
19	21.9	26.8	17.0	17.7	0			63	11.9	46.4	SW	1.1	4.4
20	22.7	27.8	17.7	19.0	0			63	13.3	44.5	WSW	0.9	3.9
21	21.5	26.1	18.0	16.0	0			56	10.0	43.5	NW	5.3	7.1
22	20.0	23.9	16.4	14.6	0			51	8.9	49.0	NW	3.9	7.7
23	18.5	22.1	15.5	14.3	0			61	9.3	51.6	SSW	2.2	5.9
24	19.6	24.1	15.2	15.5	0			60	10.0	51.4	SW	1.7	5.1
25	19.1	23.1	15.8	15.4	0	0.0	0.10	63	10.4	49.2	WNW	4.4	5.5
26	20.2	25.4	16.2	15.1	0			55	9.4	50.1	W	3.8	6.5
27	20.5	24.4	15.9	15.8	0			58	9.8	49.7	SW	1.7	5.6
28	19.5	22.8	16.8	15.9	0			64	10.8	47.7	SW	1.6	4.6
29	18.2	21.3	15.1	16.1	0	1.3	--	76	12.3	47.9	WSW	0.8	3.0
30	18.7	22.8	14.4	17.0	0			77	12.6	51.5	SW	1.2	3.1
31	19.4	23.3	14.3	17.6	0			78	13.3	52.5	WSW	1.3	2.8
Sum					1	1.7	--				SW		147.9
Avg.	19.5	24.1	15.5	15.4				60	10.1	749.7	(6)	2.1	4.8

r : 1939 Month : May

Total sunshine (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.6	4.3	9	9	15.8	24.3	19.0	18.0	17.0	16.3		1
3.8	8.0	8	8	16.1	24.3	19.1	18.1	17.2	16.3		2
3.3	7.3	6	6	17.6	26.8	19.1	18.3	17.3	16.6		3
0.0	10.0	5	6	18.0	21.4	19.2	18.4	17.5	16.7	◍° ◍°	4
0.0	10.0	6	6	16.7	19.3	18.8	18.2	17.5	16.9	◍°	5
7.3	2.3	8	8	16.6	23.8	18.3	17.9	17.5	16.9		6
10.0	0.7	8	8	17.7	25.9	18.8	18.1	17.5	16.9		7
3.9	8.0	6	7	21.3	27.9	19.4	18.5	17.7	17.0		8
7.8	7.0	7	7	19.0	27.3	19.7	18.8	17.8	17.1		9
2.6	7.3	6	6	20.4	28.1	20.2	19.1	18.1	17.3		10
0.0	9.3	5	5	19.1	22.1	20.4	19.4	18.3	17.4	◍°	11
1.9	3.7	8	7	20.6	28.5	20.2	19.3	18.4	17.5		12
8.6	1.3	7	7	19.3	29.1	20.4	19.5	18.5	17.6		13
7.8	4.0	8	8	18.3	29.4	20.5	19.6	18.6	17.7		14
5.0	4.7	7	7	18.7	29.0	20.8	19.9	18.8	17.9		15
3.8	4.0	7	7	19.4	30.3	21.1	20.1	19.0	18.0		16
3.6	7.0	7	7	19.2	28.1	21.7	20.4	19.2	18.1		17
7.2	3.0	7	7	21.3	31.8	21.8	20.7	19.4	18.3		18
6.5	5.0	7	7	24.9	32.1	22.4	21.0	19.6	18.5		19
4.7	3.0	6	6	23.5	33.2	22.8	21.4	19.9	18.6		20
6.9	5.7	7	7	21.3	29.3	23.1	21.7	20.1	18.8		21
8.4	3.7	8	8	22.8	28.8	22.7	21.7	20.3	18.9		22
2.9	5.0	7	7	17.6	25.3	22.1	21.5	20.4	19.1		23
11.4	0.7	7	7	20.1	30.0	21.5	21.1	20.3	19.2		24
9.2	6.0	7	7	18.9	27.8	21.8	21.2	20.3	19.3	◍°	25
8.7	2.3	7	7	19.9	29.3	21.7	21.1	20.3	19.3		26
4.3	7.0	7	7	19.1	26.9	22.0	21.2	20.4	19.4		27
2.2	6.0	7	7	17.8	23.9	22.0	21.4	20.4	19.5	R¹	28
0.3	6.3	7	7	18.7	20.9	21.5	21.2	20.4	19.5	◍°⁻¹ ◍°	29
2.4	7.0	7	6	19.8	29.0	21.3	20.8	20.3	19.6		30
2.8	8.7	7	7	18.8	25.1	21.5	20.9	20.3	19.5		31
149.7										◍3, ◍4, R1.	
	5.4	7.0	7.0	19.3	27.1	20.8	20.0	19.0	18.1		

Year : 1939 Month : June

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	18.2	19.7	14.3	16.3	0	5.0		84	12.8	748.6	NE	3.0	1.7
2	18.9	23.2	16.0	17.1	0	0.0	0.67	80	13.0	45.7	N	1.4	2.1
3	19.4	24.2	15.6	17.2	0	8.5		80	13.2	49.0	NNE	4.5	2.6
4	20.4	25.2	15.6	15.7	0			60	9.9	51.2	ENE	5.7	4.9
5	21.5	26.4	16.4	17.4	0	0.0	-	58	11.4	49.5	SW	1.9	6.5
6	17.2	22.1	14.8	14.3	1	12.6	-	76	10.4	51.3	NE	6.7	2.3
7	16.3	20.1	14.5	13.0	2	2.5	-	70	9.0	53.3	NNE	8.1	2.9
8	16.0	19.6	13.6	14.2	2	5.0	-	77	10.8	51.4	N	7.1	1.9
9	20.0	25.7	14.6	15.9	0	0.0	0.07	59	10.2	50.2	N	2.2	3.9
10	21.0	25.3	16.8	16.7	0	0.1	-	68	12.3	50.8	SW	1.6	3.6
11	22.5	28.0	17.4	18.7	0			66	12.9	51.2	SW	1.7	3.9
12	23.0	27.6	18.6	18.7	0			9-	13.1	50.5	SW	2.6	4.3
13	22.4	27.6	18.1	18.4	0			64	12.5	49.3	SW	1.7	4.5
14	23.5	28.6	19.9	17.9	0			57	11.7	47.6	S	5.5	8.0
15	22.1	25.8	18.6	16.2	0			55	9.8	48.1	SSW	3.8	6.6
16	21.8	26.6	17.1	16.0	0			52	9.4	47.7	W	3.3	6.9
17	20.5	24.1	17.3	15.6	0	0.0	0.25	57	9.4	47.6	SW	2.5	4.4
18	21.9	27.0	17.9	17.8	0	0.1	-	60	12.3	46.4	SW	2.1	4.7
19	23.7	28.3	18.8	18.1	0			56	11.7	48.9	SW	3.5	5.7
20	24.8	29.6	20.3	19.1	0			52	11.7	48.9	SSW	3.6	7.5
21	25.0	29.5	20.2	18.8	0			51	11.8	48.0	SW	2.7	6.9
22	25.1	30.2	20.6	19.2	0	0.0	0.03	55	12.3	46.3	WSW	1.8	6.1
23	25.4	29.8	20.8	19.7	0			55	13.1	45.7	SW	3.1	6.9
24	26.3	31.4	21.3	19.7	0			51	12.6	47.9	SW	1.9	7.3
25	27.3	32.1	22.2	20.8	0			52	14.0	51.0	SW	1.6	6.4
26	30.0	35.8	24.7	20.8	0			39	12.4	52.6	SW	1.6	8.7
27	29.6	35.2	24.7	22.1	0			43	14.7	50.1	WSW	1.4	8.8
28	30.0	37.2	26.2	21.6	0			44	14.1	46.1	E	4.1	9.3
29	26.8	29.9	23.3	21.6	0			60	15.5	47.9	ENE	12.2	6.7
30	25.5	29.9	22.9	20.6	0	0.5	0.58	63	14.8	49.1	ENE	10.3	5.8
Sum					5	34.3					SW		161.8
Avg.	22.9	27.5	18.8	18.0				60	12.1	749.1	(6)	3.8	5.4

ear : 1939 Month : June

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	10.0	6	6	16.7	17.4	21.1	20.7	20.2	19.5	●1-2 ☽ ≡0-1	1
2	3.9	7.3	7	6	18.3	26.0	20.6	20.4	20.1	19.5	☽0 ≡0	2
3	1.9	7.3	6	6	18.6	19.9	20.5	20.2	19.9	19.5	☽1-2	3
4	11.9	1.7	8	8	17.2	27.7	20.6	20.1	19.9	19.5		4
5	7.5	4.0	7	7	21.9	31.2	21.4	20.5	19.9	19.5	●1-2	5
6	0.2	9.7	7	7	14.9	15.7	21.1	20.5	20.0	19.5	●1 ☽	6
7	0.8	9.3	7	7	14.7	15.9	19.6	19.7	19.7	19.8	●0-1	7
8	0.2	9.7	7	7	14.8	15.9	18.7	19.1	19.4	19.3	●0-1 ○	8
9	3.9	7.0	8	8	18.4	24.0	19.0	19.1	19.3	19.2	●0-1	9
10	4.4	7.0	7	7	19.0	23.8	19.7	19.3	19.3	19.2	●1 ☽0 ≡0	10
11	8.8	3.7	7	7	23.3	29.9	20.8	19.8	19.4	19.1		11
12	11.6	1.0	7	7	22.4	31.7	22.1	20.6	19.7	19.2		12
13	5.0	6.7	7	7	22.2	32.6	22.7	21.3	20.0	19.3		13
14	8.8	4.3	7	7	22.5	27.8	22.9	21.7	20.3	19.5		14
15	12.0	1.3	8	8	21.8	31.2	23.2	22.0	20.6	19.6		15
16	8.9	0.0	7	8	20.9	31.6	23.3	22.1	20.8	19.8		16
17	0.3	7.0	7	7	20.4	27.0	23.0	22.1	21.0	19.9	●0	17
18	2.8	4.3	7	8	21.5	28.5	22.5	21.8	21.0	20.0	●0-1	18
19	11.8	1.3	8	7	22.8	33.7	23.3	22.2	21.1	20.1		19
20	12.1	1.7	7	7	24.0	33.6	24.1	22.7	21.2	20.2		20
21	11.6	3.0	7	7	25.3	34.9	24.9	23.2	21.6	20.3		21
22	7.6	1.7	7	7	33.9	35.4	25.2	23.6	21.9	20.5	●0 ≡0	22
23	11.4	0.3	6	7	23.5	32.9	25.5	23.9	22.2	20.7		23
24	11.2	0.3	7	7	24.9	34.1	25.9	24.2	22.5	21.0		24
25	10.7	0.0	7	7	26.5	35.6	26.5	24.5	22.8	21.1		25
26	11.7	0.0	7	7	25.7	39.1	27.1	25.1	23.1	21.3		26
27	12.0	0.0	7	7	27.3	39.0	27.8	25.3	23.5	21.6		27
28	6.7	3.7	7	7	26.5	36.5	28.0	26.1	23.8	21.9		28
29	8.2	5.3	4	6	27.2	36.2	28.0	26.1	24.1	22.2	≡0-1	29
30	5.2	8.7	7	7	24.2	32.9	27.6	26.0	24.3	22.5	●0-1 ≡1-2	30
m	213.1										●12, ☽4, ≡6, ○1.	
g.		4.2	6.9	7.0	21.7	29.5	23.2	22.1	21.1	20.1		

Year : 1939 Month : Jul

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	29.0	35.5	23.6	20.9	0	0.0	0.17	46	12.9	748.6	NNW	4.9	7.8
2	28.4	35.9	23.5	21.8	0			51	15.0	50.0	W	2.2	5.6
3	29.5	36.6	23.8	21.3	0			42	12.9	50.4	NE	5.1	7.1
4	28.5	33.5	23.6	20.4	0			42	12.3	49.7	ENE	6.0	9.0
5	26.5	32.4	22.5	18.9	0			46	11.1	51.9	N	6.2	7.0
6	25.4	31.1	20.3	18.6	0			48	11.1	53.0	NE	6.8	6.5
7	26.4	31.9	20.3	18.4	0			40	10.1	52.0	NE	5.1	7.2
8	26.4	31.1	21.9	17.6	0			36	9.2	51.5	NE	7.7	8.7
9	27.0	32.0	21.5	17.5	0			34	8.5	52.9	NE	5.4	8.4
10	26.8	32.3	21.3	18.5	0			38	10.2	52.6	SW	2.5	9.2
11	26.9	31.7	22.5	20.2	0			48	13.2	50.1	SW	2.1	7.8
12	27.9	35.1	23.7	20.9	0			48	14.2	50.2	WSW	2.2	7.1
13	26.4	30.6	22.3	21.1	0			56	15.0	50.6	W	2.0	5.8
14	27.2	33.6	22.9	20.4	0	0.0	0.08	51	13.3	52.5	ENE	5.6	5.8
15	28.1	34.9	21.6	20.5	0			43	12.5	52.3	NE	3.3	7.1
16	26.9	31.5	22.3	20.6	0			52	13.7	50.4	WSW	1.7	6.7
17	29.2	34.4	23.5	21.6	0			48	14.0	50.4	SW	0.8	7.1
18	21.7	36.6	26.4	22.5	0			38	14.3	51.2	WSW	1.1	9.2
19	23.1	38.9	28.7	22.9	0			36	13.9	50.6	SW	1.5	11.0
20	33.6	42.0	28.8	22.9	0			37	14.3	49.6	W	0.7	10.6
21	32.9	40.0	27.0	22.4	0			37	13.5	51.4	WSW	1.9	9.9
22	32.4	38.6	26.4	23.5	0			42	15.8	49.7	SSW	1.5	9.2
23	32.1	36.7	27.8	22.6	0			40	14.5	47.8	SW	1.5	8.2
24	33.5	41.6	27.8	21.9	0			34	11.6	47.1	WNW	2.6	11.2
25	31.7	36.9	27.6	21.1	0			36	12.2	47.2	WNW	3.4	24.3
26	30.3	36.4	25.0	19.5	0			34	10.1	46.8	WNW	4.1	12.3
27	28.7	35.1	24.1	19.6	0			39	10.9	47.1	NNW	3.1	10.1
28	26.7	31.3	22.2	19.5	0			51	12.1	45.9	SW	2.9	6.7
29	26.0	30.0	22.5	19.5	0			52	12.5	47.7	ENE	8.0	6.3
30	26.2	31.6	21.1	19.5	0			-	12.2	52.0	NE	5.8	6.6
31	27.4	31.5	23.2	18.4	0			39	9.9	53.6	NE	8.1	9.0
Sum					0	0.0	0.25				NE		258.5
Avg.	28.8	34.6	23.9	20.5				43	12.5	750.2	(6)	3.7	8.3

ar : 1939 Month : July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Green	Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.6	0.7	7	8	26.7	42.0	27.7	26.1	24.5	22.6	◍ 0-1	1
2	11.6	2.3	8	8	28.4	43.4	28.6	26.7	24.7	22.7		2
3	11.9	1.0	7	8	28.0	42.5	28.9	27.0	25.0	23.0		3
4	11.9	1.0	7	8	28.8	41.0	29.2	27.3	25.3	23.3		4
5	11.6	1.3	8	8	24.4	40.7	29.2	27.5	25.6	23.4		5
6	12.1	2.7	8	9	26.2	36.3	29.0	27.5	25.7	23.6		6
7	11.9	2.7	7	8	24.8	38.6	28.6	27.4	25.8	23.8		7
8	10.4	4.0	5	7	25.0	34.5	28.4	27.2	25.8	23.9		8
9	11.8	0.7	8	8	24.3	39.1	28.5	27.1	25.8	24.0		9
0	11.6	2.0	7	8	28.1	36.4	28.5	27.4	25.9	24.0		10
1	11.6	1.0	7	7	28.7	36.9	28.4	27.3	25.9	24.1		11
2	11.6	1.7	7	7	27.5	37.0	28.6	27.4	26.0	24.2		12
3	11.5	3.0	7	7	26.0	35.3	28.7	27.5	26.0	24.2	R 0-1	13
4	11.6	2.7	8	8	26.4	38.4	28.7	27.4	26.1	24.4	◍ 0 R 1	14
5	11.7	0.0	6	7	26.2	40.5	28.8	27.5	26.1	24.5		15
6	11.6	0.0	8	7	26.3	37.6	29.0	27.8	26.3	24.5		16
7	11.7	0.0	6	7	27.4	38.6	29.0	27.9	26.4	24.6		17
8	11.7	0.0	7	7	29.4	39.6	29.5	28.1	26.5	24.7		18
9	11.7	0.0	7	7	30.0	42.8	30.2	28.6	26.8	24.8		19
20	11.8	0.0	7	5	29.5	42.7	30.8	28.9	27.0	25.0		20
21	11.8	0.0	7	7	30.4	41.2	31.1	29.3	27.3	25.2		21
22	11.6	0.3	7	7	30.9	42.1	31.3	29.5	27.5	25.3		22
23	10.5	1.0	7	7	30.5	41.0	31.4	29.7	27.7	25.5		23
24	10.6	0.0	4	6	32.5	43.9	31.3	29.8	27.9	25.7		24
25	11.7	0.0	6	8	30.9	41.2	31.5	29.8	27.9	25.8		25
26	11.7	0.0	6	7	30.2	39.0	31.4	29.8	28.1	25.9		26
27	11.7	0.0	9	8	29.7	41.1	31.0	29.8	28.1	26.0		27
28	11.4	0.3	9	8	27.8	36.5	30.5	29.5	28.1	26.1		28
29	11.2	3.0	6	8	27.0	35.2	29.7	29.0	27.7	26.2	∠ 0	29
30	10.8	3.0	6	8	27.3	38.2	29.0	28.6	27.7	26.3		30
31	11.6	0.3	6	8	26.8	37.9	29.0	28.5	27.3	26.3		31
um	357.5										◍ 2, R 2, ∠ 1.	
vg.		1.1	6.9	7.5	27.9	39.4	29.5	28.2	26.5	24.6		

Year : 1939 Month : Augu

Date	Air temperature (°C) Average (°) (4)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	28.0	32.8	23.9	17.8	0			33	8.6	752.2	NE	8.1	9.9
2	29.0	34.2	23.8	19.5	0			35	10.4	49.7	NE	5.8	9.3
3	29.8	35.6	24.4	20.0	0			35	10.9	48.6	NE	4.3	7.9
4	29.8	37.7	24.9	21.7	0	0.0	0.17	44	13.4	49.5	W	2.1	8.3
5	30.3	38.0	25.0	22.4	0			44	14.6	50.1	NE	2.1	8.3
6	29.6	35.2	25.1	22.3	0			51	15.5	49.9	SW	1.9	8.8
7	29.9	35.8	25.5	23.3	0			55	17.0	49.5	SW	1.3	7.2
8	31.4	38.2	26.9	23.8	0			49	17.0	48.7	WSW	0.8	9.4
9	31.2	37.4	26.0	23.0	0			45	14.6	48.7	SW	1.9	9.6
10	30.8	36.5	26.4	23.2	0			48	16.1	49.2	SW	2.3	9.9
11	27.7	31.6	25.0	23.1	0			63	17.7	49.6	ENE	5.8	6.3
12	25.9	30.6	21.9	20.9	0			61	15.2	49.5	WSW	1.4	5.6
13	25.9	32.0	21.8	19.6	0			55	12.7	50.7	ENE	6.2	5.9
14	25.9	31.4	21.5	19.3	0			--	12.2	53.2	NE	7.3	6.9
15	27.2	33.1	22.9	20.2	0			50	13.0	51.9	NE	6.6	7.5
16	26.8	32.3	21.8	21.5	0			58	15.6	48.8	NNE	1.9	6.6
17	26.4	31.0	21.8	21.3	0			61	15.4	47.5	SW	3.0	6.2
18	27.2	31.9	22.8	20.8	0			55	13.9	47.5	S	2.6	7.5
19	26.5	31.2	22.8	21.1	0			57	15.1	47.3	SW	3.1	6.6
20	26.0	30.7	21.9	20.2	0			56	13.6	46.5	SW	3.2	6.7
21	26.3	31.6	21.7	20.0	0			53	13.1	46.0	NW	2.7	6.9
22	26.0	32.0	22.7	21.0	0	0.0	0.13	59	15.2	47.8	SW	1.9	5.5
23	25.4	31.4	21.4	20.2	0			61	13.9	50.9	SW	2.5	4.7
24	25.4	30.4	20.6	19.4	0			57	12.6	52.9	SW	1.8	6.0
25	26.3	30.1	20.6	20.0	0			57	13.4	52.5	SW	2.3	5.3
26	26.2	30.2	22.3	21.8	0			62	16.2	48.9	SW	2.1	5.1
27	25.1	30.3	22.2	21.3	0	7.1	1.50	69	16.3	46.6	NE	2.0	4.1
28	24.5	32.1	20.3	21.1	0	0.7	0.30	67	14.5	48.1	NNE	1.8	3.7
29	23.0	26.9	20.5	19.4	0	0.0	0.05	67	14.2	50.0	N	3.5	3.4
30	23.8	30.1	19.7	18.7	0	0.0	0.07	57	12.5	51.5	NE	4.0	4.5
31	23.5	30.1	18.9	17.7	0			50	11.0	52.7	NE	4.0	5.5
Sum					0	7.8	2.22				NE		209.1
Avg.	27.1	32.7	22.8	20.8				54	14.1	749.6	(6)	3.2	6.7

r : 1939 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
11.8	0.0	6	7	28.4	37.9	29.1	28.4	27.4	26.2		1
11.7	0.3	8	8	28.9	40.1	29.4	28.5	27.5	26.3		2
11.3	0.7	7	8	27.7	40.1	29.9	28.7	27.5	26.3		3
9.5	1.7	7	8	27.6	40.5	30.2	29.1	27.8	26.3	◍°	4
4.6	2.3	7	8	29.5	42.5	30.3	29.2	27.9	26.4		5
9.7	1.0	8	7	27.5	38.9	30.4	29.3	28.0	26.4		6
10.5	3.7	6	7	28.6	39.8	30.4	29.4	28.1	26.4		7
9.9	1.3	7	7	30.3	41.1	30.6	29.5	28.1	26.5		8
11.3	1.0	7	7	31.4	42.0	30.7	29.6	28.2	26.6		9
11.6	0.3	7	7	28.4	40.9	30.7	29.7	28.3	26.6		10
10.8	2.7	6	7	28.5	39.4	30.6	29.6	28.3	26.7		11
10.8	3.0	7	7	25.6	34.3	29.9	29.4	28.3	26.7	≺'	12
9.5	2.3	8	8	25.8	36.9	29.4	28.7	27.9	26.8		13
8.8	1.7	6	8	26.9	37.3	29.1	28.6	27.7	26.7		14
10.8	0.7	8	9	28.3	39.0	29.2	28.5	27.8	26.7		15
9.1	1.3	8	8	26.7	35.8	29.2	28.6	27.9	26.6		16
10.8	1.0	8	7	27.6	35.1	29.0	28.6	27.8	26.6		17
11.1	2.0	7	7	28.7	34.6	28.9	28.4	27.7	26.6		18
9.4	2.7	7	7	27.2	34.8	28.8	28.3	27.6	26.6		19
5.1	4.7	7	7	26.7	35.4	28.4	28.2	27.5	26.5		20
9.9	5.3	7	7	26.9	35.5	28.2	27.9	27.4	26.4		21
5.0	6.7	8	8	25.1	34.4	28.2	27.9	27.3	26.4	◍° ◍°	22
6.8	4.7	8	7	26.7	33.1	27.9	27.6	27.2	26.3		23
8.8	2.3	7	7	25.8	35.0	27.7	27.4	27.1	26.2		24
8.5	1.7	8	7	25.7	36.0	27.6	27.3	26.9	26.1		25
10.5	1.7	7	7	27.5	35.7	27.8	27.4	26.8	26.1		26
4.5	6.0	8	7	23.7	29.5	27.7	27.2	26.7	26.0	◍$^{1-2}$ ≺^{2}	27
8.5	4.3	8	9	26.4	32.0	26.8	26.6	26.4	25.9	◍° ≺$^{0-1}$	28
1.5	8.0	8	8	21.7	24.6	26.2	26.2	26.1	25.8	◍° ≺°	29
7.3	4.7	7	7	23.8	29.4	25.8	25.8	25.7	25.6	◍° ⊕$^{0-1}$	30
10.9	4.3	7	8	26.2	28.2	26.0	25.7	25.6	25.5		31
280.3										◍6, ◍1, ≺2, ≺2, ⊕1.	
	2.7	7.3	7.5	27.1	36.1	28.8	28.2	27.4	26.4		

Year : 1939 Month : September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	24.6	31.7	19.0	18.1	0			45	10.7	753.2	NE	3.9	6.3
2	25.2	32.6	18.8	16.9	0			37	8.8	52.4	NE	4.0	7.3
3	25.4	34.0	19.0	18.1	0			40	10.4	50.7	NE	3.0	8.0
4	25.4	30.0	21.2	20.7	0			58	14.9	49.4	W	1.9	6.1
5	24.2	29.2	19.5	19.6	0			62	14.2	52.1	NE	9.7	5.6
6	22.8	28.3	19.5	16.9	0			55	10.5	55.0	NE	9.1	6.7
7	22.9	28.6	18.5	17.3	0			55	11.1	54.9	NE	5.4	5.6
8	22.4	27.2	18.0	17.9	0			55	10.6	54.1	ENE	6.2	5.8
9	22.8	29.3	19.0	17.7	0			58	11.4	53.3	NE	6.8	5.4
10	23.0	29.8	18.5	17.8	0	0.0	0.25	54	11.3	53.5	NE	4.4	5.3
11	23.1	27.9	17.7	18.7	0			58	12.8	53.1	WSW	1.9	5.6
12	24.5	30.2	20.3	20.8	0			71	15.6	51.1	SSW	2.5	4.8
13	25.2	30.4	21.3	21.2	0			67	15.7	49.3	WSW	1.4	3.9
14	24.8	30.5	19.0	20.1	0			65	13.9	48.1	SW	1.4	4.6
15	24.7	28.7	20.1	20.3	0			65	14.8	48.2	SSW	2.8	4.9
16	25.0	29.8	21.5	19.8	0			59	13.7	51.9	SSW	1.5	5.7
17	27.4	35.6	21.7	20.9	0			53	14.0	53.2	N	1.5	6.7
18	27.8	34.9	22.3	19.4	0			44	10.6	51.1	WSW	2.2	9.0
19	28.0	33.9	23.0	21.9	0			55	15.5	50.3	S	1.4	8.4
20	26.6	32.0	23.1	21.5	0	0.0	0.08	60	15.5	51.5	SW	0.6	5.6
21	27.1	32.5	23.2	21.2	0			54	14.3	52.1	SW	1.1	5.8
22	26.7	32.2	22.4	21.1	0			58	15.2	49.7	SW	1.6	6.6
23	25.9	31.0	21.3	21.2	0			66	15.4	48.9	SSW	2.0	6.1
24	25.8	31.3	21.2	21.3	0			64	15.7	45.0	NW	4.0	6.7
25	23.9	30.4	21.5	19.4	0	0.0	0.58	64	13.9	48.1	WNW	4.4	5.7
26	20.5	26.6	18.1	16.4	0			62	11.3	54.1	E	5.0	4.7
27	19.9	24.3	17.5	16.0	0			63	11.0	53.7	ENE	3.2	4.7
28	18.1	20.8	15.5	16.4	0	16.2	3.98	84	12.6	45.6	E	2.8	2.0
29	17.5	22.4	14.8	14.6	0	1.7	—	74	10.8	51.4	NE	4.5	2.7
30	19.0	22.2	14.1	17.2	0	0.0	0.25	75	13.1	51.4	SSW	1.4	2.9
Sum					0	17.9	—				NE		169.2
Avg.	24.0	29.6	19.7	19.0				59	13.0	751.2	(6)	3.4	5.6

ar : 1939 Month : September

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
11.9	1.3	7	8	25.2	33.7	26.0	25.6	25.4	25.3		1
11.9	1.7	7	8	25.6	35.3	25.9	25.7	25.4	25.2		2
11.6	0.0	8	8	25.5	35.7	26.4	25.9	25.6	25.3		3
10.9	2.0	7	7	25.6	30.5	26.6	25.7	25.7	25.2		4
10.7	1.7	6	8	25.6	31.6	26.6	26.4	25.6	25.2		5
11.0	1.3	7	8	24.7	30.3	26.1	25.8	25.2	25.2		6
11.3	1.7	7	7	23.6	30.3	26.0	25.8	25.5	25.2		7
11.0	0.7	6	7	23.7	30.4	25.8	25.7	25.3	25.1		8
9.7	3.3	6	6	22.8	30.6	25.7	25.6	25.3	25.1		9
8.3	3.7	8	8	24.2	31.3	25.6	25.5	25.2	25.0	◍⁰	10
10.9	1.3	8	7	24.1	32.6	25.3	25.3	25.3	25.0		11
10.2	1.3	8	7	25.0	30.4	25.5	25.4	25.3	24.9		12
10.7	2.0	7	7	24.9	30.1	25.8	25.6	25.3	25.2		13
10.7	1.0	7	7	27.1	30.6	26.0	25.7	25.3	24.8		14
9.4	4.0	6	7	24.3	28.5	25.9	25.7	25.3	24.8		15
10.9	4.7	8	7	24.1	29.4	25.8	25.6	25.2	24.8		16
10.9	0.0	7	9	27.8	33.8	26.1	25.6	25.2	24.8		17
9.6	3.7	6	4	27.0	31.6	26.5	25.9	25.2	24.8		18
9.6	3.3	6	7	26.2	32.6	26.8	26.3	25.4	24.8	<⁰	19
5.6	6.7	7	6	24.2	28.8	26.8	26.4	25.6	24.8	◍⁰	20
10.4	1.3	7	7	25.2	32.4	26.6	26.2	25.6	24.9		21
10.0	5.3	8	7	24.8	32.7	26.5	26.1	25.5	24.9	∩	22
8.9	6.0	8	7	23.5	31.7	26.4	26.0	25.5	24.9		23
7.3	6.0	5	6	23.6	30.5	26.3	26.0	25.5	24.9		24
8.4	6.3	8	7	23.5	29.6	26.1	25.8	25.3	24.8	◍⁰ <⁰⁻¹ ∩⁰⁻¹	25
4.8	6.3	8	8	17.5	23.1	25.3	25.2	24.8	24.7		26
7.1	7.7	8	8	18.3	23.7	24.3	24.7	24.6	24.7		27
0.0	10.0	7	7	16.6	17.2	23.4	23.8	24.1	24.4	◍² R⁰	28
6.0	8.3	8	8	15.1	18.3	22.1	23.0	23.4	24.0	◍¹	29
1.5	8.3	8	6	18.0	18.8	21.4	22.3	23.1	23.8	◍⁰	30
271.2										◍6, ∩1, R1, <2,	
	3.7	7.1	7.1	23.6	29.5	25.6	25.5	25.2	24.9	∩1.	

Year : 1939 Month : Octobe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	22.2	25.8	16.7	20.6	0	0.0	0.60	81	16.5	748.1	S	3.5	2.4
2	23.5	28.0	18.6	19.3	0			64	13.8	48.4	W	3.9	5.1
3	24.1	28.2	20.9	19.7	0			65	14.3	51.1	W	2.5	5.5
4	24.9	29.9	19.9	19.4	0			57	12.7	51.4	W	2.7	6.3
5	25.2	30.3	19.7	20.2	0			62	13.9	52.3	SSW	0.8	5.2
6	23.7	28.4	19.8	21.0	0			78	16.5	50.6	SW	0.8	2.8
7	24.4	29.2	19.7	20.0	0			66	14.3	49.3	SSW	0.9	3.8
8	24.2	28.6	19.7	19.1	0			57	12.8	50.0	S	3.9	6.1
9	20.2	24.1	17.3	14.6	0	2.0	--	57	8.9	48.7	WNW	8.1	8.1
10	18.5	23.4	14.1	13.3	0			49	8.4	51.0	WNW	3.0	6.5
11	19.3	24.8	15.1	15.0	0			57	9.6	53.5	WSW	1.3	4.4
12	18.7	22.7	15.2	15.3	0			66	10.7	53.4	NNE	0.8	2.8
13	18.7	25.9	14.3	15.5	0			67	10.8	53.5	WSW	1.3	2.7
14	19.3	24.3	15.5	16.4	0			70	11.6	53.8	WSW	0.6	2.9
15	20.9	25.3	16.9	17.8	0			71	13.0	53.7	WSW	0.6	3.0
16	21.7	27.2	16.5	18.8	0			70	13.9	55.0	SW	0.6	3.0
17	25.2	31.8	16.5	18.0	0			48	10.4	55.8	NE	4.1	5.7
18	27.3	33.2	22.7	17.6	0			35	9.1	55.7	NE	3.7	8.1
19	26.9	35.4	22.2	18.4	0			40	10.3	53.8	NNE	1.5	7.4
20	23.2	28.7	19.2	17.8	0			57	11.9	52.4	SW	0.6	5.3
21	22.4	26.5	18.4	18.2	0	0.0	0.03	61	12.9	50.2	SW	1.3	4.5
22	22.5	26.0	19.9	18.8	0			67	13.8	52.1	W	1.0	4.4
23	21.5	24.5	18.8	18.6	0			73	13.9	53.4	S	0.4	2.9
24	21.5	25.3	18.9	19.3	0	0.0	--	80	15.3	49.6	SSW	2.4	2.6
25	19.2	23.7	15.6	13.5	0			50	7.8	50.5	NW	0.9	5.2
26	18.9	22.2	14.8	16.1	0	15.8	5.00	71	11.8	45.7	SSE	5.1	3.7
27	19.3	23.8	15.4	15.6	0			66	13.1	46.7	W	2.6	4.8
28	18.9	22.4	15.8	17.0	0	3.2	3.78	78	13.0	47.8	S	2.9	3.2
29	17.4	19.3	16.2	12.4	1	12.0	1.67	57	8.0	48.6	WNW	7.5	6.1
30	15.8	18.3	13.8	12.3	2			60	8.4	53.6	W	3.0	4.8
31	16.0	20.4	11.2	11.3	2			52	6.9	52.8	N	2.3	5.2
Sum					5	33.0	--				W		144.5
Avg.	21.5	26.1	17.4	17.1				62	11.9	751.4	(6)	2.4	4.7

ar : 1939 Month : OCTOBER

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	5.3	4.7	7	7	21.4	23.9	21.9	22.4	22.9	23.6	◍⁰ ▱¹	1
2	5.8	7.3	8	8	25.0	26.3	22.7	22.7	23.0	23.6		2
3	7.4	7.3	8	8	22.3	25.9	23.4	23.1	23.1	23.5		3
4	10.0	1.3	8	8	22.8	27.1	23.7	23.4	23.2	23.4		4
5	9.8	0.3	8	8	23.8	27.5	24.2	23.6	23.3	23.4		5
6	7.4	3.3	8	7	22.5	27.1	24.2	23.8	23.4	23.3	▱¹	6
7	9.5	3.3	8	8	23.9	26.2	24.3	23.9	23.5	23.3	▱¹	7
8	7.9	6.7	8	8	23.1	28.3	24.2	23.8	23.5	23.3	∿⁰⁻¹	8
9	10.0	1.7	8	8	17.3	23.0	23.7	23.6	23.5	23.3	◍¹ ℝ¹	9
10	10.1	1.0	8	8	19.3	23.9	22.6	23.0	23.0	23.2	▱⁰	10
11	10.0	2.0	8	8	19.1	23.9	22.2	22.6	22.7	23.0		11
12	2.3	6.7	8	7	17.7	20.3	22.0	22.4	22.5	22.9		12
13	8.2	4.3	8	8	18.4	21.7	21.8	22.1	22.3	22.7	▱⁰	13
14	6.5	5.0	8	7	19.4	23.2	21.8	22.0	22.2	22.6	▱⁰⁻¹	14
15	9.5	1.3	8	8	19.6	23.9	21.9	22.1	22.2	22.5	▱⁰⁻¹	15
16	8.3	0.7	7	7	21.0	24.5	22.2	22.2	22.2	22.5	▱¹	16
17	9.2	0.0	8	6	24.0	27.0	22.5	22.3	22.2	22.4		17
18	9.4	0.0	8	7	23.2	28.9	23.2	22.5	22.3	22.4		18
19	8.8	0.0	5	7	24.2	29.9	23.6	23.0	22.5	22.5		19
20	9.0	0.0	5	6	21.8	25.6	23.6	23.1	22.7	22,5	▱⁰⁻¹	20
21	5.4	7.7	6	6	19.7	22.9	23.1	23.1	22.7	22.5	◍⁰	21
22	0.8	8.7	8	8	20.4	23.4	23.2	23.0	22.7	22.6	Θ⁰ ∈⁰	22
23	2.1	9.0	8	7	19.1	20.9	22.7	22.7	22.5	22.5		23
24	4.1	6.3	8	6	20.2	22.4	22.5	22.5	22.5	22.5	◍⁰ ℝ⁰ ▱¹	24
25	8.4	5.3	7	8	17.5	20.9	21.8	22.0	22.2	22.4		25
26	2.8	6.0	7	7	16.2	15.8	21.1	21.6	21.9	22.1	◍¹⁻² ℝ²	26
27	9.0	2.3	7	8	17.7	18.8	20.5	21.2	21.8	22.2	▱⁰⁻¹ ▱⁰	27
28	4.1	9.0	8	8	17.4	19.7	20.3	20.7	21.3	21.8	◍⁰⁻¹ ℝ¹	28
29	9.2	2.7	8	9	15.3	16.5	19.9	20.5	21.3	21.9	◍² ℝ²	29
30	1.4	6.3	8	7	12.3	13.0	18.6	19.6	20.6	21.4		30
31	9.5	1.3	7	8	12.9	15.2	17.8	18.9	20.0	20.9	▱⁰	31
	221.2										◍6, ◍1, Ω14, ℝ5, ∠1, Φ1, Ψ1.	
		3.8	7.5	7.5	20.0	23.1	22.3	22.4	22.5	22.7		

Year : 1939 Month : Novembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	17.1	21.3	12.2	13.1	1		- -	59	8.6	752.7	S	1.0	4.0
2	18.8	23.2	13.7	16.8	0	0.0	0.03	76	12.4	52.6	SSW	1.4	2.9
3	19.0	23.8	15.7	17.0	0			78	12.8	53.7	SW	0.3	2.1
4	19.9	24.2	16.5	17.6	0			79	13.3	56.0	NNE	0.7	2.0
5	18.3	23.7	16.6	16.1	0			77	12.0	56.9	NE	1.0	1.8
6	16.7	21.0	14.6	15.4	1	33.5	—	86	12.0	49.9	N	2.1	1.3
7	15.1	18.5	13.4	12.0	3	22.1	—	72	8.6	52.0	NNE	10.2	2.4
8	14.8	19.2	12.6	11.5	3			64	8.0	57.2	NE	8.9	3.1
9	13.9	17.1	12.1	10.2	4			59	7.0	59.0	NNE	8.3	3.4
10	14.8	19.7	11.8	11.2	3			59	7.5	55.8	NNW	3.5	3.2
11	14.1	20.9	8.2	10.6	4			59	6.9	54.3	NE	1.1	2.9
12	14.6	21.2	8.3	11.9	3			67	8.4	55.2	NNE	2.1	2.1
13	14.4	19.9	10.7	12.0	4			75	8.9	56.4	NNE	1.6	2.0
14	16.7	22.3	10.8	15.1	1	0.0	0.03	76	11.3	56.2	SSE	1.5	1.8
15	17.3	18.7	11.4	15.8	1	6.4	3.67	84	12.3	52.9	S	3.6	2.0
16	16.7	21.2	13.7	14.8	1			83	11.2	49.3	WSW	1.1	1.4
17	15.3	19.1	12.4	13.9	3	3.5	1.50	85	11.0	49.1	NNE	1.0	1.1
18	14.0	17.2	12.8	10.3	4	2.4	1.67	64	7.1	49.6	N	6.6	2.0
19	11.6	14.2	9.4	7.1	6			50	4.9	52.9	N	6.9	4.2
20	14.0	18.2	8.2	12.4	4	1.7	5.52	73	9.4	44.9	S	6.4	3.0
21	13.3	18.4	11.2	11.1	5			71	8.1	46.0	NNE	1.3	2.1
22	12.4	18.9	9.2	10.5	6	7.8	1.55	77	8.2	51.6	E	1.6	1.7
23	11.1	15.2	8.6	9.4	7	0.0	0.08	76	7.3	55.3	ENE	6.3	1.6
24	11.1	14.2	8.7	9.2	7	2.6	4.58	77	7.6	54.4	E	5.2	1.5
25	11.4	15.4	9.5	9.1	7	0.4	1.00	74	8.1	51.9	NE	3.4	1.5
26	10.9	14.7	8.2	8.3	7			68	6.4	53.9	N	3.1	1.9
27	11.6	17.0	6.5	9.6	6			71	7.4	54.7	SW	0.7	1.8
28	14.1	18.2	6.5	11.6	4			72	8.5	54.3	WSW	1.4	2.1
29	14.1	17.8	10.8	11.3	4			71	8.3	56.9	NE	0.5	1.9
30	13.2	19.4	9.7	10.9	5			72	8.1	59.1	ENE	0.8	1.8
Sum					104	80.3	—				NNE		66.6
Avg.	14.7	19.1	11.1	12.2				72	9.1	753.5	(6)	3.1	2.2

ear : 1939 Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.3	5.7	8	8	14.9	15.8	17.8	18.6	19.7	20.6		1
8.5	2.0	8	7	17.5	18.4	18.6	18.9	19.6	20.5		2
8.5	4.3	7	7	17.8	19.5	19.1	19.2	19.6	20.4		3
5.3	6.3	6	7	17.7	20.9	19.6	19.5	19.7	20.4		4
1.1	9.7	6	7	17.3	20.1	19.9	19.7	19.8	20.3		5
0.2	10.0	8	6	15.4	16.2	19.4	19.5	19.0	20.0		6
5.7	6.0	6	7	13.8	14.7	18.4	18.6	18.6	19.5		7
8.9	3.3	7	8	13.1	14.1	17.3	17.9	18.5	19.4		8
9.2	2.3	7	8	12.4	13.3	16.7	17.4	18.3	19.3		9
9.2	0.7	7	9	12.5	14.6	16.4	17.1	18.1	19.2		10
8.8	1.0	6	6	12.3	12.8	16.1	16.8	17.8	19.0		11
6.7	7.7	6	8	13.5	15.9	16.1	16.7	17.7	18.9		12
8.6	3.3	7	7	13.7	14.3	16.4	16.8	17.6	18.8		13
1.6	8.0	8	7	16.0	16.2	16.6	17.0	17.6	18.7		14
0.5	8.3	8	7	15.7	15.6	17.1	17.3	17.8	18.6		15
6.2	6.0	7	7	15.3	15.4	16.9	17.2	17.8	18.6		16
1.2	9.0	7	6	14.0	14.3	16.8	17.2	17.7	18.5		17
6.1	5.3	6	7	11.9	10.9	16.4	16.9	17.6	18.4		18
8.8	1.7	7	9	9.6	11.2	15.0	16.1	17.1	18.2		19
0.1	8.0	7	7	11.9	11.4	14.6	15.6	16.8	17.9		20
5.6	4.3	8	8	11.4	12.2	14.6	15.5	16.6	17.9		21
4.8	4.7	8	8	10.0	11.5	14.4	15.2	16.4	17.6		22
4.2	9.0	6	8	11.5	12.2	14.2	15.1	16.2	17.5		23
0.3	8.0	8	8	9.3	10.0	13.9	14.7	15.9	17.3		24
4.1	5.7	7	8	10.7	10.9	13.8	14.6	15.8	17.1		25
6.3	6.0	8	9	8.6	10.8	13.4	14.4	15.5	17.0		26
8.2	5.7	7	7	9.3	10.8	13.1	14.1	15.3	16.8		27
8.3	4.0	5	8	12.1	14.3	13.5	14.3	15.3	16.7		28
3.6	9.0	6	5	10.9	12.0	13.8	14.4	15.3	16.6		29
7.7	1.3	5	7	11.1	13.7	13.9	14.4	15.3	16.5		30
166.6										●10, ◑4, R2, ≤4, Ω23, ∩1, Ψ1.	
	5.6	6.9	7.4	13.0	14.1	16.1	16.7	17.5	18.5		

Year : 1939 Month : December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	14.3	19.0	10.5	12.1	4			74	8.8	756.2	S	1.2	1.6
2	15.2	20.2	10.7	12.6	3			75	9.3	53.8	S	1.3	2.3
3	14.7	19.6	11.4	13.0	3			79	9.9	53.4	ESE	0.8	1.7
4	15.0	18.6	12.1	13.5	3			85	10.6	51.3	S	1.4	1.4
5	15.0	16.9	12.3	13.7	3	0.0	0.92	84	10.7	49.8	S	3.9	1.5
6	15.5	18.3	11.1	12.9	2	-	-	78	9.7	49.8	S	6.0	2.6
7	17.6	19.5	11.9	14.8	0	0.6	0.39	68	10.6	47.9	S	11.8	5.1
8	13.9	17.2	12.7	10.2	4	0.0	1.70	63	7.1	47.5	W	2.8	3.6
9	10.4	14.6	8.3	21.8	8	0.0	--	73	6.4	48.4	NE	1.5	1.5
10	9.5	14.6	6.4	16.9	8	-		69	5.8	51.8	NNE	1.5	1.8
11	10.0	14.8	6.5	8.3	8	0.1	1.33	76	7.3	53.9	NE	0.8	1.1
12	11.2	13.4	8.1	10.2	7	21.1	8.17	82	8.5	50.2	SE	4.3	1.7
13	11.3	13.8	8.2	9.7	7	0.2	2.25	80	7.9	49.2	NE	1.9	1.0
14	11.8	16.5	8.9	10.5	6	1.8	2.08	84	8.7	53.1	NE	1.5	0.9
15	13.5	18.0	10.2	11.4	4	-	-	77	8.7	54.2	SW	0.8	1.7
16	14.5	16.7	10.3	13.5	3	0.0	2.28	82	10.5	56.9	S	2.3	1.4
17	15.7	19.6	13.3	14.2	2	0.2	1.50	83	10.9	57.3	ENE	0.8	1.2
18	14.2	16.8	12.5	12.6	4			82	9.5	59.2	NE	4.1	1.1
19	12.5	15.9	11.2	10.4	5	- -	- -	77	8.1	60.1	NNE	3.5	1.6
20	13.1	17.2	9.9	12.0	5	0.0	0.20	82	9.3	53.7	SSE	1.9	1.3
21	12.3	14.4	11.8	10.2	6	19.6	4.50	74	7.8	45.5	W	4.2	2.0
22	4.5	11.5	5.0	1.8	13	0.0	0.42	64	3.8	57.6	NE	12.2	2.5
23	4.4	10.1	-0.2	2.5	14			69	4.3	60.6	NE	1.1	1.4
24	8.3	12.7	0.0	6.5	10			74	6.1	59.3	S	1.1	1.5
25	9.9	12.5	4.2	8.1	8			75	6.8	55.0	E	0.8	1.6
26	13.3	15.2	4.2	13.0	5	20.9	14.58	92	10.7	47.7	S	7.5	1.3
27	13.8	16.7	12.0	13.2	4	18.0	9.50	91	10.9	44.0	S	4.3	1.3
28	12.5	16.3	8.4	10.8	5	1.2	3.00	81	8.7	46.3	NE	3.2	1.3
29	7.4	9.5	7.2	6.6	11	17.0	17.50	87	6.8	45.6	NNE	5.7	0.7
30	9.3	13.9	6.0	8.1	9	4.5	2.78	79	6.9	43.4	SW	2.7	1.2
31	7.8	11.2	5.8	5.3	10	0.2	1.33	68	5.2	49.4	N	3.9	1.9
Sum					184	105.4					S		52.8
Avg.	12.0	15.7	8.7	10.2				78	8.3	752.0	(6)	3.3	1.7

ar : 1939 Month : December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	7.1	5.3	6	7	12.4	13.8	13.9	14.5	15.3	16.4	Ω^{1-2}	1
2	8.5	0.0	6	7	12.3	14.8	14.3	14.6	15.3	16.4	Ω^{1}	2
3	8.1	0.7	6	7	12.0	14.5	14.4	14.7	15.3	16.3	Ω^{2}	3
4	1.3	8.0	8	7	13.5	14.5	14.9	15.0	15.5	16.3	Ω^{1}	4
5	0.1	9.3	8	7	13.6	13.6	15.0	15.2	15.5	16.3	$\mathbb{9}^{0}$ Ω^{1}	5
6	5.7	6.3	8	8	13.7	13.3	14.8	15.1	15.5	16.3	Ω^{2}	6
7	5.4	3.7	6	4	15.8	17.0	15.5	15.4	15.7	16.3	$\mathbb{9}^{0-2}$ $\swarrow^{2}$	7
8	2.2	5.0	7	8	11.1	12.2	15.3	15.3	15.7	16.4	$\mathbb{9}^{0}$ $\swarrow^{0}$ Ω^{0}	8
9	2.4	9.0	8	7	7.6	8.5	14.2	14.5	15.3	16.2	$\mathbb{9}^{0}$ $\mathbb{9}^{0}$ Ω^{0}	9
0	8.1	4.3	6	7	8.5	9.7	13.1	14.0	15.0	16.0	Ω^{0}	10
1	3.1	4.3	6	6	7.7	9.2	12.8	13.7	14.7	15.9	$\mathbb{9}^{0}$ Ω^{2}	11
2	0.0	10.0	6	6	9.3	9.2	12.7	13.5	14.5	15.6	$\mathbb{9}^{0}$ $\mathbb{R}^{0}$	12
3	0.2	9.0	6	7	9.5	9.6	12.4	13.3	14.2	15.5	$\mathbb{9}^{0}$ $\swarrow^{1}$	13
4	2.4	5.7	8	7	9.9	10.8	12.6	13.4	14.2	15.4	$\mathbb{9}^{0}$	14
5	3.4	6.0	8	8	11.3	11.6	12.9	13.5	14.2	15.4	Ω^{2}	15
6	0.0	10.0	4	4	12.9	12.5	13.1	13.6	14.2	15.3	$\mathbb{9}^{0}$	16
7	0.0	9.3	6	7	14.4	15.0	13.8	14.0	14.4	15.3	$\mathbb{9}^{0}$ Ω^{2}	17
8	0.0	8.0	6	6	13.1	13.1	14.1	14.2	14.5	15.3	Ω^{1-2}	18
9	0.1	3.0	6	8	10.2	11.9	13.9	14.1	14.5	15.3	Ω^{1}	19
0	0.2	8.0	6	7	12.2	13.6	13.6	14.0	14.5	15.3	$\mathbb{9}^{0}$ Ω^{0-1}	20
1	0.2	8.0	7	7	9.9	9.9	13.6	14.0	14.5	15.3	$\mathbb{9}^{2}$	21
2	0.3	6.7	6	7	4.1	3.5	11.7	12.7	13.6	14.8	$\ast^{0}$	22
3	8.4	0.7	6	7	4.1	6.0	9.9	11.6	13.1	14.7	Ω^{2} $\llcorner^{1-2}$	23
4	3.4	3.0	6	6	6.1	7.1	9.8	11.2	12.8	14.5	Ω^{2} $\llcorner^{2}$	24
5	0.0	10.0	7	7	8.8	8.3	10.2	11.3	12.7	14.3	Ω^{2}	25
6	0.0	10.0	4	4	12.1	12.2	11.2	11.8	12.8	14.1	$\mathbb{9}^{1-2}$ $\swarrow^{0}$	26
7	0.0	9.7	7	6	12.6	12.7	12.4	12.5	13.0	14.1	$\mathbb{9}^{2}$ $\blacktriangle^{2}$ $\mathbb{R}^{2}$	27
8	0.1	9.0	7	6	10.3	11.1	12.6	12.8	13.2	14.1	$\mathbb{9}^{0}$ $\swarrow^{2}$	28
9	0.0	10.0	6	6	6.8	6.5	11.7	12.3	13.0	14.0	$\mathbb{9}^{0}$ $\swarrow^{0}$	29
0	3.2	7.7	8	7	7.6	9.7	11.1	12.0	12.8	13.9	$\mathbb{9}^{1}$ $\swarrow^{1}$	30
1	1.6	7.3	6	8	7.5	9.7	11.0	11.8	12.7	13.8	$\mathbb{9}^{0}$	31
n	75.5										$\mathbb{9}$14, $\mathbb{9}$5, $\ast$1, $\blacktriangle$1, Ω18,	
g.		6.7	6.5	6.6	10.4	11.1	13.0	13.5	14.3	15.3	$\llcorner$2, $\mathbb{R}$2, $\swarrow$7.	

YEAR : 1939

Month	Air temperature (°C)							Degree days (base 18°C)	Average of			Sunshine h (8)	
	Average			Absolute					Wet bulb tempr.	Relative humid.(%)	Vapor pressure (mm)		
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date	(1)	(3)	(1)	(3)	Total	Pos- (9
JAN	11.4	15.1	8.1	19.1	28	2.9	2	204	9.5	77	7.7	139.3	303
FEB.	9.5	13.7	6.5	19.7	9	2.0	5	236	7.2	68	6.1	140.8	300
MAR.	10.2	14.0	6.7	20.5	28	3.0	18	237	8.0	70	6.5	150.3	368
APR.	16.2	20.9	12.1	25.4	7	6.7	2	55	12.7	63	8.6	201.2	393
MAY	19.5	24.1	15.5	28.6	18	12.7	3	1	15.4	60	10.1	149.7	438
JUNE	22.9	27.5	18.8	37.2	28	13.6	8	5	18.0	60	12.1	213.1	439
JULY	28.8	34.6	23.9	42.0	20	20.3	6/7	0	20.5	43	12.5	357.5	446
AUG.	27.1	32.7	22.8	38.2	8	18.9	31	0	20.8	54	14.1	280.3	418
SEPT.	24.0	29.6	19.7	35.6	17	14.1	30	0	19.0	59	13.0	271.2	370
OCT.	21.5	26.1	17.4	35.4	19	11.2	31	5	17.1	62	11.9	221.2	344
NOV.	14.7	19.1	11.1	24.2	4	6.5	27/28	104	12.2	72	9.1	166.6	301
DEC.	12.0	15.7	8.7	20.2	2	-0.2	23	184	10.2	78	8.3	75.5	294
YEAR	18.2	22.8	14.3	42.0	July 20	-0.2	Dec. 23	1031	14.2	64	10.0	2.366.7	4.4

Month	Avg.Cloudiness (tenths)	Avg.Visibility (11)		Average soil temperature (°C)(3)						Number of days				
				Surface		In cm. depth as indicated below (in cups)								
	(3)	Toward sea	Toward land	Green	Bare	30	60	90	120	Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥25.0°C (summer days)	Maximum ≥30.0°C (Tropical days)	Minimum ≥2C. 0°C
JAN	5.5	6.3	6.3	9.4	9.8	11.4	11.8	12.3	13.1	0	0	0	0	
FEB.	5.4	6.5	6.8	9.2	10.0	10.8	11.2	11.7	12.5	0	0	0	0	
MAR.	6.5	6.2	6.5	9.6	11.2	10.8	10.9	11.2	11.8	0	0	0	0	
APR.	4.4	6.5	6.6	16.2	21.0	16.3	15.6	14.9	14.4	0	0	1	0	
MAY	5.4	7.0	7.0	19.3	27.1	20.8	20.0	19.0	18.1	0	0	10	0	
JUNE	4.2	6.9	7.0	21.7	29.5	23.2	22.1	21.1	20.1	0	0	23	6	1
JULY	1.1	6.9	7.5	27.9	39.4	29.5	28.2	26.5	24.6	0	0	31	31	3
AUG.	2.7	7.3	7.5	27.1	36.1	28.8	28.2	27.4	26.4	0	0	31	30	2
SEP.	3.7	7.1	7.1	23.6	29.5	25.6	25.5	25.2	24.9	0	0	26	16	1
OCT.	3.8	7.3	7.5	20.0	23.1	22.3	22.4	22.5	22.7	0	0	18	3	
NOV.	5.6	6.9	7.4	13.0	14.1	16.1	16.7	17.5	18.5	0	0	0	0	
DEC.	6.7	6.5	6.6	10.4	11.1	13.0	13.5	14.3	15.3	2	0	0	0	
YEAR.	4.6	6.8	7.0	17.3	21.8	19.1	18.8	18.6	18.5	2	0	140	86	8

YEAR : 1939

	Average Pressure (1) at 0°C (mm)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hours	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat (4)	Dew (4)	Hoarfrost (4)	
.	751.5	2.2	S	68.4	15.2	7	52.2	14	4	0	0	0	15	24	0	
.	54.6	4.5	N	38.3	22.1	28	58.7	7	4	0	3	0	11	8	2	
.	47.4	4.5	N	116.6	23.2	21	79.4	12	6	0	3	2	16	4	2	
.	51.1	3.0	N	16.9	13.4	21	100.5	7	4	0	0	0	8	8	0	
	49.7	2.1	SW	1.7	1.3	29	147.9	3	4	0	0	0	5	0	0	
E	49.1	3.8	SW	34.3	12.6	6	161.8	12	4	0	0	0	13	0	0	
Y	50.2	3.7	NE	0.0	0.0	1/14	258.5	2	0	0	0	0	2	0	0	
.	49.6	3.2	NE	7.8	7.1	27	209.1	6	1	0	0	0	6	0	0	
.	51.2	3.4	NE	17.9	16.2	28	169.2	6	0	0	0	0	6	11	0	
.	51.4	2.4	W	33.0	15.8	26	144.5	6	1	0	0	0	7	14	0	
.	53.5	3.1	NNE	80.3	33.5	6	66.6	10	4	0	0	0	12	23	0	
.	52.0	3.3	S	105.4	21.1	12	52.8	14	5	1	0	1	19	18	2	
R	750.9	3.3	NE	520.6	33.5	Nov. 6	1501.2	99	37	1	6	3	120	100	6	

	Number of days Snow cover	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
.	0	7	15	9	7	3	0	0	0	0	0	2	2	0	
.	0	6	15	7	5	4	0	1	0	1	0	1	1	0	
.	0	2	20	9	2	5	4	2	0	0	0	2	1	0	
.	0	12	10	8	7	2	1	0	0	1	0	0	0	0	
	0	3	24	4	3	2	1	0	0	0	0	0	0	0	
E	0	12	13	5	12	0	6	0	0	0	0	0	1	0	
Y	0	22	9	0	28	0	2	1	0	0	0	0	0	0	
.	0	14	17	0	17	0	2	2	0	0	0	1	0	0	
.	0	12	15	3	15	1	1	2	0	0	0	0	1	0	
.	0	11	17	3	12	0	5	1	0	0	1	1	0	0	
.	0	4	20	6	8	0	2	4	0	0	1	0	1	0	
:	0	3	17	11	2	8	2	7	0	0	0	0	0	0	
R	0	108	192	65	118	25	26	20	0	2	2	7	7	0	

Y E A R : 1939

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	N.E	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	3.1	2.0	2.7	1.5	2.0	2.0	9.4	9.4	10.9	2,7	3.6	3.4	2.7	1.5	5,1	3.1
FEB.	35.6	11.6	3.1	0.6	1.2	0.6	3.0	2.4	3.9	0.9	0.4	0.6	1.5	1.8	6,5	8.0
MAR.	15.3	7.4	3.7	1.9	2.3	1.5	4.2	8.2	10.9	5.7	6.1	9.7	6.0	2.5	4,5	6.1
APR.	13.8	12.5	7.1	3.8	2.8	1.3	6.7	5.3	9.9	8.5	3.9	0.7	1.3	0.7	1.4	4.2
MAY	2.8	0.9	1.1	0.7	0.9	0.3	1.9	1.9	5.0	8.6	19.1	8.7	8.9	5.1	5.2	1.2
JUNE	5.8	6.9	5.8	7.6	1.7	0.3	0.6	0.4	6.4	7.5	15.4	8.6	4.4	2.6	1.9	3.3
JULY	7.0	6.9	16.8	9.7	2.4	0.3	0.3	0.1	2.4	2.2	6.6	7.1	5.4	3.8	2.7	2.7
AUG.	4.7	7.8	17.9	11.3	2.7	1.2	0.8	0.1	3.0	3.2	11.4	7.9	4.8	2.2	1.3	1.8
SEP.	4.2	4.4	16.7	9.6	4.0	1.0	0.7	0.4	3.5	4.4	7.1	6.0	3.2	1.3	1.8	1.7
OCT.	1.7	2.8	4.4	1.7	1.1	0.4	1.5	1.1	5.4	5.9	8.3	6.3	10.6	8.1	4.0	1.3
NOV.	8.2	15.3	13.2	8.9	5.0	1.8	0.7	1.8	5.7	3.3	4.6	3.8	3.1	1.5	1.0	3.5
DEC.	4.2	9.4	11.7	3.0	3.5	2.3	2.6	3.1	13.8	6.2	5.8	3.8	5.2	1.7	1.9	1.6
YEAR	8.6	7.3	8.7	5.0	2.5	1.1	2.7	2.9	6.7	4.9	7.8	5.6	4.8	2.7	3.1	3.2

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8, 14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell-Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h. observation.

YEAR 1940

Year : 1940 Month : Janu

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	7.8	12.0	4.6	5.3	10			67	5.2	752.3	W	1.6	2.1
2	5.8	8.8	3.5	4.5	12	3.8	13.17	83	5.7	50.3	NE	4.0	0.9
3	2.5	6.0	0.6	0.5	15	4.4	4.00	69	3.7	54.2	N	4.3	1.3
4	6.8	12.1	0.4	6.0	11	0.0	0.83	75	5.9	53.5	S	0.3	1.2
5	12.6	15.8	3.4	11.8	5	0.5	3.50	84	9.5	50.1	S	4.9	1.3
6	12.6	16.7	9.0	10.5	5	2.3	1.33	82	8.3	47.6	NE	6.2	2.1
7	8.6	10.5	8.6	6.3	9	1.7	3.50	71	5.8	51.0	NNE	13.2	2.2
8	5.7	7.6	5.6	3.8	12	0.0	9.33	72	4.9	52.1	NNE	11.1	1.9
9	4.1	6.8	3.4	2.5	14	0.4	1.17	76	4.5	55.2	NNE	8.1	1.2
10	4.3	5.2	3.0	3.2	14	0.1	18.00	78	5.0	57.9	NNE	9.7	1.3
11	5.0	6.1	3.0	4.1	13	0.1	17.00	83	5.5	58.9	NE	11.8	1.2
12	5.1	6.2	4.3	3.5	13	2.2	9.92	75	4.8	60.4	NNE	13.9	1.5
13	4.6	5.8	3.4	2.9	13	0.0	2.00	73	4.5	59.3	NNW	5.7	1.2
14	3.9	7.0	2.2	2.3	14			70	4.2	58.0	NNW	3.4	1.3
15	6.8	11.4	1.8	5.3	11			73	5.5	52.5	SSE	2.7	1.5
16	10.0	13.0	7.9	9.0	8	20.0	6.08	85	8.0	40.7	SSE	4.0	2.1
17	10.9	16.1	3.5	9.3	7			79	7.6	43.7	SW	0.7	1.2
18	12.6	14.7	7.4	11.5	5	0.0	0.22	79	8.9	44.4	S	8.4	2.7
19	9.2	13.3	9.0	6.6	9	21.3	3.63	74	6.0	42.3	WSW	6.3	2.2
20	9.9	13.4	5.0	7.5	8	0.0	0.08	70	6.3	47.2	S	3.9	2.0
21	12.9	14.8	5.6	11.0	5	3.1	0.58	79	8.9	44.4	S	11.4	3.3
22	10.1	13.8	7.2	7.0	8	0.0	0.17	64	5.6	49.0	WNW	1.2	2.0
23	10.5	15.6	5.2	7.4	7			65	5.7	53.3	SW	0.4	2.3
24	12.4	16.1	7.6	10.7	6	0.0	0.33	73	8.1	50.5	ENE	6.3	1.7
25	11.2	15.1	9.4	9.0	7	26.4	6.25	85	7.8	43.1	SE	3.2	1.8
26	9.4	13.9	6.5	7.5	9	0.0	0.50	80	6.7	46.4	NNE	5.4	1.1
27	7.1	9.7	6.6	5.3	11	0.0	0.75	76	5.6	48.0	NE	9.5	1.6
28	6.3	9.0	3.6	4.5	12	0.4	3.47	76	5.3	44.8	N	0.8	1.0
29	6.0	8.8	4.1	4.0	12	6.5	7.00	75	5.1	46.7	NE	4.6	1.0
30	5.9	10.0	3.8	3.9	12			68	4.7	51.9	N	3.5	1.5
31	7.4	9.1	4.2	6.8	11	2.5	11.50	87	7.0	49.8	-	0.6	0.5
Sum					308	95.7	124.31			-	NNE		50.2
Avg.	8.0	11.1	5.0	6.2				76	6.1	750.3	(6)	5.5	1.6

Year : 1940 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
6.1	3.7	7	8	5.4	6.2	10.6	11.4	12.4	13.6	Ω⁰	1
0.0	10.0	7	7	4.6	4.4	10.0	11.0	12.1	13.4	◍⁰	2
6.1	2.3	6	8	1.3	4.6	8.9	10.3	11.6	13.1	◍⁰⁻¹ ⌊⁰	3
2.8	8.7	5	6	6.3	7.8	8.5	9.9	11.2	12.8	◎⁰ Ω¹ ⌊⁰	4
0.1	8.7	6	6	11.5	11.6	9.6	10.3	11.4	12.8	◍⁰	5
0.5	9.3	7	8	12.6	13.1	11.1	11.2	11.7	12.8	◍¹ ◎⁰	6
0.0	9.3	8	7	6.4	7.2	10.9	11.2	11.7	12.7	◍⁰	7
0.6	8.3	8	7	4.1	4.8	9.9	10.7	11.5	12.6	⚹⁰	8
0.7	9.3	8	6	4.2	5.3	9.1	10.1	11.2	12.5	◍⁰ ⚹⁰	9
0.0	10.0	6	6	3.5	3.8	8.4	9.6	10.8	12.3	⚹⁰	10
0.0	10.0	8	7	3.8	4.0	8.2	9.3	10.5	12.1	◍⁰ ⚹⁰	11
0.0	9.7	8	7	3.9	4.2	8.0	9.1	10.3	11.9	◍⁰ ◎⁰	12
0.8	9.0	8	8	3.2	3.8	7.9	8.9	10.2	11.8	◎⁰	13
0.3	5.7	8	7	3.1	4.0	7.6	8.7	10.0	11.7	Ω⁰	14
3.7	8.0	8	7	5.4	6.7	7.3	8.5	9.8	11.5	Ω¹ ⌊²	15
0.0	9.3	5	5	6.6	8.3	8.3	9.1	9.9	11.4	◍² ◬⁰ ⊼¹	16
8.2	6.3	6	7	-	-	-	-	-	-	Ω¹	17
1.4	9.7	7	7	11.5	11.5	9.9	10.0	10.5	11.4	◍⁰	18
4.4	4.7	7	8	7.7	7.7	10.1	10.3	10.6	11.6	◍² ◬⁰ ⊼¹ Ω⁰	19
4.4	5.3	8	7	7.8	8.1	9.5	10.0	10.7	11.4	◎⁰ Ω¹	20
1.6	8.7	5	6	11.2	11.1	10.4	10.4	10.7	11.5	◍⁰	21
5.0	4.7	6	8	6.8	7.6	10.2	10.4	10.7	11.5	◍⁰ Ω⁰	22
8.5	3.0	8	7	8.0	9.6	9.8	10.2	10.7	11.4	Ω¹	23
3.6	9.3	7	7	11.3	12.5	10.1	10.4	10.7	11.5	◎⁰ Ω⁰	24
1.6	9.0	5	6	9.1	10.0	10.8	10.8	10.9	11.5	◍² ◬⁰⁻¹ ⊼¹	25
4.8	8.3	8	8	9.5	10.3	10.6	10.8	11.0	11.6	◎⁰ Φ⁰ Ω¹	26
3.9	7.7	8	7	5.5	6.4	10.1	10.5	10.9	11.5	◎⁰	27
0.4	9.3	8	6	4.0	4.5	9.3	10.0	10.7	11.5	◍⁰ Ω¹	28
2.1	8.0	7	7	4.6	5.5	9.2	9.7	10.5	11.4	◍⁰	29
1.1	9.3	5	6	5.3	6.5	8.8	9.5	10.3	11.3		30
0.0	9.7	4	5	6.7	6.5	8.9	9.5	10.3	11.3	◍⁰ ◎⁰	31
72.7										◍17, ◎9, ⚹4, ◬3,	
	7.9	6.8	6.8	6.5	7.3	9.4	10.1	10.8	12.0	⌊3, ⊼3, Ω12, Φ1.	

Year : 1940 Month : Februa

Date	Air temperature (°C)				Degree days (base 18°)	Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	Wind (5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor Pressure (mm) (3)	(1)	Prevailing direction	avg. speed (met.p.s.)	(4)(7)
1	12.8	18.9	5.7	11.1	5			79	8.5	748.0	-	-	1.2
2	12.7	14.3	10.1	11.2	5			83	8.8	52.2	-	-	0.8
3	13.1	16.9	10.6	11.2	5			74	8.6	53.5	NE	0.2	1.6
4	12.3	15.6	9.5	10.9	6	0.5	2.17	81	8.7	49.8	NE	1.5	1.3
5	11.7	16.2	7.6	10.3	6			84	8.5	52.0	SW	0.3	1.2
6	12.1	16.6	8.6	10.9	6			84	8.9	56.0	WSW	0.6	1.1
7	12.4	16.6	9.6	10.7	6			79	8.3	55.7	NE	1.5	1.4
8	11.9	15.8	10.2	11.0	6	0.5	2.50	85	8.9	53.6	N	0.2	0.8
9	11.9	15.0	8.6	10.5	6			81	8.0	51.0	NE	1.5	1.2
10	13.5	17.8	10.2	11.7	4			77	8.8	46.3	S	2.8	1.8
11	12.9	16.9	10.2	10.2	5	2.5	1.00	68	7.4	45.5	W	5.3	4.2
12	9.7	13.7	5.6	6.9	8			64	5.7	53.1	N	1.5	2.3
13	12.6	17.6	6.8	10.7	5			77	8.1	49.1	SSW	4.7	2.4
14	14.6	16.3	9.4	12.9	3			81	10.0	45.0	S	11.6	3.3
15	13.4	14.3	12.9	9.0	5	0.0	0.17	66	6.8	43.7	W	5.6	3.1
16	8.5	11.6	6.4	4.2	9			46	3.6	50.8	WNW	8.2	5.0
17	8.7	13.7	4.8	6.0	9	0.0	0.08	57	5.1	47.5	W	2.9	2.6
18	9.9	13.3	5.0	9.1	8	5.4	6.90	74	7.7	41.4	S	3.8	2.6
19	6.2	11.0	4.7	3.8	12			68	4.6	42.0	NNW	7.4	1.6
20	7.6	13.5	2.0	4.5	10			58	4.5	47.1	N	1.5	2.1
21	2.9	8.4	2.4	0.8	15	1.1	12.50	76	4.2	46.3	NNE	8.6	1.4
22	2.9	4.4	0.0	2.1	15	17.3	19.00	81	4.6	51.2	NNE	12.8	0.8
23	5.5	7.5	1.2	3.5	12	0.0	5.50	64	4.3	55.0	NNE	8.3	1.8
24	8.0	13.4	4.4	5.2	10			57	4.7	54.6	NNW	4.3	2.4
25	11.6	17.9	5.4	9.1	6			58	6.4	53.5	SSW	0.4	2.8
26	11.9	18.0	7.6	9.5	6			69	7.3	56.0	NNE	2.1	2.2
27	10.0	14.6	8.2	7.9	8			72	6.4	56.0	NNE	6.5	1.8
28	8.3	11.6	7.0	6.3	10			71	5.8	56.8	N	3.1	1.5
29	10.6	18.4	5.3	8.0	7			61	5.9	57.8	S	1.1	2.5
Sum					218	27.3	49,82				NNE		58.8
Avg.	10,3	14.4	6,9	8,9				72	6,9	750,7	(6)	3.7	2.0

r : 1940 Month : February

Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)					
		Toward sea	Toward land	Green	Bare	30	60	90	120		
4.8	8.0	5	6	11.4	12.2	9.6	9.8	10.4	11.3	Ω¹	1
0.0	8.0	5	4	10.2	10.8	10.6	10.5	10.7	11.4	Ω¹	2
1.4	10.0	7	6	10.3	10.9	10.8	10.7	10.9	11.4	⊕° Ω¹	3
0.4	9.3	8	7	10.2	11.1	11.0	10.9	11.1	11.5	◍° ◍° ⊼¹	4
7.5	2.0	6	7	9.3	12.0	11.0	11.0	11.1	11.6	Ω²	5
7.8	1.7	6	6	10.5	13.2	11.3	11.2	11.3	11.7	Ω²	6
4.8	6.7	6	7	11.0	12.7	11.6	11.4	11.4	11.6	Ω¹	7
0.3	8.7	5	6	10.0	11.2	11.8	11.7	11.6	11.9	◍° ◍°	8
1.8	8.7	7	7	10.5	12.4	11.7	11.6	11.7	12.0	Ω²	9
4.6	5.7	7	7	12.5	15.4	11.9	11.8	11.8	12.1	Ω²	10
9.2	1.7	7	8	10.9	14.1	12.3	12.0	11.9	12.2	◍¹ ⊼°	11
8.4	5.3	6	7	8.4	10.8	11.8	11.8	11.9	12.2		12
4.1	8.7	7	7	10.9	12.0	11.6	11.7	11.9	12.3	Ω¹⁻²	13
6.2	5.7	5	7	13.7	15.3	12.3	12.1	12.1	12.3	Ω²	14
2.1	6.0	7	7	10.8	11.0	12.6	12.3	12.2	12.5	◍° Ω²	15
9.2	1.3	8	8	5.3	9.7	11.7	11.9	12.1	12.5		16
5.6	7.3	7	7	8.0	10.8	11.0	11.4	11.9	12.4	◍¹	17
0.0	7.3	6	6	8.7	8.9	10.9	11.3	11.8	12.3	◍¹ ◍° ∪° ∩°	18
1.1	8.3	6	7	6.3	8.0	10.6	11.0	11.7	12.3	⊖° ∪°	19
7.1	9.3	8	7	5.0	8.0	9.9	10.6	11.3	12.2	⊖° ⊕° Ω° ⌊°	20
0.0	10.0	6	5	1.8	1.9	9.4	10.1	11.0	12.0	◍° ⁎°	21
0.0	9.7	6	5	2.2	2.0	8.0	9.1	10.2	11.6	◍¹ ◍° ⁎° ⁎° ∩°	22
1.1	8.0	6	8	4.4	5.6	7.7	8.8	9.9	11.5	◍° ⁎³	23
9.9	0.7	7	9	7.4	10.1	8.0	8.8	9.9	11.3	Ω¹⁻²	24
10.0	0.0	7	9	10.3	12.1	8.8	9.2	10.0	11.2	Ω¹ ⌊°	25
8.0	5.7	6	7	11.1	13.6	9.9	9.9	10.3	11.2	Ω¹	26
5.3	6.0	6	7	10.1	11.9	10.5	10.4	10.6	11.3	⊕¹ Ω⁰⁻¹	27
0.5	6.0	7	7	6.1	7.6	10.4	10.5	10.7	11.3	Ω⁰	28
9.8	0.0	7	8	10.7	14.3	10.0	10.3	10.7	11.3	Ω°	29
131.0										◍7, ◍6, ⁎2, ⁎2, Ω18,	
	6.1	6.4	6.9	8.9	10.7	10.6	10.8	11.2	11.8	⌊2, ⊼2, ⊕3, ⊖2, ∪2, ∩2.	

Year : 1940 Month : Mar

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		(4)(7)
1	12.3	18.1	7.0	10.6	6			73	7.9	753.4	SSW	2.2	2.0	
2	10.5	18.4	9.7	7.9	7	0.1	2.33	66	6.5	49.8	NE	6.2	3.3	
3	4.3	12.9	2.0	1.4	14	0.1	1.67	59	3.5	55.5	NE	4.3	2.3	
4	6.8	12.0	1.6	4.8	11			63	4.8	51.8	S	0.9	2.0	
5	11.2	15.6	3.6	7.9	7			59	5.6	48.4	SW	2.5	3.0	
6	13.3	16.2	8.5	12.0	5	0.0	0.33	77	9.2	43.7	S	5.5	2.8	
7	13.6	17.6	12.2	10.3	4	5.2	5.67	63	7.5	36.7	WNW	7.9	4.0	
8	7.3	11.0	5.6	4.3	11			53	4.3	47.1	WNW	5.5	4.4	
9	4.5	8.6	1.9	1.3	13			55	3.1	54.0	N	4.4	2.3	
10	5.8	9.5	1.0	2.6	12			49	3.2	58.2	SW	1.9	2.6	
11	10.4	17.0	3.0	6.7	8			47	5.8	56.8	W	1.3	4.1	
12	10.9	15.3	6.8	8.5	7			64	6.3	56.4	S	1.3	2.6	
13	11.9	15.7	8.7	9.3	6			67	6.9	54.3	SSW	2.3	3.0	
14	12.3	14.4	9.0	11.1	6	1.7	5.25	81	9.1	51.8	S	3.6	1.4	
15	15.3	19.4	10.6	13.0	3	0.1	1.17	75	9.4	48.4	SSW	1.4	1.9	
16	14.9	17.1	13.4	12.2	3	0.0	0.47	73	10.9	49.3	S	1.2	2.3	
17	8.4	14.0	5.6	6.8	10	15.3	13.00	82	6.8	52.0	NNE	8.1	0.9	
18	7.8	11.8	5.6	5.2	10	0.3	1.17	63	5.1	54.4	NNE	9.5	2.4	
19	5.5	9.8	2.3	1.9	12			47	3.1	55.1	NE	9.3	3.5	
20	7.7	12.6	3.0	5.1	10			52	4.4	52.7	NE	3.2	2.3	
21	7.4	9.1	5.9	4.7	11			62	4.7	55.8	NNE	7.3	2.4	
22	8.9	15.2	5.8	6.4	9			64	5.5	56.9	NNE	1.9	1.8	
23	10.4	14.9	6.8	8.0	8			68	6.3	56.1	SSW	1.3	1.9	
24	12.1	16.7	8.1	10.1	6			74	7.5	53.2	SSW	1.6	2.1	
25	14.2	18.0	9.8	11.8	4			75	8.7	52.9	SW	1.8	2.3	
26	14.2	17.0	10.7	12.8	4			79	9.8	53.6	SSW	2.1	1.6	
27	17.8	22.0	12.8	13.3	0			59	8.4	52.6	S	4.5	5.6	
28	19.4	22.4	14.3	14.5	0			53	9.4	49.5	S	7.1	9.1	
29	19.7	22.7	15.8	14.0	0	0.0	0.25	52	8.2	45.4	S	7.0	8.9	
30	14.0	22.9	11.0	10.3	4	0.8	2.08	70	8.1	45.0	WNW	2.5	3.8	
31	10.2	23.2	8.0	7.2	8			61	5.5	53.7	NE	8.7	2.8	
Sum					219	23.6	33.39				S		95.4	S
Avg	11.1	15.8	7.4	8.3				64	6.6	751.8	(6)	4.1	3.1	A

r : 1940

Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
10.2	2.7	6	6	11.9	15.4	10.7	10.6	10.8	11.3		1
6.6	8.0	6	7	11.4	14.5	11.6	11.1	11.1	11.5		2
9.4	2.7	7	9	3.4	9.3	10.7	10.8	11.1	11.5		3
10.2	1.3	8	7	7.0	11.3	10.1	10.6	11.0	11.5		4
9.9	5.3	9	8	10.8	14.8	10.5	10.7	11.0	11.6		5
7.9	9.0	4	5	13.3	15.4	11.3	11.1	11.2	11.6		6
3.2	6.0	7	8	11.7	12.3	12.3	11.7	11.5	11.8		7
6.8	5.0	7	7	9.3	11.5	11.2	11.3	11.5	11.8		8
9.2	3.3	7	5	5.6	11.4	10.4	10.8	11.3	11.8		9
9.7	0.3	6	7	7.3	11.7	9.9	10.5	11.1	11.8		10
10.3	2.0	9	9	10.5	16.6	10.3	10.6	11.1	11.7		11
9.5	0.0	7	7	10.9	15.5	11.2	11.0	11.3	11.8		12
6.9	5.3	8	7	12.5	15.5	11.8	11.4	11.5	11.9		13
0.2	9.7	7	6	10.6	11.3	11.9	11.7	11.6	11.9		14
7.3	3.0	7	7	14.5	18.8	12.4	12.0	11.8	12.1		15
0.1	9.7	8	7	12.3	13.9	13.0	12.4	12.0	12.2		16
0.0	10.0	5	5	7.0	7.3	12.5	12.3	12.1	12.2		17
6.4	6.7	7	7	7.3	8.1	11.2	11.6	11.9	12.2		18
10.4	2.7	8	9	5.6	9.4	10.4	10.9	11.6	12.1		19
0.5	9.7	7	7	8.2	9.7	10.2	10.8	11.4	12.1		20
0.6	8.0	8	7	5.4	6.8	10.3	10.7	11.3	12.0		21
4.2	8.3	7	7	9.0	13.2	10.3	10.7	11.2	11.9		22
9.7	4.0	7	7	10.8	14.3	11.0	11.0	11.3	12.0		23
5.8	7.0	8	7	12.1	16.7	11.7	11.4	11.4	12.0		24
9.4	3.7	7	7	15.6	19.0	12.5	11.9	11.7	12.1		25
2.6	9.0	7	7	13.6	17.2	13.2	12.5	12.0	12.2		26
3.8	7.0	5	4	16.7	19.6	13.8	12.9	12.3	12.4		27
8.5	4.0	4	5	19.0	23.2	14.7	13.5	12.7	12.5		28
0.0	10.0	6	5	16.5	18.9	15.5	14.1	13.0	12.8		29
5.9	3.7	8	7	10.6	12.5	15.4	14.3	13.4	13.0		30
5.9	6.3	8	8	10.2	14.1	14.1	13.8	13.4	13.1		31
191.1										⊘7, ◎6, ✶2, ⌐2, Ω14, ⋉1, ⋓1.	
	5.6	6.9	6.8	10.7	13.9	11.8	11.6	11.7	12.0		

Year : 1940 Month : Apri

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	7.9	10.9	6.6	4.9	10	0.0	0.25	59	4.6	756.1	NNE	12.6	3.4
2	8.8	14.3	5.2	5.8	9	0.0	5.33	60	4.8	54.4	N	3.5	2.5
3	11.0	15.3	6.2	8.3	7			69	5.9	51.1	WNW	3.4	3.0
4	12.7	16.6	8.6	9.6	5			61	6.6	49.6	S	2.1	3.9
5	13.4	17.5	9.4	10.1	5			65	6.9	46.2	S	2.6	3.0
6	14.3	17.9	11.4	12.7	4	0.7	3.08	82	10.0	43.0	S	8.7	3.4
7	13.5	15.1	12.2	11.7	4	0.4	3.75	77	9.0	46.7	S	3.1	2.1
8	12.5	17.2	8.6	10.0	5			68	7.4	49.0	SW	0.6	2.5
9	13.5	18.4	10.0	10.9	4	0.0	0.35	71	7.8	48.1	SSW	1.4	2.3
10	13.8	18.1	10.1	12.0	4			74	9.0	51.4	SW	1.3	1.9
11	13.8	17.6	10.6	12.0	4	0.0	1.75	76	9.0	48.9	S	3.1	2.4
12	13.6	16.4	10.8	11.0	4			72	8.1	47.8	S	4.8	3.0
13	13.7	15.9	10.2	11.1	4	0.5	3.43	73	8.0	46.7	S	1.9	2.0
14	11.5	14.1	10.6	10.3	6	15.4	16.67	86	9.0	39.1	NW	5.8	1.4
15	13.1	16.8	10.1	9.6	5	2.9	6.83	65	6.5	47.2	WNW	2.9	2.7
16	13.1	17.6	9.0	9.8	5			58	6.6	53.4	SSW	1.7	3.9
17	13.7	18.3	10.1	10.6	4			63	7.3	55.6	SSW	0.9	3.1
18	14.1	18.4	10.0	11.0	4			63	7.4	54.5	SW	1.8	3.2
19	14.7	18.2	11.0	12.0	3			66	8.4	53.3	SSW	0.7	2.6
20	15.1	19.8	13.0	12.6	3	0.4	3.17	73	9.2	53.8	N	0.9	1.8
21	18.6	25.6	11.9	13.5	0			51	7.9	53.3	N	3.3	4.4
22	20.1	25.6	15.6	13.6	0			41	7.2	51.7	NNW	4.5	5.6
23	19.6	25.8	13.0	13.7	0			44	7.4	50.7	NE	3.4	5.5
24	18.5	23.4	13.8	11.8	0			43	6.1	52.2	NE	4.7	5.7
25	19.5	25.3	14.1	13.3	0			43	7.1	53.1	N	4.1	5.5
26	18.2	25.3	12.0	13.5	0			53	8.7	51.7	WNW	1.6	4.9
27	17.3	21.6	13.6	13.0	1	0.0	0.17	59	9.3	51.0	SSW	2.0	4.0
28	17.0	21.4	12.8	14.1	1			66	9.9	49.9	SSW	2.2	2.8
29	16.9	21.2	13.9	14.2	1	0.1	1.17	72	10.5	48.8	SSW	1.2	4.1
30	16.5	22.2	13.5	13.1	1	0.0	0.05	67	9.0	49.6	SSW	4.2	3.1
Sum					103	20.4	46.00				S		99.7
Avg.	14.7	19.1	10.9	13.1				64	7.8	750.2	(6)	3.2	3.3

r : 1940 Month : APril

Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
7.7	7.7	7	7	7.5	12.1	13.1	13.2	13.2	13.2	⊘°	1
7.7	7.7	8	9	12.4	18.6	12.8	13.0	13.2	13.3	⊘°	2
7.0	5.3	8	8	13.4	18.2	13.3	13.2	13.2	13.4		3
8.8	8.0	8	8	13.5	18.9	13.5	13.3	13.3	13.4		4
9.2	6.3	8	8	13.7	20.5	14.0	13.6	13.4	13.4	Ω°	5
3.7	9.7	6	6	13.0	16.3	14.5	14.0	13.6	13.5	⊘° ⊘°	6
0.3	8.3	7	7	11.7	12.1	14.0	13.8	13.7	13.6	⊘°	7
3.4	9.3	8	8	12.5	17.3	13.6	13.6	13.7	13.7		8
5.6	8.0	7	7	14.1	19.0	14.1	13.8	13.7	13.7	⊘°	9
10.2	6.0	8	7	14.3	20.4	14.6	14.1	13.8	13.8	Ω¹	10
2.2	7.0	7	7	12.5	13.7	14.9	14.4	14.0	13.9	⊘°	11
5.8	6.3	7	8	13.8	18.7	14.7	14.4	14.1	13.9	Ω°	12
1.3	9.3	7	6	12.5	14.9	14.6	14.4	14.1	14.0	⊘° Ω¹	13
0.0	10.0	8	7	10.3	11.7	14.1	14.1	14.1	14.1	⊘¹ ⊘°	14
5.8	6.3	6	7	11.6	13.1	13.8	14.2	14.0	14.1	⊘° ⊘°	15
10.7	3.3	7	7	13.4	16.2	13.5	13.7	13.8	14.0		16
11.0	2.0	7	7	14.0	19.8	13.9	13.8	13.8	14.0	Ω°⁻¹	17
10.6	0.3	7	6	15.3	19.5	14.5	14.1	13.9	14.1	Ω¹	18
2.9	6.3	7	7	14.6	18.2	15.0	14.4	14.1	14.1	⊕°	19
0.5	9.0	6	6	13.7	14.3	15.2	14.7	14.2	14.2	⊘°⁻¹ Ω°	20
9.2	5.3	8	8	20.4	26.1	15.4	14.7	14.4	14.3		21
10.3	2.0	7	8	20.8	27.6	17.0	15.6	14.7	14.4		22
10.9	0.3	8	8	20.0	29.0	17.8	16.3	15.1	14.6		23
9.7	1.3	7	8	18.1	27.5	18.3	16.9	15.6	14.8		24
6.6	8.0	6	7	21.0	28.2	18.7	17.3	16.0	15.1		25
9.0	6.0	7	8	19.5	26.7	18.9	17.7	16.4	15.3		26
7.9	7.0	7	7	17.1	22.7	19.0	17.9	16.6	15.6	⊘°	27
11.1	5.7	8	8	18.5	27.0	18.6	17.8	16.8	15.8	Ω°	28
5.9	7.0	7	6	15.3	17.8	18.8	18.0	16.9	16.0	⊘°	29
6.7	4.0	9	8	15.8	21.9	18.5	17.8	17.0	16.1	⊘°	30
201.7										⊘9, ⊘7, Ω8, ⊕1.	
	6.1	7.3	7.3	14.8	19.6	15.4	14.9	14.5	14.2		

Year : 1940 Month : M

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (MM) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	15.5	21.0	12.0	12.3	2			64	8.5	753.0	NE	5.3	2.9	
2	15.7	21.3	11.4	12.6	2			61	8.3	55.4	NE	4.8	3.0	
3	15.9	20.1	11.0	13.3	2			67	9.3	53.1	SW	1.0	2.7	
4	19.9	25.8	14.6	16.0	0	0.0	0.50	62	10.7	45.9	SSE	3.0	5.7	
5	18.0	22.0	14.8	14.3	0			63	9.4	46.3	W	2.8	4.8	
6	17.1	20.7	13.5	13.6	1	0.0	0.25	65	9.3	46.2	W	2.8	4.8	
7	16.9	22.0	15.0	14.6	1	0.0	0.48	73	10.5	47.5	WSW	1.1	3.2	
8	15.2	17.4	14.2	14.3	3	9.9	9.92	88	11.4	48.6	NE	0.3	0.7	
9	16.2	20.7	13.5	14.2	2	0.0	2.17	78	10.4	50.0	S	1.0	1.8	
10	16.4	22.6	12.2	13.7	2	0.0	0.25	73	10.0	51.3	SW	1.5	2.3	
11	16.5	21.2	13.0	14.4	1	0.0	0.33	76	10.8	51.7	SW	1.0	2.0	
12	15.8	17.4	15.7	13.8	2	1.0	7.52	76	10.5	47.8	NE	4.2	2.0	
13	19.2	25.5	14.2	15.3	0	0.1	0.50	63	10.0	47.3	NNE	1.8	3.4	
14	17.6	22.8	16.5	14.3	0	0.0	0.17	65	9.6	49.0	E	2.4	3.3	
15	16.1	20.9	11.7	12.5	2	0.1	0.83	60	7.9	49.2	SSW	1.9	3.5	
16	15.4	19.9	12.4	13.6	3	5.7	7.75	80	11.4	40.7	NNE	5.7	2.6	
17	16.2	19.4	12.2	15.6	2	1.5	0.83	83	12.1	42.2	S	4.3	2.2	
18	17.2	21.2	12.2	14.4	1	0.6	0.25	71	9.9	43.9	SSW	1.7	3.1	
19	18.6	22.2	15.4	14.2	0			59	9.0	48.5	SSW	3.0	5.0	
20	18.7	22.7	14.8	14.3	0			57	8.9	52.1	SW	2.8	4.8	
21	19.4	24.0	14.9	14.4	0			54	8.8	52.5	SSW	2.3	5.0	
22	19.7	24.2	14.8	15.7	0			59	10.4	49.3	S	1.4	4.4	
23	19.7	24.8	15.4	15.7	0			61	10.3	47.6	SW	2.1	4.1	
24	18.0	23.4	13.8	15.1	0	7.0	2.28	71	11.1	47.4	SW	2.5	3.2	
25	17.6	22.9	13.1	14.6	0	0.6	3.17	68	10.0	50.6	NE	3.0	2.7	
26	16.6	20.8	14.2	14.2	1	6.8	6.67	77	10.8	53.5	NNE	4.0	1.9	
27	20.5	27.8	14.4	16.0	0			57	10.3	53.3	NE	1.6	4.4	
28	21.1	25.0	15.8	16.5	0			58	10.8	50.7	S	2.1	5.1	
29	21.8	26.8	17.0	17.4	0			61	11.7	50.4	SW	0.9	5.0	
30	22.4	26.0	18.6	17.3	0			58	11.2	52.4	SSE	3.5	5.7	
31	22.3	27.8	17.8	18.0	0			64	12.3	49.4	SSE	3.9	7.0	
Sum					27	33.3	43.87				SW		112.3	S
Avg.	18.0	22.6	14.2	14.7				67	10.2	749.2	(6)	2.6	3.6	A

: 1940 Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
6.9	7.0	8	8	18.0	23.4	18.4	17.7	17.1	16.3		1
6.6	9.0	8	8	18.8	24.4	18.5	17.8	17.1	16.4		2
9.2	6.0	7	7	17.2	25.8	18.6	18.0	17.2	16.5		3
2.5	9.0	8	6	19.0	22.6	19.0	18.2	17.4	16.6	◍⁰	4
9.0	1.3	8	8	18.1	30.7	19.1	18.3	17.5	16.7		5
5.9	8.3	8	7	16.3	21.6	19.1	18.4	17.6	16.7	◍⁰ ⊕⁰	6
2.2	9.0	8	7	16.1	21.9	19.0	18.4	17.7	16.8	◍⁰	7
–	10.0	7	7	14.5	16.6	18.5	18.2	17.7	17.0	◍¹ ◍⁰	8
1.3	8.7	7	6	17.6	19.3	17.9	17.8	17.6	17.0	◍⁰ Ω⁰	9
8.9	7.0	7	6	15.6	21.8	17.7	17.5	17.4	17.0	◍⁰ Ω¹	10
2.2	9.7	8	6	15.3	18.3	17.9	17.6	17.4	17.0	◍⁰	11
–	8.3	8	7	13.5	14.2	17.7	17.5	17.3	17.0	◍⁰ ◍⁰	12
6.6	8.0	8	8	21.0	26.6	17.7	17.4	17.2	16.9	◍⁰ ◍⁰	13
2.6	9.3	7	7	18.6	26.2	18.8	18.0	17.4	17.0	◍⁰	14
7.5	7.0	7	7	15.8	23.5	18.6	18.1	17.5	17.0	◍⁰	15
–	9.7	7	6	15.2	15.9	18.2	17.9	17.5	17.1	◍¹ ◍⁰	16
2.7	9.0	7	7	16.5	19.2	17.5	17.6	17.5	17.1	◍⁰	17
10.7	1.3	8	8	17.3	25.6	17.7	17.4	17.4	17.1	◍⁰	18
11.6	4.0	8	8	18.6	28.1	18.6	17.8	17.4	17.1		19
11.7	0.7	9	8	20.1	28.1	19.3	18.3	17.6	17.1		20
13.1	0.7	8	7	19.0	28.7	19.8	18.8	17.9	17.2		21
12.6	1.7	8	7	19.3	31.1	20.2	19.2	18.1	17.4		22
12.0	6.3	8	7	20.2	30.3	20.7	19.6	18.4	17.5		23
5.9	8.0	8	7	17.0	24.1	20.9	19.8	18.7	17.6	◍¹⁻² ⊼²	24
5.6	7.7	8	8	16.8	19.2	19.9	19.5	18.7	17.8	◍⁰⁻¹	25
2.7	9.3	7	7	14.2	15.3	18.9	18.8	18.6	17.9	◍⁰⁻¹	26
13.0	1.7	8	8	20.6	27.0	18.9	18.6	18.4	17.9		27
11.7	4.7	9	8	20.1	28.0	20.0	19.1	18.5	17.9		28
12.4	4.0	8	8	21.5	31.1	21.0	19.7	18.7	18.0		29
0.3	9.3	8	7	21.4	25.0	21.5	20.2	18.9	18.1		30
5.2	7.0	7	6	22.0	28.9	21.5	20.4	19.2	18.3		31
202.6										◍13, ◍8, Ω2, ⊼1, ⊕1.	
	6.5	7.7	7.2	17.9	24.0	19.1	18.4	17.8	17.2		

Year : 1940 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1) (5)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	
1	21.6	25.8	16.9	17.6	0			68	12.2	749.1	SW	1.0	4.2
2	19.7	23.4	17.5	17.0	0	0.1	1.58	75	12.9	48.2	S	0.8	2.2
3	20.6	24.6	17.2	16.5	0			61	11.0	46.4	SW	1.4	3.8
4	18.8	22.4	16.0	15.7	0	0.0	0.25	68	11.0	49.1	S	2.5	3.8
5	18.9	23.3	14.6	15.5	0			69	10.6	48.6	SSW	2.7	4.0
6	19.4	24.4	15.2	16.6	0			72	11.7	46.1	SW	1.1	2.8
7	20.3	24.6	16.0	16.7	0			65	11.4	47.4	SW	2.0	4.2
8	19.9	22.8	17.0	16.4	0			67	11.5	49.3	SSW	1.3	3.3
9	20.5	26.8	15.8	17.8	0	0.0	0.17	72	13.0	49.4	WSW	1.4	3.3
10	21.1	25.8	16.4	18.0	0	0.0	0.05	72	12.7	49.8	SW	1.8	3.1
11	22.1	27.6	18.2	18.0	0	0.1	0.45	66	12.6	51.1	SSW	1.0	4.0
12	22.9	28.2	17.8	17.7	0			59	11.3	51.4	SSW	1.8	5.3
13	22.8	27.5	18.8	18.6	0			64	12.9	52.7	SW	0.6	4.3
14	23.4	28.0	17.9	18.7	0			58	12.6	54.1	SW	1.3	6.1
15	24.6	29.3	20.4	19.9	0			55	13.2	53.9	SW	1.0	4.7
16	25.8	30.4	21.5	20.6	0			58	14.5	52.5	SW	1.3	5.5
17	26.5	30.7	23.6	20.9	0			58	14.3	49.3	SSW	1.4	5.6
18	25.5	30.6	21.0	18.9	0			54	11.9	47.3	SSW	1.9	6.6
19	25.3	30.5	20.3	20.0	0			59	13.6	47.4	SSW	1.3	6.0
20	25.3	29.9	20.8	20.7	0			63	13.8	48.4	SSW	1.7	5.4
21	25.1	29.7	21.3	21.3	0			66	15.8	47.9	SSW	2.2	4.6
22	24.7	31.6	20.5	21.1	0			69	16.2	46.9	SSW	2.2	4.8
23	25.0	29.9	20.6	21.2	0			-	15.8	47.2	SSW	1.8	4.4
24	25.8	30.4	21.3	21.9	0	0.0	0.08	67	16.4	47.9	SSW	2.3	5.2
25	26.3	31.3	21.4	21.6	0			66	15.8	47.6	SSW	1.7	5.3
26	24.4	32.5	22.0	20.6	0	0.1	0.33	69	15.9	43.3	S	2.6	3.6
27	25.0	31.5	18.0	19.8	0	1.3	1.42	59	13.3	44.6	WNW	2.3	6.8
28	24.5	30.5	20.8	20.6	0	0.2	0.25	68	15.6	47.0	S	2.0	4.7
29	23.7	27.6	19.5	21.0	0			71	16.3	48.3	S	2.2	4.0
30	23.1	27.9	19.3	19.4	0	0.0	0.32	64	14.0	47.9	S	1.4	4.6
Sum					0	1.8	4.90				SSW		136.2
Avg.	23.1	28.0	18.9	18.2				65	13.5	748.7	(6)	1.7	4.5

: 1940 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
12.7	3.0	8	8	21.6	32.0	21.7	20.8	19.4	18.4	Ω⁰	1
-	9.7	7	7	18.0	20.4	21.7	20.9	19.6	18.5	◍⁰	2
12.0	2.3	8	7	21.9	-	21.3	20.4	19.6	18.6		3
3.2	7.7	8	7	19.6	27.9	21.5	20.7	19.7	18.7	◍⁰	4
12.7	1.7	8	8	20.7	30.9	21.1	20.5	19.7	18.8	Ω⁰	5
6.4	6.0	7	7	20.8	29.9	21.5	20.6	19.8	18.9	≈¹⁻² Ω⁰	6
11.5	4.7	8	7	21.5	32.2	21.6	20.7	19.9	19.0		7
5.6	7.0	8	7	19.7	23.1	21.8	21.0	20.0	19.0		8
7.3	8.0	8	6	21.1	29.1	21.7	20.9	20.1	19.1	◍⁰ ≈¹	9
11.2	3.0	7	7	23.2	32.4	22.1	21.1	20.2	19.2	◍⁰ ≈² Ω⁰⁻¹	10
8.4	5.0	5	5	20.6	30.0	22.6	21.5	20.4	19.3	◍⁰ ≈²	11
9.6	2.3	7	7	22.6	31.3	22.7	21.7	20.6	19.5		12
10.0	5.0	7	7	22.4	33.7	23.1	21.9	20.8	19.6	≈¹ ⊕¹	13
12.9	0.7	7	7	18.6	28.6	23.4	22.3	21.0	19.7		14
11.3	3.3	7	7	23.4	31.4	24.0	22.6	21.2	19.8		15
12.7	2.3	7	7	25.0	32.2	24.6	23.1	21.5	20.0		16
12.2	0.0	7	7	23.6	30.4	25.2	23.5	21.8	20.2		17
12.9	0.7	7	7	21.2	31.2	25.6	23.9	22.2	20.4		18
12.7	3.0	7	8	25.9	31.0	25.8	24.2	22.5	20.6		19
12.7	3.0	7	7	25.3	30.7	26.0	24.5	22.7	20.8		20
11.0	4.3	7	7	24.8	31.8	26.1	24.7	22.9	21.1	⊕¹	21
12.2	3.0	7	7	22.8	30.5	26.2	24.8	23.1	21.3		22
12.5	2.3	7	8	23.3	29.4	26.3	24.9	23.3	21.4		23
11.0	2.0	7	7	23.4	27.9	26.3	25.1	23.5	21.5	◍⁰	24
12.3	0.3	6	6	23.0	32.2	26.6	25.2	23.6	21.8		25
3.4	6.7	7	7	22.0	26.4	26.5	25.3	23.8	21.9	◍⁰ ≈⁰	26
11.8	4.7	8	8	21.8	27.8	25.8	25.1	23.8	22.1	◍¹ ≈¹	27
11.7	4.0	8	8	25.9	32.2	26.1	25.1	23.9	22.2	◍¹	28
12.2	2.7	7	8	25.3	35.2	26.0	25.4	24.0	22.3		29
6.4	4.3	8	8	24.5	30.2	25.9	25.1	24.0	22.4	◍⁰	30
302.5										◍9, ◍1, Ω4, ≈7, ⊕ 2.	
	3.8	7.2	7.1	22.4	30.1	24.0	22.9	21.6	20.2		

Year : 1940 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	23.8	27.9	19.6	18.4	0			57	12.0	745.7	SSE	2.6	4.6
2	24.7	29.8	20.5	20.5	0			65	14.7	47.4	SSW	2.4	4.8
3	23.5	28.6	21.4	20.2	0	11.8	0.73	73	15.9	48.4	NNW	2.0	4.1
4	23.8	28.6	18.8	20.6	0			74	14.5	49.5	S	2.4	3.7
5	25.1	29.8	19.6	20.4	0			64	14.5	48.8	S	2.5	5.1
6	26.0	31.7	21.6	21.5	0	0.9	0.13	63	16.1	49.9	SSW	1.7	5.2
7	27.8	33.9	20.9	21.2	0			52	13.8	52.6	NE	4.0	5.9
8	28.6	35.6	22.6	21.2	0			46	13.2	51.1	NE	3.2	7.6
9	26.9	31.8	22.4	20.3	0			51	13.4	47.7	SSE	2.0	7.1
10	26.2	30.8	20.6	21.3	0			59	15.1	47.1	SSW	1.9	5.6
11	25.8	31.8	22.4	19.7	0			55	12.9	48.4	NW	2.7	5.2
12	26.9	32.4	22.1	20.9	0			53	14.0	50.3	S	2.2	6.5
13	28.0	32.9	23.0	21.0	0			50	13.5	50.0	S	2.3	6.8
14	28.9	36.1	23.8	21.3	0			43	13.0	51.0	NNE	2.8	7.4
15	28.0	36.2	22.0	20.8	0			49	13.5	53.2	NE	1.6	7.0
16	27.6	33.2	22.4	21.4	0			58	14.8	50.7	SSW	1.3	5.7
17	30.7	36.0	24.2	21.0	0			38	12.1	47.3	S	1.8	8.7
18	29.2	34.6	24.6	20.0	0			41	11.6	48.4	S	2.0	10.4
19	29.0	35.9	23.0	20.1	0			41	11.9	51.4	N	2.3	7.9
20	29.2	34.6	23.5	20.7	0			41	12.4	51.8	N	5.3	8.0
21	28.5	33.4	25.2	20.1	0			42	12.0	49.8	N	7.3	8.7
22	29.1	35.8	23.4	20.8	0			42	12.4	47.6	N	3.0	9.5
23	28.0	33.8	24.0	21.8	0			53	15.2	48.8	SSW	1.5	7.7
24	29.4	36.1	23.9	22.6	0			54	15.9	50.0	SSW	1.6	6.7
25	29.7	36.6	23.3	23.1	0			50	16.6	49.3	N	2.1	6.9
26	31.0	36.9	25.3	21.6	0			41	12.8	49.4	NNE	4.8	8.6
27	30.7	37.5	25.1	22.7	0			46	15.1	48.4	N	2.1	8.3
28	29.4	34.3	25.2	22.4	0			52	15.5	46.7	SSW	2.4	7.0
29	29.4	34.4	25.6	22.3	0			50	15.3	47.8	NNE	6.0	7.1
30	28.1	32.7	25.0	20.9	0			51	13.9	49.6	NNE	7.7	6,9
31	26.7	32.2	23.2	21.0	0			55	14.8	48.4	NE	3.1	5.8
Sum					0	12.7	0.86				N		210.5
Avg.	27.7	33.4	22.9	21.0				52	13.9	749.2	(6)	2.9	6.8

ar : 1940 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
13.8	1.0	9	8	24.6	32.1	25.4	25.4	24.0	22.4		1
10.9	4.7	9	8	25.8	35.1	26.1	25.1	24.0	22.5		2
6.3	5.0	7	7	22.8	25.0	26.0	25.3	24.2	22.6	◍° ◬¹ ⊼°	3
10.3	4.0	7	7	25.5	26.3	25.2	24.7	24.1	22.7	∩°	4
12.4	0.7	8	8	24.9	29.6	25.4	24.6	23.9	22.7		5
8.7	4.3	7	7	24.9	27.5	25.8	24.7	23.8	22.7	◍° ⊼°	6
13.2	1.3	8	8	28.3	35.4	26.2	24.9	23.9	22.8		7
13.1	0.3	7	8	23.8	36.9	27.2	25.4	24.1	22.8		8
13.0	0.0	7	8	26.2	35.7	27.6	25.9	24.4	22.8		9
12.1	2.0	7	7	27.3	34.8	27.7	26.2	24.6	23.0		10
7.7	4.3	9	9	22.3	32.6	27.5	26.3	24.8	23.1	⊼°	11
13.0	1.7	7	7	23.2	28.9	27.7	26.3	24.9	23.2		12
13.1	0.7	8	8	29.5	36.7	28.0	26.5	25.0	23.4		13
11.2	1.3	8	8	28.1	37.7	28.5	26.8	25.3	23.4		14
12.9	0.0	8	8	30.5	40.4	28.7	27.1	25.4	23.7		15
11.5	0.0	7	7	29.0	35.6	28.9	27.4	25.7	23.8		16
12.3	0.0	7	7	30.7	37.7	29.0	27.5	25.8	24.0		17
13.2	0.0	7	8	28.1	39.0	29.3	27.7	26.0	24.1		18
12.9	0.0	8	7	27.0	36.5	29.5	27.8	26.2	24.3		19
13.1	0.3	8	8	28.0	37.9	29.5	28.0	26.3	24.5		20
13.2	0.0	7	8	27.0	37.0	29.6	28.1	26.5	24.6		21
13.1	0.0	8	8	27.2	39.9	29.6	28.2	26.6	24.8		22
13.0	0.3	7	7	25.5	36.3	29.7	28.4	26.7	24.9		23
12.8	0.3	7	7	27.8	36.5	29.7	28.5	26.9	24.9		24
12.8	0.3	8	8	28.0	36.1	29.5	28.5	27.0	25.1		25
13.1	0.0	7	9	30.2	40.0	29.8	28.6	27.0	25.3		26
12.6	0.7	7	7	29.9	38.3	30.4	29.0	27.3	25.3		27
11.2	1.7	8	8	28.6	38.9	30.4	29.1	27.5	25.4		28
12.4	1.3	7	8	30.0	40.7	30.3	29.1	27.5	25.6		29
12.6	1.3	7	7	27.9	37.8	30.0	29.0	27.5	25.9		30
9.7	4.0	7	7	26.1	36.1	29.9	29.0	27.7	25.8		31
371.2										◍1, ◍1, ◬1, ⊼3, ∩1.	
	1.3	7.5	7.6	27.1	35.5	28.3	27.1	25.6	23.9		

Year : 1940 Month : August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	24.2	29.9	20.6	18.4	0			56	11.8	750.1	NNE	5.9	5.1	
2	24.7	30.8	19.8	18.0	0			48	10.9	50.8	S	2.8	6.0	
3	24.2	31.6	21.0	19.3	0	2.5	2.08	58	13.1	51.1	NNE	2.6	5.2	
4	23.8	30.0	19.0	18.4	0	0.4	0.42	54	12.2	51.4	NNE	1.9	4.4	
5	22.1	29.2	19.1	17.2	0	0.5	0.58	60	11.6	49.9	N	1.3	4.3	
6	22.7	26.9	17.8	18.8	0			66	13.4	49.5	S	2.3	4.1	
7	24.6	29.2	20.0	19.4	0			60	13.3	52.2	NNE	1.7	5.1	
8	26.9	34.2	21.2	20.0	0			50	12.5	53.2	NNE	3.6	5.6	
9	27.9	33.4	22.5	20.1	0			43	12.1	51.8	NNE	5.8	7.5	
10	29.0	33.7	25.4	20.1	0			41	11.7	51.1	N	6.7	7.8	1
11	29.0	34.8	24.4	20.0	0			40	11.6	49.9	NNW	5.7	8.0	1
12	29.4	34.9	24.2	20.6	0			40	12.2	49.5	N	4.4	8.0	1
13	29.0	35.9	24.8	22.1	0			51	15.1	49.5	S	2.0	7.4	1
14	27.9	33.4	23.8	23.4	0			63	18.3	50.0	S	1.9	6.0	1
15	28.0	33.8	24.1	22.2	0	0.0	1.17	60	15.9	50.5	SSW	2.5	5.2	1
16	26.8	32.5	22.9	21.4	0			60	15.5	52.3	NNE	5.2	5.3	1
17	26.5	33.0	21.4	20.5	0			57	14.1	51.5	N	3.9	5.6	1
18	25.0	32.4	21.3	20.2	0			57	14.0	50.2	NNE	3.3	5.4	1
19	23.8	30.4	20.0	18.0	0			53	11.5	51.5	NNE	3.7	5.6	1
20	23.5	30.0	18.4	18.2	0			56	12.0	50.6	NNE	2.6	5.8	2
21	24.4	29.4	19.7	20.6	0			67	15.2	49.6	S	2.2	4.8	2
22	25.5	29.4	21.4	21.8	0			70	17.0	47.8	SSW	3.2	5.0	2
23	26.9	31.4	22.9	21.7	0			61	15.8	46.3	WSW	4.1	7.4	2
24	25.3	29.9	22.6	20.7	0			63	15.1	48.6	N	2.8	4.7	2
25	24.4	29.5	21.2	18.0	0			51	11.3	51.1	NNE	5.8	6.3	2
26	23.8	28.5	20.9	18.1	0			53	11.7	53.3	N	10.1	6.8	2
27	23.9	28.8	20.9	18.5	0			56	12.3	53.5	NNE	12.6	7.4	2
28	22.8	28.1	19.4	17.4	0			54	11.2	53.1	NNE	8.6	6.6	2
29	22.6	28.8	18.6	17.6	0			54	11.3	51.8	N	4.7	5.3	2
30	22.9	28.5	17.2	18.5	0			61	13.3	50.6	S	2.4	4.5	3
31	23.6	30.2	19.8	19.4	0	0.0	0.02	66	13.5	49.6	NNW	1.8	4.3	3
Sum					0	3.4	4.27				NNE		180.5	S
Avg.	25.3	31.1	21.2	19.6				56	13.2	750.7	(6)	4.1	5.8	A

ar : 1940 Month : August

Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.6	3.3	7	7	25.3	35.4	29.0	28.4	27.4	25.9		1
10.2	1.3	7	8	23.7	32.1	28.5	28.2	27.4	25.8		2
8.4	5.3	7	7	25.3	34.7	28.2	28.0	27.3	25.8	$\bigcirc^{0-i}$ $\bigcirc^{0}$ $\leq^{1}$	3
10.1	2.7	8	9	25.0	30.0	27.3	27.5	27.0	25.8	$\bigcirc^{0}$	4
4.3	7.0	7	8	20.0	25.0	26.7	26.8	26.7	25.7	$\bigcirc^{0-1}$ $\leq^{1-2}$	5
8.7	5.7	8	8	23.8	29.9	25.9	26.4	26.3	25.5	$\oplus^{0}$	6
12.2	1.0	9	8	23.9	33.3	26.4	26.4	26.2	25.4		7
12.2	1.3	8	9	25.5	38.6	27.1	26.7	26.2	25.4		8
12.6	0.7	8	9	28.1	38.8	27.8	27.0	26.2	25.3		9
12.2	0.3	7	8	25.4	38.8	28.5	27.5	26.4	25.4		10
12.5	0.0	8	8	26.9	38.3	28.8	27.8	26.7	25.4		11
12.3	0.0	8	8	28.3	40.6	29.1	28.1	26.9	25.5		12
11.4	1.7	7	8	26.2	36.5	29.3	28.5	27.1	25.6		13
11.7	0.3	7	8	27.2	36.5	29.2	28.4	27.3	25.7		14
9.8	3.0	7	7	27.5	35.0	29.2	28.4	27.3	25.7	$\bigcirc^{0}$ Ω^{1}	15
11.9	3.7	7	8	28.0	38.4	29.1	28.4	27.3	25.9		16
11.1	2.0	7	7	26.0	34.4	29.0	28.4	27.5	25.9		17
7.1	5.3	7	7	24.8	35.3	28.6	28.3	27.4	25.9		18
10.1	3.0	7	8	24.6	34.0	28.2	27.9	27.1	26.0		19
11.8	0.3	7	8	24.9	32.5	27.5	27.6	27.0	25.9		20
11.8	0.0	7	8	25.2	34.4	27.3	27.3	26.9	25.8		21
11.4	0.0	7	7	26.5	34.2	27.4	27.3	26.7	25.8		22
11.6	1.7	7	7	27.6	34.8	27.6	27.4	26.8	25.7		23
3.5	8.0	7	7	23.9	31.7	27.7	27.3	26.6	25.7		24
11.6	1.0	6	8	24.6	33.9	27.3	27.1	26.5	25.7		25
11.6	2.7	7	8	24.8	33.6	27.0	27.0	26.3	25.6		26
11.4	1.7	6	7	25.2	31.9	26.7	26.7	26.0	25.6		27
11.5	1.3	8	8	23.5	33.4	26.4	26.5	25.9	25.6		28
11.8	0.7	8	8	22.9	33.9	26.3	26.4	26.0	25.5		29
11.2	0.3	8	8	23.6	32.4	26.1	26.4	26.0	25.4		30
7.6	2.3	7	8	25.6	34.0	26.2	26.4	26.0	25.3	$\bigcirc^{0}$	31
324.2										$\bigcirc$4, $\bigcirc$2, $\leq$2, $\oplus$1, Ω1.	
	2.2	7.3	7.8	25.3	34.4	27.7	27.4	26.7	25.7		

Year : 1940 Month : Septen

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1)	Wind (5)	Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	
1	18.0	22.7	16.0	12.8	0	0.0	0.67	59	8.1	750.0	NNW	8.5	4.5
2	18.3	23.2	14.6	14.2	0			60	9.2	53.7	NW	5.8	4.1
3	21.1	29.2	15.4	16.7	0			58	10.5	56.5	NE	1.8	4.6
4	24.5	32.1	17.0	14.5	0			47	10.5	56.3	NE	2.9	5.5
5	24.3	29.8	19.6	18.3	0			50	11.7	56.2	NNE	6.9	6.0
6	21.9	26.3	19.8	15.9	0			48	9.4	55.6	NNE	9.4	6.7
7	21.5	27.1	17.6	15.7	0			51	9.4	53.5	N	4.3	5.2
8	21.9	28.6	16.0	17.5	0			56	11.2	53.0	N	1.7	4.7
9	21.8	26.7	17.6	18.5	0			67	13.2	52.3	S	2.4	4.1
10	23.0	28.5	18.8	20.0	0			72	15.1	52.2	SSW	1.7	3.8
11	25.1	30.9	20.6	20.7	0			67	15.2	50.7	SSW	2.2	4.3
12	24.7	30.1	21.3	19.5	0			60	13.0	50.9	W	2.1	5.7
13	23.6	27.6	21.4	19.2	0			61	13.4	53.6	S	1.2	4.8
14	22.4	27.4	18.0	19.3	0			73	14.4	53.4	SSW	2.4	3.5
15	22.9	27.4	18.6	19.5	0			72	14.3	51.8	SW	2.2	4.0
16	25.4	30.2	20.6	20.0	0			60	13.5	49.7	SSW	2.8	5.2
17	25.5	31.6	22.6	19.9	0			57	13.8	51.5	N	1.8	6.1
18	23.0	27.6	19.2	19.2	0			68	14.0	53.7	SSW	1.8	4.3
19	24.1	30.6	19.1	17.8	0			53	11.0	54.9	ENE	2.5	5.3
20	24.4	31.8	19.0	18.0	0			49	11.1	55.0	NNE	4.0	6.0
21	23.9	29.8	18.4	17.4	0			54	12.4	54.2	NE	1.9	5.7
22	24.5	32.2	19.2	19.0	0			54	12.6	53.4	NNE	3.1	5.2
23	24.2	30.7	19.1	18.1	0			50	11.2	53.1	N	4.2	6.4
24	24.9	31.2	21.1	18.1	0			48	11.1	53.4	N	7.0	7.2
25	24.5	31.1	20.4	18.4	0			52	11.8	53.0	NE	5.1	6.1
26	23.4	32.0	18.0	18.4	0			54	11.8	52.5	NE	2.6	5.5
27	23.9	30.5	18.4	17.5	0			50	10.3	52.9	NE	5.6	5.8
28	22.9	29.1	19.4	19.1	0			63	13.3	50.9	S	2.7	4.7
29	22.9	28.6	18.6	19.7	0			72	14.7	49.3	S	2.0	3.0
30	23.0	27.4	19.0	19.2	0			66	13.5	50.9	S	1.9	4.0
Sum					0	0.0	0.67				NNE		152.0
Avg.	23.2	29.1	18.8	18.2				58	12.2	752.9	(6)	3.5	5.1

ear : 1940 Month : September

	Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.4	6.0	8	8	19.9	28.4	25.7	26.0	25.8	25.2	◍° ◍° ≺°	1
2	4.8	5.3	8	7	18.1	24.5	24.8	25.5	25.5	25.2	Ω°	2
3	10.3	2.0	8	8	21.9	32.8	24.3	25.0	25.1	25.0	Ω°	3
4	11.2	0.0	7	7	25.1	34.7	24.8	25.1	25.0	24.9		4
5	11.1	0.7	6	7	24.9	33.9	25.4	25.4	24.9	24.8		5
6	11.0	1.3	6	7	22.6	32.1	25.3	25.3	24.7	24.7		6
7	11.2	2.7	7	7	20.1	28.1	24.8	25.2	24.9	24.6		7
8	10.8	2.3	8	8	22.2	31.1	24.7	25.1	24.9	24.6		8
9	10.8	0.3	7	7	21.6	28.1	24.8	25.0	24.8	24.5		9
0	10.0	5.0	7	7	24.6	30.8	24.8	25.0	24.8	24.4	Θ° Ω$^{0-1}$	10
1	10.6	2.0	7	7	26.5	32.3	25.1	25.1	24.8	24.4		11
2	10.4	3.7	7	7	24.6	33.0	25.5	25.3	24.8	24.4		12
3	1.4	9.3	8	7	24.4	29.9	25.5	25.3	24.9	24.3		13
4	10.8	2.7	7	7	23.9	30.5	24.9	25.0	24.7	24.3	Ω$^{0-1}$	14
5	9.5	1.0	8	8	24.6	30.4	24.8	24.9	24.7	24.2	Ω$^{1-2}$	15
6	5.0	7.7	8	7	24.7	29.9	24.9	24.9	24.6	24.2	Ε°	16
7	9.6	3.7	8	8	26.7	31.3	25.2	24.9	24.5	24.1		17
8	11.1	0.3	8	7	24.1	30.3	25.1	25.0	24.5	24.1		18
9	10.8	0.7	8	8	24.9	30.4	24.9	24.9	24.5	24.1		19
0	10.8	0.0	8	8	–	33.2	24.9	24.8	24.3	24.1		20
1	10.6	0.3	7	7	22.6	32.3	25.0	24.9	24.5	24.1		21
2	10.4	0.0	7	8	23.7	31.7	25.1	24.9	24.5	24.1		22
3	11.1	0.0	6	8	24.4	33.1	25.0	24.9	24.4	24.0		23
4	10.9	0.0	5	8	25.1	32.0	25.0	24.8	24.4	24.1		24
5	10.7	0.0	7	8	23.7	32.2	25.1	24.8	24.3	24.1		25
6	10.7	0.0	7	8	23.2	31.6	24.8	24.8	24.4	24.0		26
7	10.8	0.0	4	7	24.3	32.0	24.6	24.6	24.3	24.0		27
8	10.2	0.7	5	7	23.7	29.5	24.7	24.7	24.5	24.0		28
9	10.0	0.3	6	7	23.8	30.0	24.6	24.7	24.4	24.0	Ω^{2}	29
0	8.8	1.7	7	7	23.0	29.6	24.5	24.5	24.3	23.9	Ω$^{0-1}$	30
n	293.8										◍1, ◍1, Ω7, ≺1, Ψ1, Φ1.	
g		2.0	7.0	7.4	23.6	31.0	25.0	25.0	24.7	24.3		

Year : 1940 Month : October

Date	Air temperature (°C)					Precipit.		Average of			Wind (1)	(5)	Total evaporat. (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	
1	24.4	28.9	20.0	20.4	0			70	15.4	753.5	SW	1.1	3.2
2	25.5	31.2	20.2	18.2	0			49	10.9	55.2	SSW	0.7	5.0
3	25.3	31.7	21.0	18.7	0			51	11.8	56.5	N	1.3	6.1
4	25.4	31.3	21.4	19.3	0			56	12.2	56.2	SSW	1.1	5.7
5	24.2	30.9	19.3	19.6	0			61	13.6	53.5	S	1.5	4.3
6	24.3	31.5	20.8	18.7	0			54	12.0	52.3	NNE	4.5	4.5
7	23.1	29.2	19.9	18.2	0			59	12.2	52.3	NNE	4.5	4.7
8	22.3	26.7	18.5	18.7	0			-	13.4	52.6	S	1.2	3.6
9	22.1	27.5	17.4	18.1	0			-	12.9	53.4	W	1.2	3.4
10	22.0	26.8	18.2	18.3	0			68	13.1	52.5	W	1.2	3.3
11	22.5	27.5	17.8	17.0	0			58	10.9	53.1	NNE	2.1	4.0
12	21.5	25.9	18.8	17.3	0			61	11.9	53.9	NNE	6.3	4.5
13	18.9	24.3	16.4	14.1	0			59	9.1	54.0	NNE	6.0	4.5
14	18.5	23.4	16.3	15.1	0			64	10.0	53.7	NW	4.9	2.8
15	17.3	20.8	16.0	13.4	1			61	8.9	54.2	NNE	5.0	3.5
16	16.9	21.3	14.0	13.1	1			59	8.6	54.8	NNE	6.8	3.7
17	15.3	20.1	13.2	11.7	3			60	7.7	54.9	NNE	7.9	3.9
18	14.0	16.6	12.7	11.2	4	0.2	4.42	68	8.2	54.1	NNE	5.6	2.9
19	13.1	16.3	11.2	10.3	5	2.9	4.83	68	7.4	53.4	NNE	8.8	3.0
20	13.8	20.2	8.6	11.0	4			66	7.7	53.6	N	4.5	2.7
21	14.2	17.7	9.6	11.8	4			73	9.7	53.3	N	0.5	2.0
22	16.9	18.5	11.9	15.9	1	21.5	5.00	83	12.5	49.3	E	1.1	1.4
23	20.6	24.5	16.4	16.8	0			70	11.8	46.5	W	2.0	3.2
24	19.6	24.3	16.4	17.1	0			76	12.7	51.3	N	1.0	2.7
25	19.5	22.1	15.7	18.4	0	0.9	2.67	83	14.6	47.8	SSE	5.5	2.3
26	21.6	25.0	18.5	16.8	0			59	11.2	45.3	SW	6.4	7.5
27	20.9	24.8	18.0	16.3	0			63	11.0	51.0	WSW	2.8	4.3
28	20.7	26.2	18.0	17.4	0			68	12.3	53.9	S	1.1	2.8
29	20.2	24.6	16.9	17.1	0	0.0	0.17	74	12.5	52.7	W	1.0	2.5
30	21.7	24.6	17.9	18.3	0			71	13.7	51.1	SSE	4.8	3.4
31	18.5	22.8	17.2	14.3	0	0.9	2.50	61	9.9	53.3	W	1.9	4.1
Sum					23	26.4	19.59				NNE		115.5
Avg.	20.1	24.8	16.7	16.1				65	11.3	752.7	(6)	3.4	3.7

ar : 1940

Month : October

	Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	8.0	0.0	6	7	25.1	29.7	24.5	24.5	24.3	23.9	Ω0-1	1
2	4.7	3.7	7	7	23.7	28.6	24.6	24.5	24.1	23.8		2
3	8.8	4.3	6	7	24.9	30.9	24.7	24.5	24.2	23.9		3
4	8.6	1.0	6	7	25.0	30.5	24.7	24.6	24.2	23.8		4
5	8.7	4.7	6	7	23.9	29.3	24.7	24.6	24.2	23.8		5
6	3.4	7.0	6	7	24.4	29.7	24.6	24.4	24.1	23.8		6
7	8.8	2.3	8	8	24.5	29.2	24.6	24.5	24.1	23.8		7
8	8.8	1.0	6	7	22.8	19.5	24.3	24.4	24.2	23.8		8
9	9.4	1.0	6	7	20.7	25.4	24.0	24.1	24.0	23.7	Ω1	9
0	9.5	0.0	8	7	21.9	25.6	23.7	23.9	23.9	23.6	Ω1	10
1	9.4	0.0	6	7	22.1	25.4	23.5	23.7	23.7	23.6		11
2	8.1	4.3	6	7	21.0	25.9	23.5	23.6	23.6	23.5		12
3	7.1	3.3	6	8	17.0	20.7	22.9	23.2	23.3	23.3		13
4	3.1	8.3	5	8	19.7	25.4	22.5	23.0	23.3	23.3		14
5	1.4	7.3	6	7	15.1	18.5	22.0	22.5	22.8	23.1		15
6	8.7	6.0	6	7	17.6	22.9	21.3	22.0	22.6	22.8		16
7	3.7	9.0	6	7	15.8	22.1	20.7	21.5	22.2	22.5		17
8	0.0	10.0	8	7	12.0	14.9	20.0	20.9	21.9	22.3	◑°	18
9	0.6	6.3	8	8	11.3	14.1	18.8	20.0	21.3	21.8	◑° ◑°	19
0	7.1	3.0	8	8	14.4	16.2	18.0	19.4	20.9	21.6		20
1	0.3	9.7	8	7	13.7	15.0	18.0	19.2	20.6	21.5	Ω1	21
2	0.0	9.0	6	6	15.8	15.7	18.4	19.0	20.4	21.2	◑1-2	22
3	5.6	5.0	9	8	17.9	17.5	18.8	19.0	20.0	21.1		23
4	4.5	4.7	7	8	19.1	19.2	19.2	19.4	20.1	20.8	Ω1	24
5	0.0	9.0	7	7	18.4	19.0	19.3	19.5	20.1	20.6	◑° ◑° Ω1-2	25
6	6.5	2.3	7	6	20.4	19.6	19.7	19.7	20.2	20.8		26
7	5.7	3.0	8	7	18.7	20.1	20.0	19.8	20.2	20.6		27
8	2.5	8.0	8	7	19.2	19.1	20.3	20.1	20.2	20.6		28
9	1,1	7.3	8	8	17.5	16.8	20.2	20.2	20.2	20.5	◑°	29
0	0.0	9.3	6	6	20.8	20.4	20.5	20.3	20.3	20.5	◁° ⊕°	30
1	7.0	5.7	7	8	17.3	19.1	20.3	20.2	20.2	20.5	◑1 ◩°	31
m	161.1										◑5, ◑3, Ω 6, ◩1, ◁1, ⊕1.	
g.		5.0	6.8	7.2	19.4	22.5	21.7	22.0	22.2	22.4		

Year : 1940 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporat. (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	16.0	20.6	12.9	11.4	2	0.0	0.17	56	7.0	754.3	NW	3.3	3.3
2	16.5	20.6	11.3	13.5	1			66	9.6	54.1	S	1.2	2.8
3	16.2	19.7	14.2	13.3	2	0.2	0.42	67	10.0	48.8	NW	4.5	2.8
4	15.6	19.8	10.8	12.5	2			64	8.6	50.8	SSE	0.5	3.2
5	17.4	21.9	13.4	14.4	1			71	10.2	50.5	S	0.7	2.7
6	17.5	23.4	12.1	15.3	0			76	11.4	53.5	S	0.7	2.2
7	18.9	21.6	12.2	17.1	0			81	13.7	51.9	SSE	4.8	2.6
8	19.2	22.2	14.4	16.8	0			80	13.1	49.7	SSE	4.1	3.2
9	17.2	20.6	14.8	15.6	1	17.7	3.82	84	12.0	47.5	SSE	2.9	2.2
10	14.7	18.2	11.9	12.7	3	3.8	0.67	79	9.7	47.8	NNW	0.8	1.5
11	14.9	20.2	11.2	12.6	3			76	9.6	52.8	N	0.8	2.4
12	14.6	19.1	11.4	13.9	3			86	10.9	53.8	-	-	1.4
13	16.1	19.0	12.9	14.7	2			84	11.5	50.9	-	-	1.5
14	18.1	23.4	12.9	16.5	0			78	12.8	52.3	SSE	0.5	2.8
15	17.0	21.1	12.8	16.3	1	0.0	0.05	83	12.0	52.6	SE	0.3	1.8
16	17.0	21.5	12.9	16.4	1			86	12.8	52.9	S	0.7	1.4
17	17.6	22.6	15.2	16.2	0			85	13.2	52.8	SSE	1.4	1.8
18	17.9	22.0	14.1	17.6	0			86	12.8	53.2	SSE	2.7	1.9
19	18.4	22.8	14.5	17.7	0			82	12.9	54.5	SSE	2.5	2.5
20	17.9	21.9	16.0	16.6	0			87	13.3	56.5	SE	0.3	1.4
21	16.5	19.8	13.6	15.2	1			87	12.0	57.7	NE	0.4	0.8
22	15.6	19.5	13.5	13.9	2			84	11.1	55.9	NE	0.8	1.1
23	14.5	19.0	12.4	13.3	3	12.9	4.02	84	10.3	51.0	ENE	1.2	1.2
24	13.9	17.6	13.3	12.9	4	8.3	2.58	86	10.5	50.6	NE	0.4	0.8
25	14.8	20.8	11.3	12.6	3	0.1	0.67	71	9.1	54.5	N	0.7	1.9
26	12.9	16.2	11.3	10.3	5	0.5	0.50	72	7.8	59.8	NNE	8.0	2.0
27	11.2	12.8	11.5	9.0	7			72	7.3	58.5	N	4.8	1.9
28	12.1	16.3	7.7	9.1	6			66	6.7	51.9	SW	0.9	2.3
29	14.3	19.0	8.2	10.7	4			66	7.4	49.0	NE	0.9	2.8
30	12.6	14.6	11.2	11.2	5	20.4	11.17	90	9.3	46.6	ENE	1.9	0.9
Sum					62	63.9	24.07				SSE		61.1
Avg.	15.9	19.9	12.5	12.9				78	10.6	752.6	(6)	2.0	2.0

r : 1940

Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
9.5	1.7	8	9	17.1	20.4	19.5	19.8	20.0	20.4	◍⁰	1
9.0	2.0	7	7	16.0	16.3	19.0	19.5	19.7	20.3		2
2.6	4.7	7	7	15.0	14.9	18.8	19.3	19.5	20.3	◍¹	3
8.1	4.7	7	8	14.9	15.9	18.1	18.8	19.5	20.1		4
9.4	1,7	7	8	16.4	18.3	18.2	18.7	19.2	20.0	Ω⁰⁻¹	5
9.3	2.3	6	6	16.5	22.8	18.4	18.9	19.2	19.9	Ω¹	6
1.4	8.7	6	8	-	-	18.9	19.1	19.3	19.8		7
5.8	8.0	7	8	19.4	23.4	19.3	19.3	19.4	19.8	⌒⁰	8
3.3	9.0	6	7	14.5	14.7	19.0	19.2	19.4	19.7	◍¹ ◍¹ △⁰ ≺⁰	9
3.3	8.3	8	8	15.1	15.8	18.0	18.5	19.0	19.7	◍⁰	10
9.1	3.3	8	8	14.8	15.4	17.5	18.0	18.6	19.5		11
1.5	8.0	5	6	13.8	17.1	17.2	17.7	18.5	19.1	⊖⁰ Ω¹	12
0.8	9.3	5	4	14.5	13.9	16.8	17.3	18.2	19.1	Ω⁰⁻¹	13
9.0	1.3	7	8	17.4	17.8	17.0	17.5	18.2	19.0	Ω⁰⁻¹	14
4.8	4.0	7	7	15.1	14.8	17.2	17.4	18.2	18.8	◍⁰ Ω²	15
5.5	5.7	6	7	17.8	18.4	17.0	17.4	18.1	18.8	Ω²	16
5.6	6.0	6	7	16.7	17.8	17.6	17.7	18.2	18.8	Ω¹	17
8.4	1.7	5	5	17.2	18.0	17.6	17.7	18.2	18.7	Ω¹⁻²	18
6.0	5.7	6	7	21.0	17.9	18.0	17.9	18.3	18.7	Ω¹⁻²	19
3.1	6.0	6	5	16.4	16.7	17.9	17.9	18.2	18.7	Ω¹⁻²	20
0,1	9.7	6	5	16.0	16.2	17.6	17.8	18.2	18.7	Ω²	21
0.6	8.7	6	5	14.3	14.7	17.4	17.7	18.2	18.7	Ω²	22
5.6	6.7	7	7	14.9	15.3	17.0	17.2	18.0	18.5	◍¹ ◍¹ ≺⁰	23
1.5	7.3	3	3	12.9	12.3	16.4	16.9	17.7	18.2	◍⁰ ◍⁰ Ω¹	24
6.0	5.3	7	8	13.4	14.1	15.8	16.4	17.5	18.2	◍⁰ Ω⁰⁻¹	25
3.7	5.7	7	7	11.5	11.1	15.7	16.3	17.3	18.1	◍⁰	26
0.4	9.3	7	7	10.7	9.0	14.9	15.8	16.9	17.9		27
7.8	4.7	8	8	14.3	12.4	14.2	15.3	16.5	17.6	Ω⁰⁻¹	28
7.3	6.3	8	8	14.5	13.4	14.4	15.2	16.5	17.6	Ω⁰	29
1.1	8.0	8	7	11.0	10.8	14.5	14.7	16.3	16.9	◍¹ ◍⁰ ≺⁰	30
149.6										◍7, ◍7, △1, Ω17, ≺3, ⌒1, ⊖1.	
	5.8	6.6	6.8	15.3	15.8	17.3	17.7	18.3	19.0		

Year : 1940 Month : Decemb

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	11.9	15.6	10.4	10.2	6	0.7	2.08	83	8.4	747.8	N	0.7	1.1
2	9.8	12.0	9.9	7.7	8	0.0	0.17	74	6.6	52.1	NNE	5.8	1.4
3	9.0	13.6	6.7	6.9	9			71	6.0	57.4	NE	1.9	1.5
4	7.9	12.7	5.2	6.5	10			73	6.1	57.7	NNE	3.5	1.4
5	8.4	9.6	5.9	7.5	10	6.2	8.62	82	6.9	48.8	NNE	5.0	2.0
6	11.4	14.2	7.2	8.8	7	4.8	4.00	72	6.8	42.6	WSW	3.9	2.6
7	16.7	20.5	8.1	13.5	1			65	9.3	42.7	SSW	3.9	3.9
8	18.2	20.4	14.1	15.2	0			72	11.0	47.6	S	8.4	4.8
9	17.1	18.0	16.3	14.4	1	0.0	0.77	75	10.5	47.6	SSE	10.6	4.3
10	13.7	17.8	13.8	9.1	4	0.3	-	56	6.3	44.1	WSW	8.8	7.1
11	12.1	14.8	8.7	8.9	6	0.2	-	62	6.5	44.8	SSW	3.3	3.5
12	13.1	16.0	8.8	10.5	5	3.4	2.50	72	8.0	40.3	WSW	5.6	4.2
13	10.2	12.5	7.6	8.4	8	0.4	1.47	75	7.1	47.3	SW	1.1	2.0
14	9.1	13.4	6.8	6.8	9	2.1	1.42	-	6.3	50.0	NE	0.6	1.2
15	6.0	9.4	4.5	4.5	12	0.7	1.67	-	5.2	50.7	N	6.8	1.3
16	5.0	7.2	4.1	3.6	13	0.0	0.58	-	5.0	54.8	NNE	8.4	1.1
17	4.8	6.1	3.3	3.9	13	1.7	2.17	79	5.3	54.6	NNE	12.0	2.3
18	4.1	5.6	1.4	2.3	14	1.7	2.67	70	4.2	52.9	NW	7.4	1.4
19	4.9	7.8	2.4	3.6	13	1.2	0.33	73	4.8	52.2	WNW	4.0	1.3
20	5.4	8.6	3.6	3.8	13			73	4.9	52.7	NW	4.1	1.2
21	6.2	9.9	4.2	4.8	12			73	5.2	56.3	NE	1.5	1.2
22	7.7	9.4	4.6	6.5	10	1.1	3.00	80	6.4	54.4	NE	1.8	0.8
23	13.3	16.4	5.4	11.0	5	0.6	2.00	73	8.2	49.0	S	4.1	2.7
24	13.8	16.3	8.7	13.3	4			81	10.3	49.4	SSE	6.7	2.1
25	13.8	16.4	13.1	10.2	4			67	7.2	49.5	S	2.2	2.9
26	10.8	13.5	9.6	9.9	7	13.3	4.70	85	8.5	51.3	NNE	2.1	0.8
27	8.3	10.4	6.6	6.9	10	2.2	2.42	81	6.5	52.1	N	9.0	1.2
28	7.3	8.8	6.8	6.0	11	1.9	6.00	78	6.3	49.1	NNE	11.5	1.6
29	5.1	6.4	4.7	3.4	13	0.0	-	75	4.8	53.2	NNE	4.2	1.3
30	5.9	10.1	3.2	4.1	12			66	4.8	54.6	S	0.1	1.4
31	10.1	13.1	2.6	7.6	8			64	6.0	52.2	SW	3.5	2.8
Sum					258	42.5	-				NNE		68.4
Avg.	9.7	12.5	7.0	7.7				73	6.8	750.3	(6)	4.9	2.2

r : 1940 Month : December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
2.4	7.0	7	6	11.0	9.1	14.1	14.9	16.0	16.7	◍⁰ ◍⁰ Ω²	1
1.4	7.7	8	8	8.8	8.0	13.5	14.4	15.7	16.6	◍⁰	2
8.1	2.3	8	8	7.7	6.8	12.6	13.8	15.4	16.5	Ω⁰	3
2.8	6.7	8	7	8.3	6.8	12.0	13.3	15.0	16.2	◍¹ Ω¹	4
0.0	10.0	5	6	8.3	7.2	11.7	13.2	14.6	16.1	◍¹	5
6.1	7.0	8	9	11.5	10.5	12.0	13.0	14.6	16.1	◍¹ ◍⁰	6
6.8	6.3	9	8	16.4	15.9	12.8	13.4	14.6	16.0		7
4.7	6.3	7	8	17.3	17.0	14.0	14.1	14.6	16.1	◍⁰	8
0.1	10.0	7	7	12.9	14.5	14.7	14.6	14.9	15.7	◍²	9
1.5	5.3	7	7	11.6	11.8	14.5	14.6	15.1	15.7	◍⁰	10
3.1	9.7	8	8	11.6	9.3	13.5	14.0	14.9	15.5	◍⁰	11
0.9	9.3	7	8	11.8	10.3	13.7	14.1	14.9	15.5	◍⁰ ◍¹	12
1.0	8.0	6	6	8.4	7.9	12.7	13.5	14.5	15.9	◍⁰ ◍⁰	13
3.7	8.3	7	8	-	9.3	12.2	13.1	14.2	15.4	◍¹	14
4.8	8.7	7	8	6.6	6.2	11.6	12.5	14.0	15.0	◍¹	15
1.0	9.0	5	5	4.0	3.5	10.7	11.9	13.6	14.7	◍⁰	16
0.5	10.0	5	6	4.1	3.9	9.8	11.2	13.0	14.2	◍¹ ◍⁰ ⁂⁰	17
0.0	10.0	6	6	3.1	3.2	9.2	10.7	12.6	14.2	◍⁰ ⁂	18
0.1	10.0	5	6	4.5	4.5	8.8	10.4	12.4	14.0	◍¹⁻² ◍⁰	19
4.1	6.7	6	8	6.2	7.2	8.9	10.4	12.2	13.8	Ω⁰	20
0.4	9.3	5	6	6.6	6.7	9.0	10.3	12.1	13.5		21
0.0	9.7	5	5	6.5	6.3	9.2	10.3	12.3	13.4	◍⁰ ◍⁰	22
3.7	5.7	7	8	11.2	13.7	10.3	10.9	12.3	13.5	◍⁰	23
1.1	7.3	6	5	12.0	11.6	11.1	11.4	12.2	13.4		24
1.8	8.3	9	9	11.4	11.5	12.0	12.0	12.5	13.6		25
0.1	10.0	7	7	10.0	10.3	11.9	12.2	12.6	13.5	◍² ◍⁰	26
0.3	9.7	8	8	7.6	7.4	11.4	11.9	12.6	13.3	◍⁰ ◍⁰	27
0.0	9.7	4	6	5.5	5.3	10.6	11.3	12.4	13.1	◍⁰ ◍⁰	28
0.0	7.7	7	8	4.5	4.1	9.6	10.8	12.0	13.1	◍ ⁂⁰	29
5.8	2.0	8	9	5.6	6.8	-	10.5	11.8	13.0		30
6.1	3.0	8	8	8.3	7.3	-	10.3	11.4	13.2		31
72.4										◍13, ◍17, ⁂3, Ω4, Ω3.	
	7.8	6.8	7.2	8.8	8.5	11.7	12.4	13.6	14.7		

YEAR : 1940

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid. (%) ((1)	Average of Vapor pressure (mm) (3)	Sunshine (8) Total	Sunshine (8) Possible (9
JAN.	8.0	11.1	5.0	16.7	6	0.4	4	308	6.2	76	6.1	72.7	30
FEB.	10.3	14.4	6.9	18.9	1	0.0	22	218	8.9	72	6.9	131.0	30
MAR.	11.1	15.8	7.4	23.2	31	1.0	10	219	8.3	64	6.6	191.1	36
APR.	14.7	19.1	10.9	25.8	23	5.2	2	103	13.1	64	7.8	201.7	39
MAY	18.0	22.6	14.2	27.8	27	11.0	3	27	14.7	67	10.2	202.6	4
JUNE	23.1	28.0	18.9	32.5	26	14.6	5	0	18.2	65	13.5	302.5	4
JULY	27.7	33.4	22.9	37.5	27	18.8	4	0	21.0	52	13.9	371.2	4
AUG.	25.3	31.1	21.2	35.9	13	17.2	30	0	19.6	56	13.2	34.2	4
SEP.	23.2	29.1	18.8	32.2	22	14.6	2	0	18.2	58	12.2	295.8	3
OCT.	20.1	24.8	16.7	31.7	3	8.6	20	23	16.1	65	11.3	161.1	3
NOV.	15.9	19.9	12.5	23.4	6.14	7.7	28	62	12.9	78	10.6	149.6	3
DEC.	9.7	12.5	7.0	20.5	7	1.4	18	258	7.7	73	6.8	72.4	2
YEAR	17.3	21.8	13.5	37.5	July 27	0.0	Feb, 22	1218	13.7	66	9.9	2475.9	44

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤0°C (frost days)	Maximum ≤0°C (ice days)	Maximum ≥25.0°C (Summer days)	Maximum ≥30.0°C (Tropical days)
JAN.	7.9	6.8	6.8	6.5	7.3	9.4	10.1	10.8	12.0	0	0	0	0
FEB.	6.1	6.4	6.9	8.9	10.7	10.6	10.8	11.2	11.8	1	0	0	0
MAR.	5.6	6.9	6.8	10.7	13.9	11.8	11.6	11.7	12.0	0	0	0	0
APR.	6.1	7.3	7.3	14.8	19.6	15.4	14.9	14.5	14.2	0	0	5	0
MAY	6.5	7.7	7.2	17.9	24.0	19.1	18.4	17.8	17.2	0	0	7	0
JUNE	3.8	7.2	7.1	22.4	30.1	24.0	22.9	21.6	20.2	0	0	23	10
JULY	1.3	7.5	7.6	27.1	35.5	28.3	27.1	25.6	23.9	0	0	31	26
AUG.	2.2	7.3	7.8	25.3	34.4	27.7	27.4	26.7	25.7	0	0	31	18
SEP.	2.0	7.0	7.4	23.6	31.0	25.0	25.0	24.7	24.3	0	0	28	13
OCT.	5.0	6.8	7.2	19.4	22.5	21.7	22.0	22.2	22.4	0	0	14	5
NOV.	5.8	6.6	6.8	15.3	15.8	17.3	17.7	18.3	19.0	0	0	0	0
DEC.	7.8	6.8	7.2	8.8	8.5	11.7	12.4	13.6	14.7	0	0	0	0
YEAR	5.0	7.0	7.2	16.7	21.1	18.5	18.4	18.2	18.1	1	0	139	72

YEAR : 1940

Average Pressure at 0°C (mm) (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
750.3	5.5	NNE	95.7	26.4	25	50.2	17	9	0	4	3	25	12	3
50.7	3.7	NNE	27.3	17.3	22	58.8	7	6	2	2	0	9	18	2
51.8	4.1	S	23.6	15.3	17	95.4	7	6	2	0	0	11	14	2
50.2	3.2	S	20.4	15.4	14	99.7	9	7	0	0	0	13	8	0
49.2	2.6	SW	33.3	9.9	8	112.3	13	8	0	0	0	17	2	0
48.7	1.7	SSW	1.8	1.3	27	136.2	9	1	0	0	0	10	4	0
49.2	2.9	N	12.7	11.8	3	210.5	1	1	0	0	1	2	1	0
50.7	4.1	NNE	3.4	2.5	3	180.5	4	2	0	0	0	5	1	0
52.9	3.5	NNE	0.0	0.0	1	152.0	1	1	0	0	0	1	7	0
52.7	3.4	NNE	26.4	21.5	22	115.5	5	3	0	0	0	6	6	0
52.6	2.0	SSE	63.9	20.4	30	61.1	7	7	0	0	1	10	17	0
50.3	4.9	NNE	42.5	13.3	26	68.4	13	17	0	3	0	21	4	0
750.8	3.5	NNE	351.0	26.4	Jan. 25	1340.6	93	68	4	9	5	130	94	7

Number of days: Snow cover	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
0	0	11	20	1	6	3	0	0	0	0	1	0	0
0	6	14	9	5	3	2	0	0	3	2	2	2	0
0	3	20	8	8	2	1	0	0	0	1	0	0	0
0	3	21	6	4	1	0	0	0	1	0	0	0	0
0	6	12	13	5	0	1	0	0	1	0	0	0	0
0	5	24	1	10	0	7	0	0	2	0	0	0	0
0	24	7	0	21	0	3	0	0	0	0	0	0	0
0	18	13	0	19	0	2	0	0	1	0	0	0	0
0	18	11	1	21	0	0	1	0	0	1	1	0	0
0	6	18	7	3	5	1	1	0	1	0	0	0	0
0	4	19	7	6	0	3	0	1	0	0	0	1	0
0	0	15	16	0	5	0	0	0	0	0	3	0	0
0	93	185	88	103	22	23	2	1	9	4	7	3	0

Y E A R : 1940

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	7.4	20.3	16.3	2.8	3.1	1.5	2.4	2.8	10.1	0.9	1.9	2.6	2.8	1.5	1.2	3.8	1
FEB	11.2	11.7	9.1	3.6	3.8	1.0	1.0	3.2	11.6	3.8	4.1	3.3	6.4	3.3	3.6	3.4	1
MAR.	5.9	9.5	11.0	2.4	0.5	0.1	0.4	3.5	14.1	9.4	7.0	4.6	3.6	5.6	2.3	2.3	1
APR.	5.7	5.6	8.9	3.5	1.3	0.7	1.1	2.5	9.9	9.3	6.1	3.8	3.2	3.2	2.6	4.0	2
MAY	2.8	7.4	7.5	3.0	1.7	1.3	1.2	3.8	9.0	9.5	9.7	4.0	4.1	1.4	2.8	2.0	2
JUNE	2.5	1.1	1.1	0.0	0.4	0.0	0.8	3.6	9.2	16.9	12.9	3.9	1.7	1.8	1.9	1.5	4
JULY	13.4	11.0	7.5	1.5	0.7	0.5	0.8	3.1	8.1	12.2	3.8	1.5	1.9	1.1	2.0	2.7	2
AUG.	15.5	25.4	7.8	3.4	1.2	0.4	0.9	1.3	7.7	6.6	2.8	1.9	1.7	1.6	3.5	5.8	1
SEP.	11.3	16.8	13.1	1.5	1.9	1.3	1.3	2.9	6.0	10.3	5.2	2.4	3.6	1.4	4.4	5.6	1
OCT.	9.3	22.5	7.9	3.1	4.0	0.8	2.6	4.3	7.6	8.1	6.7	4.2	3.5	0.8	3.8	3.3	
NOV.	5.5	9.5	6.9	7.1	2.0	0.4	4.5	12.0	7.3	4.3	3.9	3.2	0.8	0.8	5.7	4.3	2
DEC.	9.9	15.7	8.7	1.2	1.2	0.1	1.3	5.8	6.8	6.9	4.7	7.3	3.6	4.7	6.8	2.4	1
YEAR	8.4	13.2	8.9	2.6	1.8	0.7	1.5	3.9	9.0	8.3	5.8	3.6	3.1	2.3	3.3	3.4	2

REFERENCE NOTES

1) Average of 24 hourly values
2) Day ending at 24 h.
3) Average of 8, 14 and 20 h observations.
4) Day ending at 20 h.
5) From Steffens - Hedde anemograph (mean instantaneous readings)
6) Monthly prevailing direction.
7) From Piche evaporimeter,
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h observation.